



```

name: <unnamed>
log: Z:\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codebook_sc\b2.scm
> 1
log type: smcl
opened on: 23 Dec 2025, 16:10:23

```

```
1 . codebookr _all,all
```

```

Dataset: \RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\stata\sc
> ramble/b2_run.dta
Last saved: 23 Dec 2025 16:10

```

```

Label: [none]
Number of variables: 270
Number of observations: 1,666
Size: 9,842,728 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or -6 or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or -7 or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or -8 or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or -9 or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a or -6
                  .b or -7
                  .c or -8
                  .d or -9
String Missing*:  RF
                  NA
                  DK
                  MI

```

```
cid children id
```

```

type: string (str18)
unique values: 1,666 missing "": 0/1,666
examples: "201591160601205H1"
           "201691130216999H1"
           "201691160104180H1"
           "201691161706142H6"

```

```
iyear year
```

```

type: string (str4)
unique values: 2 missing "": 0/1,666
tabulation: Freq. Value
             626 "2015"
             1,040 "2016"

```

```
hhid household id
```

```
type: string (str15)
```

unique values: 1,413 missing "": 0/1,666
 examples: "201591160601205"
 "201691130216999"
 "201691160104180"
 "201691161706142"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,666
 tabulation: Freq. Value
 1,501 "91"
 165 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 7 missing "": 0/1,666
 tabulation: Freq. Value
 165 "12"
 308 "13"
 134 "14"
 164 "15"
 608 "16"
 45 "17"
 242 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,666
 tabulation: Freq. Value
 71 "01"
 259 "02"
 141 "04"
 65 "05"
 60 "06"
 69 "07"
 67 "08"
 109 "09"
 155 "10"
 96 "11"
 167 "13"
 52 "14"
 169 "15"
 116 "17"
 70 "19"

moo **moo**

type: string (**str2**)
 unique values: 21 missing "": 0/1,666

```

tabulation:  Freq.  Value
              168  "01"
              75  "02"
              166  "03"
              172  "04"
              151  "05"
              175  "06"
              86  "07"
              173  "08"
              108  "09"
              84  "10"
              61  "11"
              51  "12"
              46  "13"
              14  "14"
              12  "15"
              41  "16"
              10  "17"
              14  "18"
              31  "19"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type:  string (str3)
unique values: 182          missing "": 0/1,666
examples: "011"
          "034"
          "071"
          "157"
    
```

ch_added **children added**

```

type:  numeric (float)
label:  ch_add
range:  [0,1]          units: 1
unique values: 2          missing .: 0/1,666
tabulation:  Freq.  Numeric  Label
             1,595  0       no
             71     1       yes
    
```

survey_name **survey round**

```

type:  string (str12)
unique values: 2          missing "": 0/1,666
tabulation:  Freq.  Value
             1,040  "BASELINE2016"
             626   "RESURVEY2016"
    
```

cc13b The response of parents to the child : talking together about child rearing amon

```

type:  numeric (byte)
label:  cc13b
    
```

range: [1,5] units: 1
 unique values: 3 missing .: 0/1,666
 unique missing codes: 2 missing *: 118/1,666

tabulation:	Freq.	Numeric	Label
	1,075	1	never
	378	3	sometimes
	95	5	often
	117	.b	
	1	.d	

ccl1a Have you fed the child with breast milk in the past 30 days? (In case the child

type: numeric (byte)
 label: ccl1a

range: [1,3] units: 1
 unique values: 2 missing .: 0/1,666
 unique missing codes: 1 missing *: 1/1,666

tabulation:	Freq.	Numeric	Label
	102	1	yes
	1,563	3	no
	1	.d	

ccl1a1 How old was the child when you stopped breast feeding (in months)?

type: numeric (byte)

range: [0,48] units: 1
 unique values: 38 missing .: 103/1,666
 unique missing codes: 2 missing *: 5/1,666

tabulation:	Freq.	Value
	97	0
	150	1
	164	2
	304	3
	74	4
	38	5
	216	6
	39	7
	54	8
	48	9
	13	10
	9	11
	83	12
	9	13
	35	14
	18	15
	10	16
	11	17
	55	18
	6	19
	14	20
	5	21
	4	22
	62	24
	2	25
	1	26
	2	27
	2	28
	6	29
	7	30
	2	31
	1	35
	7	36
	1	40

```

          4 42
          1 44
          1 45
          3 48
        103 .
          5 .c
    mean:  7.17779
  std. dev: 7.53641

percentiles:    10%    25%    50%    75%    90%
                1      2      4      9     18

```

cclb Have you fed the child with other milk in the past 30 days?

```

    type: numeric (byte)
    label: cclb

    range: [1,3]          units: 1
unique values: 2          missing .: 0/1,666

    tabulation: Freq.   Numeric   Label
                1,654     1     yes
                12       3     no

```

cclb1 How old was the child when you started to feed him/her with this milk (in months)

```

    type: numeric (byte)

    range: [1,43]          units: 1
unique values: 36          missing .: 12/1,666
unique missing codes: 2    missing *: 7/1,666

    tabulation: Freq.   Value
                223     1
                164     2
                205     3
                208     4
                 63     5
                117     6
                145     7
                 61     8
                 57     9
                 35    10
                 12    11
                 59    12
                 45    13
                 19    14
                 30    15
                 15    16
                 17    17
                 34    18
                 39    19
                 10    20
                 10    21
                  2    22
                  3    23
                 29    24
                 22    25
                  3    26
                  1    27
                  1    28
                  4    29
                  5    30
                  2    31
                  3    36
                  1    37
                  1    38
                  1    42

```

```

          1  43
          12 .
          7  .c
    mean:  7.22647
  std. dev: 6.60877

percentiles:    10%    25%    50%    75%    90%
                 1      3      5      9     18
  
```

cc2_1 **Powdered milk 1 (not display)**

```

    type: string (str84), but longest is str0
  unique values: 0          missing "": 1,666/1,666

  tabulation: Freq. Value
               1,666 ""
  
```

cc2a_1 **Have you fed the child with powdered milk in the past week**

```

    type: numeric (byte)
    label: cc2a

    range: [1,3]          units: 1
  unique values: 2      missing .: 12/1,666

  tabulation: Freq. Numeric Label
               515      1 yes
               1,139    3 no
               12      .
  
```

cc2b_1 **Specify average quantity of powdered milk per week (ounce)**

```

    type: numeric (double)

    range: [9,1400]      units: 1
  unique values: 71     missing .: 1,151/1,666
  unique missing codes: 2  missing *: 4/1,666

  tabulation: Freq. Value
               1  9
               3  14
               1  20
               1  21
               8  28
               1  32
               4  35
               9  42
               1  47
               2  49
              22  56
               4  63
               3  70
               1  77
               1  79
               1  80
              22  84
              12  98
               2  102
               5  105
              36  112
               1  116
               1  120
              14  126
               1  128
               1  137
  
```

```

22 140
8 147
1 154
2 158
1 164
60 168
2 172
4 175
2 182
3 189
18 196
1 205
18 210
1 221
44 224
2 238
1 240
7 245
1 250
19 252
2 259
1 266
2 270
1 273
39 280
1 289
6 294
6 308
3 315
25 336
1 350
1 360
5 364
1 368
13 392
1 400
5 420
6 448
1 504
1 532
9 560
1 672
1 756
3 840
1 1400
1,151 .
4 .c

```

```

mean: 206.192
std. dev: 136.032

```

```

percentiles:      10%      25%      50%      75%      90%
                  56       112      175      280      336

```

cc2c_1 **Unit of quantity : Ounce**

```

type: string (str35), but longest is str15
unique values: 1 missing "": 0/1,666
tabulation: Freq. Value
              1,666 " "

```

cc2_2 **Bag milk/Pasteurized milk 2 (not display)**

```

type: string (str84), but longest is str0
unique values: 0 missing "": 1,666/1,666

```



```

          1  56
          1  63
          1  70
          1  78
          2  84
        672  .
          8  .c
    mean:   8.76369
  std. dev: 9.00795

percentiles:    10%    25%    50%    75%    90%
                  3      5      5      10     15
  
```

cc2c_2 Unit of quantity : Bag/Bottle

```

    type: string (str35), but longest is str19
unique values: 1          missing "": 0/1,666
  tabulation: Freq. Value
               1,666  "a,г/чгк"
  
```

cc2_3 UHT milk (sterilized) 3 (not display)

```

    type: string (str84), but longest is str0
unique values: 0          missing "": 1,666/1,666
  tabulation: Freq. Value
               1,666  ""
  
```

cc2a_3 Have you fed the child with UHT milk (sterilized) in the past week

```

    type: numeric (byte)
    label: cc2a
    range: [1,3]
unique values: 2          units: 1
                    missing .: 12/1,666
  tabulation: Freq.  Numeric  Label
               1,023    1      yes
               631     3      no
               12      .
  
```

cc2b_3 Specify average quantity of UHT milk (sterilized) per week (box)

```

    type: numeric (double)
    range: [1,196]
unique values: 52          units: 1
unique missing codes: 2    missing .: 643/1,666
                    missing *: 1/1,666
  tabulation: Freq. Value
               33  1
               62  2
               57  3
               32  4
               53  5
               13  6
              153  7
                5  8
                8  9
               13 10
               14 11
  
```

```

          9 12
          2 13
        145 14
          2 15
          1 16
          2 17
         34 18
          6 19
          1 20
         88 21
          1 22
          1 23
          3 24
         17 25
          5 26
         58 28
          1 30
          5 31
         11 32
          1 33
         47 35
          2 36
         12 39
          1 40
         49 42
          1 43
          2 44
          4 46
         18 49
          1 52
          3 53
          1 55
         16 56
          1 60
         10 63
          5 70
          1 74
          1 77
          9 84
          1 140
          1 196
        643 .
          1 .c
    mean: 18.4883
  std. dev: 17.6519

percentiles:      10%      25%      50%      75%      90%
                  3         7         14         28         42

```

cc2c_3 **Unit of quantity : Box**

```

    type: string (str35), but longest is str15
unique values: 1          missing "": 0/1,666
  tabulation: Freq. Value
               1,666  "na'03"

```

cc2_4 **Soy milk 4 (not display)**

```

    type: string (str84), but longest is str0
unique values: 0          missing "": 1,666/1,666
  tabulation: Freq. Value
               1,666  ""

```

cc2a_4 **Have you fed the child with soy milk in the past week**

```

type: numeric (byte)
label: cc2a

range: [1,3]
unique values: 2
units: 1
missing ..: 12/1,666

tabulation: Freq.  Numeric  Label
              572      1  yes
              1,082    3  no
              12         .
    
```

cc2b_4 **Specify average quantity of soy milk per week (bag/bottle/box)**

```

type: numeric (double)

range: [1,84]
unique values: 25
unique missing codes: 3
units: 1
missing ..: 1,094/1,666
missing *: 2/1,666

tabulation: Freq.  Value
              100  1
              123  2
              102  3
               29  4
               17  5
               12  6
               87  7
                1  8
                1  9
                1 10
                4 11
                2 12
               26 14
                2 16
                9 18
               15 21
                3 25
                9 28
                2 32
               10 35
                2 39
                9 42
                1 46
                1 56
                2 84
            1,094 .
                1 .c
                1 .d
mean: 6.96316
std. dev: 10.0197

percentiles:      10%      25%      50%      75%      90%
                  1         2         3         7         18
    
```

cc2c_4 **Unit of quantity : Bag/Bottle/Box**

```

type: string (str35)
unique values: 1
missing "": 0/1,666

tabulation: Freq.  Value
              1 , 6 6 6  " ๓ , ๖ / ขวด / กล่อง "
```

cc2_5 **Drinking yogurt/Yakult 5 (not display)**

```

type: string (str84), but longest is str0
unique values: 0 missing "": 1,666/1,666
tabulation: Freq. Value
             1,666 ""
    
```

cc2a_5 **Have you fed the child with drinking yogurt/Yakult in the past week**

```

type: numeric (byte)
label: cc2a
range: [1,3] units: 1
unique values: 2 missing .: 12/1,666
tabulation: Freq. Numeric Label
             1,280 1 yes
             374 3 no
             12 .
    
```

cc2b_5 **Specify average quantity of drinking yogurt/Yakult per week (bottle/box)**

```

type: numeric (double)
range: [1,84] units: 1
unique values: 33 missing .: 386/1,666
unique missing codes: 3 missing *: 3/1,666
tabulation: Freq. Value
             119 1
             195 2
             173 3
             106 4
              49 5
              28 6
             269 7
              13 8
               1 9
              10 10
              33 11
              11 12
               2 13
             138 14
               2 15
               2 16
               1 17
              32 18
               2 19
               1 20
              38 21
               1 22
               2 24
              11 25
              19 28
               6 32
               6 35
               2 39
               1 42
               1 49
               1 56
               1 77
               1 84
             386 .
               2 .c
    
```

```

                1 .d
    mean:      7.50979
    std. dev:  7.51963

    percentiles:    10%    25%    50%    75%    90%
                   2      3      5      10     16
    
```

cc2c_5 Unit of quantity :Bottle/Box

```

    type: string (str35), but longest is str25
    unique values: 1          missing "": 0/1,666
    tabulation:  Freq. Value
                 1, 666  "  "
    
```

cc2_6 Sweet condensed milk (as a substitute for milk) 6 (not display)

```

    type: string (str84), but longest is str0
    unique values: 0          missing "": 1,666/1,666
    tabulation:  Freq. Value
                 1,666  "  "
    
```

cc2a_6 Have you fed the child with sweet condensed milk in the past week

```

    type: numeric (byte)
    label: cc2a
    range: [1,3]
    unique values: 2          units: 1
                                missing .: 12/1,666
    tabulation:  Freq.  Numeric  Label
                 4      1      yes
                 1,650  3      no
                 12      .
    
```

cc2b_6 Specify average quantity of sweet condensed milk per week (can)

```

    type: numeric (double)
    range: [1,1]
    unique values: 1          units: 1
    unique missing codes: 2    missing .: 1,662/1,666
                                missing *: 1/1,666
    tabulation:  Freq. Value
                 3      1
                 1,662  .
                 1      .c
    mean:        1
    std. dev:    0
    percentiles:    10%    25%    50%    75%    90%
                   1      1      1      1      1
    
```

cc2c_6 Unit of quantity : Can

```

    type: string (str35), but longest is str21
    unique values: 1          missing "": 0/1,666
    
```

tabulation: Freq. Value
 1,666 " n r z p ' 0 3 "

cc2_7 Evaporated milk (as a substitute for milk) 7 (not display)

type: string (**str84**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

cc2a_7 Have you fed the child with evaporated milk in the past week?

type: numeric (**byte**)
 label: **cc2a**
 range: [1,3] units: 1
 unique values: 2 missing .: 12/1,666
 tabulation: Freq. Numeric Label
 5 1 yes
 1,649 3 no
 12 .

cc2b_7 Specify average quantity of evaporated milk per week (can)

type: numeric (**double**)
 range: [2,5] units: 1
 unique values: 3 missing .: 1,661/1,666
 tabulation: Freq. Value
 2 2
 2 4
 1 5
 1,661 .
 mean: 3.4
 std. dev: 1.34164
 percentiles: 10% 25% 50% 75% 90%
 2 2 4 4 5

cc2c_7 Unit of quantity : Can

type: string (**str35**), but longest is str21
 unique values: 1 missing "": 0/1,666
 tabulation: Freq. Value
 1,666 " n r z p ' 0 3 "

cc2_8 Yogurt 8 (not display)

type: string (**str84**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

cc2a_8 **Have you fed the child with yogurt in the past week**

```

type: numeric (byte)
label: cc2a

range: [1,3]
unique values: 2
units: 1
missing ..: 12/1,666

tabulation: Freq.  Numeric  Label
              770      1  yes
              884      3  no
              12         .
    
```

cc2b_8 **Specify average quantity of yogurt per week (cup)**

```

type: numeric (double)

range: [1,35]
unique values: 16
unique missing codes: 2
units: 1
missing ..: 896/1,666
missing *: 3/1,666

tabulation: Freq.  Value
              257  1
              204  2
              129  3
               45  4
               21  5
                5  6
               78  7
                1  8
                1  9
                2 10
                1 11
                2 12
               17 14
                2 21
                1 28
                1 35
              896  .
                3  .c
mean: 3.0352
std. dev: 3.10648

percentiles:      10%      25%      50%      75%      90%
                  1         1         2         3         7
    
```

cc2c_8 **Unit of quantity : Cup**

```

type: string (str35), but longest is str12
unique values: 1
missing "": 0/1,666

tabulation: Freq.  Value
              1,666  ""
    
```

cc2_9 **Other (type of milk) 9 (not display)**

```

type: string (str84), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation: Freq.  Value
              1,666  ""
    
```

cc2a_9 Have you fed the child with other type of milk in the past week

```

type: numeric (byte)
label: cc2a

range: [1,1]
unique values: 1
units: 1
missing .: 1,610/1,666

tabulation: Freq.  Numeric  Label
              56      1  yes
              1,610      .
    
```

cc2b_9 Specify average quantity of other type of milk per week (box/bag/bottle/glass)

```

type: numeric (double)

range: [1,40]
unique values: 15
units: 1
missing .: 1,610/1,666

tabulation: Freq.  Value
              4  1
              6  2
              7  3
              2  4
              1  5
              4  6
             19  7
              1  8
              1 10
              4 14
              1 18
              1 21
              1 25
              3 28
              1 40
             1,610 .
mean: 8.375
std. dev: 8.07367

percentiles: 10% 25% 50% 75% 90%
              2   3   7   7  21
    
```

cc2c_9 Unit 9

```

type: string (str35), but longest is str15

unique values: 4
missing "": 1,610/1,666

tabulation: Freq.  Value
             1,610 ""
              20 "ก๋วยเตี๋ยว"
               3 "ข้าวต้ม"
              13 "ขนมปัง"
              20 "นมผง"
    
```

cc3 Since last interview, has the child had vitamin or supplementary food?

```

type: numeric (byte)
label: cc3

range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing .: 0/1,666
missing *: 2/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              986      1  yes
              678      3  no
              1         .c
              1         .d
    
```

cc3a **Where did the vitamin or supplementary food come from?**

```

type: string (str3)
unique values: 5           missing "": 678/1,666
unique missing codes: 3   missing *: 2/1,666
    
```

```

tabulation:  Freq.  Value
              678  ""
              376  "A"
              124  "A;B"
              486  "B"
               1   "DK"
               1   "MI"
    
```

cc3a_des **Place to get vitamins or supplement : description**

```

type: string (str45)
unique values: 5           missing "": 678/1,666
unique missing codes: 3   missing *: 2/1,666
    
```

```

tabulation:  Freq.  Value
              678  ""
               1   "DK"
               1   "MI"
              376  "hospital/public health center"
              124  "hospital/public health
                  center;self-medication"
              486  "self-medication"
    
```

warning: variable has embedded blanks

cc4b **Since last interview, has the child regularly drunk boiled water, filtered wate**

```

type: numeric (byte)
label: cc4b
range: [1,3]           units: 1
unique values: 2       missing .: 0/1,666
unique missing codes: 1  missing *: 1/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              1,364  1  yes
              301   3  no
               1     .d
    
```

cc5a1 **Since last interview, has the child had real fruit juice such as orange, apple,**

```

type: numeric (byte)
label: cc5a1
range: [1,3]           units: 1
unique values: 2       missing .: 0/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              355      1  yes
              1,311    3  no
    
```

cc5b1 **How many days in a month did your child have real fruit juice**

```

type: numeric (byte)
range: [1,30]
unique values: 20
unique missing codes: 2
units: 1
missing .: 1,311/1,666
missing *: 3/1,666
    
```

```

tabulation:  Freq.  Value
              51  1
              50  2
              47  3
              39  4
              16  5
              12  6
              19  7
               1  8
              23  9
               9 10
              14 11
               5 12
              11 13
               4 14
               9 15
               1 19
               5 20
               2 22
               1 24
              33 30
            1,311 .
               3 .c
    
```

```

mean: 7.84943
std. dev: 8.4204
    
```

```

percentiles: 10% 25% 50% 75% 90%
              1  2  4  10  22
    
```

cc5a2 **Since last interview, has the child had soft drinks (such as Coke and Pepsi), O**

```

type: numeric (byte)
label: cc5a2
range: [1,3]
unique values: 2
units: 1
missing .: 0/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              1,247    1  yes
               419    3  no
    
```

cc5b2 **How many days in a month did your child have soft drinks**

```

type: numeric (byte)
range: [1,30]
unique values: 24
unique missing codes: 2
units: 1
missing .: 419/1,666
missing *: 7/1,666
    
```

```

tabulation:  Freq.  Value
              35    1
              85    2
              84    3
             175    4
              31    5
              50    6
              19    7
               8    8
              98    9
              48   10
              55   11
               6   12
              75   13
               2   14
              54   15
               2   16
              17   17
              12   19
              16   20
              21   22
               1   24
               3   25
               3   26
             340   30
             419   .
               7   .c
    mean:     14.0073
  std. dev:  10.8898
  
```

```

percentiles:      10%      25%      50%      75%      90%
                  3         4         10        30        30
  
```

cc5a3 Since last interview, has the child had fresh fruit such as banana, orange, man

```

    type: numeric (byte)
    label: cc5a3
    range: [1,3]
  unique values: 2
    units: 1
  missing .: 0/1,666
  
```

tabulation:	Freq.	Numeric	Label
	1,573	1	yes
	93	3	no

cc5b3 How many days in a month did your child have fresh fruit

```

    type: numeric (byte)
    range: [1,30]
  unique values: 27
  unique missing codes: 3
    units: 1
  missing .: 93/1,666
  missing *: 5/1,666
  
```

tabulation:	Freq.	Value
	17	1
	33	2
	54	3
	114	4
	37	5
	45	6
	27	7
	6	8
	109	9
	35	10
	107	11
	7	12
	109	13
	8	14

```

      86 15
      4 16
     40 17
     16 19
     35 20
      3 21
     32 22
      5 23
      1 24
      5 25
      4 26
      1 28
     628 30
     93 .
      4 .c
      1 .d
    mean: 18.2111
  std. dev: 10.6136

```

```

percentiles:      10%      25%      50%      75%      90%
                  4         9        15        30        30

```

cc5a4 Since last interview, has the child had vegetable (including fresh, cooked, and

```

      type: numeric (byte)
      label: cc5a4
      range: [1,3]
unique values: 2
                units: 1
                missing .: 0/1,666

```

```

tabulation:  Freq.  Numeric  Label
              1,202      1  yes
              464        3  no

```

cc5b4 How many days in a month did your child have vegetable

```

      type: numeric (byte)
      range: [1,30]
unique values: 25
unique missing codes: 3
                units: 1
                missing .: 464/1,666
                missing *: 2/1,666

```

```

tabulation:  Freq.  Value
              9  1
             18  2
             26  3
             73  4
             24  5
             46  6
             23  7
              6  8
             79  9
             38 10
             46 11
              4 12
             68 13
              7 14
             47 15
              1 16
             13 17
              2 18
             10 19
             26 20
             22 22
              1 23
              4 24
              3 26
             604 30

```

```

          464 .
            1 .c
            1 .d
    mean:   20.1133
    std. dev: 10.7032

    percentiles:    10%    25%    50%    75%    90%
                   4      9      30     30     30
    
```

cc5a5 Since last interview, has the child had snacks, candy, cookies, cakes, ice crea

```

    type: numeric (byte)
    label: cc5a5

    range: [1,3]          units: 1
    unique values: 2      missing .: 0/1,666

    tabulation:  Freq.  Numeric  Label
                 1,608    1      yes
                 58      3      no
    
```

cc5b5 How many days in a month did your child have snacks, candy, cookies, cakes, ice

```

    type: numeric (byte)

    range: [1,30]        units: 1
    unique values: 26    missing .: 58/1,666

    tabulation:  Freq.  Value
                 3      1
                 9      2
                 11     3
                 14     4
                 9      5
                 22     6
                 10     7
                 3      8
                 15     9
                 16    10
                 20    11
                 4      12
                 28    13
                 2      14
                 34    15
                 1      16
                 17    17
                 1      18
                 4      19
                 13    20
                 1      21
                 8      22
                 1      24
                 1      25
                 2      28
                 1,359  30
                 58    .
    mean:   27.1001
    std. dev: 7.1443

    percentiles:    10%    25%    50%    75%    90%
                   13     30     30     30     30
    
```

cc5a6 Since last interview, has the child had eggs, meat and meat products?

```

type: numeric (byte)
label: cc5a6
range: [1,3]
unique values: 2
units: 1
missing .: 0/1,666

tabulation: Freq. Numeric Label
             1,658      1 yes
              8         3 no
    
```

cc5b6 How many days in a month did your child have eggs, meat and meat products

```

type: numeric (byte)
range: [1,30]
unique values: 21
units: 1
missing .: 8/1,666

tabulation: Freq. Value
             1 1
             3 3
             8 4
             3 5
             6 6
             3 7
             9 9
            10 10
             3 11
             2 12
            18 13
             4 14
            12 15
             1 16
             7 17
             9 20
             8 22
             1 24
             1 26
             1 28
          1,548 30
             8 .
mean:      28.8486
std. dev:  4.5715

percentiles:      10%      25%      50%      75%      90%
                  30       30       30       30       30
    
```

cc6a How many hours per week does the father take care of this child?

```

type: numeric (double)
range: [0,108.5]
unique values: 153
unique missing codes: 2
units: 1.000e-08
missing .: 0/1,666
missing *: 987/1,666

mean:      39.4586
std. dev:  22.0589

percentiles:      10%      25%      50%      75%      90%
                  13.5     24       37.5     54       66.5
    
```

cc6aa Starting time on Monday-Friday by father : Before going to school

```

type: string (str5)
    
```

unique values: 14
 unique missing codes: 3

missing "": 308/1,666
 missing *: 989/1,666

tabulation:	Freq.	Value
	308	"
	3	"04.00"
	22	"05.00"
	19	"05.30"
	161	"06.00"
	1	"06.10"
	2	"06.15"
	69	"06.30"
	1	"06.45"
	72	"07.00"
	14	"07.30"
	3	"08.00"
	2	"09.00"
	3	"MI"
	986	"NA"

cc6ab Finishing time on Monday-Friday by father : Before going to school

type: string (str5)

unique values: 25
 unique missing codes: 3

missing "": 308/1,666
 missing *: 989/1,666

tabulation:	Freq.	Value
	308	"
	1	"04.30"
	1	"05.00"
	3	"06.00"
	8	"06.30"
	1	"06.40"
	72	"07.00"
	1	"07.10"
	1	"07.15"
	2	"07.20"
	126	"07.30"
	6	"07.40"
	1	"07.45"
	2	"07.50"
	105	"08.00"
	1	"08.10"
	3	"08.15"
	22	"08.30"
	5	"09.00"
	4	"10.00"
	1	"11.00"
	1	"15.30"
	1	"20.00"
	1	"20.30"
	3	"MI"
	986	"NA"

cc6ac Starting time on Monday-Friday by father : After school (until going to bed)

type: string (str5)

unique values: 25
 unique missing codes: 3

missing "": 229/1,666
 missing *: 989/1,666

```

tabulation:  Freq.  Value
              229  ""
               1  "12.30"
               1  "13.00"
               1  "13.30"
              27  "14.00"
               1  "14.10"
               1  "14.20"
              39  "14.30"
              50  "15.00"
               1  "15.15"
               2  "15.20"
              12  "15.30"
              22  "16.00"
               1  "16.20"
              17  "16.30"
               1  "16.50"
             157  "17.00"
              28  "17.30"
              56  "18.00"
               2  "18.30"
              17  "19.00"
               3  "19.30"
               7  "20.00"
               1  "21.00"
               3  "MI"
             986  "NA"
    
```

cc6ad Finishing time on Monday-Friday by father : After school (until going to bed)

type: string (str5)

unique values: 16
 unique missing codes: 3

missing "": 229/1,666
 missing *: 989/1,666

```

tabulation:  Freq.  Value
              229  ""
               1  "15.30"
               4  "16.00"
               1  "17.00"
               4  "18.00"
              25  "19.00"
              23  "19.30"
             135  "20.00"
              84  "20.30"
             111  "21.00"
               1  "21.15"
              26  "21.30"
              28  "22.00"
               4  "22.30"
               1  "23.00"
               3  "MI"
             986  "NA"
    
```

cc6ae_1 Starting time of caring time of the child by father : before go to work weekends

type: string (str6), but longest is str5

unique values: 16

missing "": 1,251/1,666

```

tabulation: Freq. Value
            1,251 ""
              1 "03.30"
              2 "04.00"
              3 "04.30"
             24 "05.00"
             22 "05.30"
            184 "06.00"
             61 "06.30"
              1 "06.45"
             63 "07.00"
             15 "07.30"
             22 "08.00"
              6 "08.30"
              6 "09.00"
              2 "09.30"
              1 "10.00"
              2 "12.00"
    
```

cc6ae_2

Finishing time of caring time of the child by father : before go to work weekend

```

type: string (str7), but longest is str5
unique values: 29 missing "": 1,251/1,666
    
```

```

tabulation: Freq. Value
            1,251 ""
              2 "06.00"
              2 "06.30"
             15 "07.00"
              1 "07.20"
              7 "07.30"
             25 "08.00"
              4 "08.30"
             13 "09.00"
              1 "09.30"
              2 "10.00"
              2 "10.30"
              4 "11.00"
              7 "12.00"
              4 "13.00"
              3 "14.00"
              3 "15.00"
              3 "16.00"
              1 "17.00"
              2 "18.00"
             15 "19.00"
             17 "19.30"
             87 "20.00"
             67 "20.30"
             81 "21.00"
             21 "21.30"
             23 "22.00"
              1 "22.30"
              1 "23.00"
              1 "23.30"
    
```

cc6ae_3

Starting time of caring time of the child by father : after go to work weekends

```

type: string (str6), but longest is str5
unique values: 15 missing "": 1,547/1,666
    
```

```

tabulation: Freq. Value
            1,547 ""
              1 "11.00"
              1 "12.30"
              1 "13.00"
              1 "13.30"
              3 "14.00"
              1 "14.30"
              3 "15.00"
             12 "16.00"
              6 "16.30"
             48 "17.00"
              6 "17.30"
             29 "18.00"
              2 "18.30"
              4 "19.00"
              1 "20.00"
    
```

cc6ae_4
Finishing time of caring time of the child by father : after go to work weekends

```

type: string (str7), but longest is str5
unique values: 10          missing "": 1,547/1,666
tabulation: Freq. Value
            1,547 ""
              1 "18.00"
             12 "19.00"
              2 "19.30"
             35 "20.00"
             28 "20.30"
             27 "21.00"
              1 "21.15"
              3 "21.30"
              8 "22.00"
              2 "22.30"
    
```

cc6ae_5
Hours per day on weekends or holidays caring time of the child by father (undefi

```

type: numeric (double)
range: [.33333333,10]          units: 1.000e-08
unique values: 14          missing .: 1,611/1,666
tabulation: Freq. Value
              1 .33333333
              1 .5
             14 1
              3 1.5
             10 2
              5 2.5
              3 3
              3 3.5
              5 4
              2 4.5
              2 5
              2 5.5
              3 6
              1 10
            1,611 .
mean: 2.71515
std. dev: 1.87404
percentiles: 10% 25% 50% 75% 90%
              1 1 2 4 5.5
    
```

cc6ae **Weekends or holidays by father : Take care from**

type: string (str114)
 unique values: 411 missing "": 53/1,666
 unique missing codes: 3 missing *: 989/1,666

warning: variable has embedded blanks

cc6b **How many hours per week does the mother take care of this child?**

type: numeric (double)
 range: [0,119] units: 1.000e-06
 unique values: 185 missing .: 0/1,666
 unique missing codes: 2 missing *: 738/1,666
 mean: 60.0024
 std. dev: 24.1931
 percentiles: 10% 25% 50% 75% 90%
 28 45 60 71.25 98

cc6ba **Starting time on Monday-Friday by mother : Before going to school**

type: string (str5)
 unique values: 17 missing "": 324/1,666
 unique missing codes: 3 missing *: 738/1,666

tabulation:

Freq.	Value
324	" "
3	"04.00"
2	"04.30"
1	"04.50"
37	"05.00"
38	"05.30"
244	"06.00"
4	"06.15"
2	"06.20"
112	"06.30"
1	"06.45"
116	"07.00"
1	"07.15"
31	"07.30"
11	"08.00"
1	"09.00"
5	"MI"
733	"NA"

cc6bb **Finishing time on Monday-Friday by mother : Before going to school**

type: string (str5)
 unique values: 30 missing "": 324/1,666
 unique missing codes: 3 missing *: 738/1,666

```

tabulation:  Freq.  Value
              324  ""
                1  "05.00"
                6  "06.00"
               11  "06.30"
                2  "06.40"
                1  "06.45"
                1  "06.50"
               91  "07.00"
                3  "07.10"
                6  "07.15"
                4  "07.20"
              215  "07.30"
                2  "07.35"
               10  "07.40"
                3  "07.45"
                3  "07.50"
              162  "08.00"
                1  "08.10"
                3  "08.15"
               55  "08.30"
               11  "09.00"
                1  "09.30"
                2  "10.00"
                1  "14.00"
                1  "19.00"
                1  "19.30"
                4  "20.00"
                1  "20.30"
                2  "21.00"
                5  "MI"
              733  "NA"
    
```

cc6bc **Starting time on Monday-Friday by mother : After school (until going to bed)**

type: string (str5)

unique values: 26
unique missing codes: 3

missing "": 272/1,666
missing *: 738/1,666

```

tabulation:  Freq.  Value
              272  ""
                4  "12.00"
                1  "13.00"
                3  "13.30"
               78  "14.00"
                2  "14.10"
                1  "14.20"
              118  "14.30"
                1  "14.40"
              126  "15.00"
                2  "15.15"
                2  "15.20"
               45  "15.30"
                1  "15.45"
               30  "16.00"
               22  "16.30"
              116  "17.00"
               33  "17.30"
               45  "18.00"
                3  "18.30"
                6  "19.00"
                5  "19.30"
                8  "20.00"
                2  "20.30"
                2  "21.00"
                5  "MI"
              733  "NA"
    
```

cc6bd Finishing time on Monday-Friday by mother : After school (until going to bed)

type: string (str5)
 unique values: 18
 unique missing codes: 3
 missing "": 272/1,666
 missing *: 738/1,666

tabulation:	Freq.	Value
	272	" "
	1	"15.00"
	3	"18.00"
	33	"19.00"
	31	"19.30"
	1	"19.45"
	203	"20.00"
	119	"20.30"
	1	"20.45"
	171	"21.00"
	1	"21.15"
	1	"21.20"
	44	"21.30"
	36	"22.00"
	9	"22.30"
	1	"23.00"
	1	"23.30"
	5	"MI"
	733	"NA"

cc6be_1 Starting time of caring time of the child by mother : before go to work weekends

type: string (str5)
 unique values: 20
 missing "": 829/1,666

tabulation:	Freq.	Value
	829	" "
	1	"03.30"
	6	"04.00"
	8	"04.30"
	52	"05.00"
	41	"05.30"
	343	"06.00"
	2	"06.10"
	1	"06.15"
	2	"06.20"
	123	"06.30"
	1	"06.45"
	144	"07.00"
	43	"07.30"
	1	"07.45"
	41	"08.00"
	9	"08.30"
	13	"09.00"
	3	"09.30"
	2	"10.00"
	1	"11.00"

cc6be_2 Finishig time of caring time of the child by mother : before go to work weekends

type: string (str5)
 unique values: 32
 missing "": 829/1,666

```

tabulation:  Freq.  Value
              829  ""
              1  "06.00"
              1  "06.30"
              5  "07.00"
             10  "07.30"
              1  "07.40"
             15  "08.00"
              6  "08.30"
              7  "09.00"
              2  "09.30"
              2  "10.00"
              3  "10.30"
              7  "11.00"
              1  "11.30"
             10  "12.00"
              7  "13.00"
              6  "14.00"
              3  "15.00"
              3  "17.00"
              5  "18.00"
             41  "19.00"
             37  "19.30"
              1  "19.45"
            245  "20.00"
            141  "20.30"
              1  "20.45"
            178  "21.00"
              1  "21.20"
             48  "21.30"
             35  "22.00"
              9  "22.30"
              4  "23.00"
              1  "23.30"
    
```

cc6be_3

Starting time of caring time of the child by mother : after go to work weekends

```

type:  string (str5)
unique values:  19          missing "":  1,568/1,666
    
```

```

tabulation:  Freq.  Value
              1,568  ""
              1  "09.00"
              1  "10.30"
              3  "12.00"
              2  "12.30"
              6  "13.00"
              3  "13.30"
             13  "14.00"
              1  "14.30"
              7  "15.00"
              2  "15.30"
              8  "16.00"
              3  "16.30"
             25  "17.00"
              4  "17.30"
              9  "18.00"
              1  "18.30"
              2  "19.00"
              2  "19.30"
              5  "20.00"
    
```

cc6be_4

Finishig time of caring time of the child by mother : after go to work weekends

```

type: string (str5)
unique values: 10 missing "": 1,568/1,666
tabulation: Freq. Value
1,568 ""
1 "17.30"
9 "19.00"
4 "19.30"
36 "20.00"
14 "20.30"
17 "21.00"
1 "21.15"
5 "21.30"
7 "22.00"
4 "22.30"

```

cc6be_5
Hours per day on weekends or holidays caring time of the child by mother (undefi

```

type: numeric (double)
range: [.5,20.5] units: 1.000e-06
unique values: 11 missing .: 1,650/1,666
tabulation: Freq. Value
1 .5
1 1
2 2
1 2.5
4 3
2 4
1 5
1 5.25
1 6
1 6.7857142
1 20.5
1,650 .
mean: 4.47098
std. dev: 4.60813
percentiles: 10% 25% 50% 75% 90%
1 2.25 3 5.125 6.78571

```

cc6be
Weekends or holidays by mother : Take care from

```

type: string (str120)
unique values: 413 missing "": 31/1,666
unique missing codes: 3 missing *: 738/1,666
warning: variable has embedded blanks

```

cc6c
How many hours per week does the primary caregiver take care of this child?

```

type: numeric (double)
range: [10.5,119] units: 1.000e-07
unique values: 174 missing .: 0/1,666
unique missing codes: 1 missing *: 581/1,666
mean: 70.8602
std. dev: 19.3071

```



```

      1 "18.00"
      3 "20.00"
      2 "20.30"
      1 "21.00"
    581 "NA"
  
```

cc6cc Starting time on Monday-Friday by primary caregiver : After school (until going

type: string (str5)

unique values: 28
 unique missing codes: 2

missing "": 303/1,666
 missing *: 581/1,666

```

tabulation: Freq. Value
            303 ""
              1 "07.30"
              1 "11.00"
              1 "11.30"
              5 "12.00"
              1 "12.30"
              4 "13.00"
              3 "13.30"
             129 "14.00"
              2 "14.10"
             230 "14.30"
              2 "14.40"
              1 "14.45"
              1 "14.50"
             239 "15.00"
              1 "15.10"
              1 "15.15"
              1 "15.20"
              68 "15.30"
              1 "15.45"
              45 "16.00"
              14 "16.30"
              14 "17.00"
              3 "17.30"
              11 "18.00"
              1 "18.30"
              1 "19.00"
              1 "20.00"
             581 "NA"
  
```

cc6cd Finishing time on Monday-Friday by primary caregiver : After school (until going

type: string (str5)

unique values: 19
 unique missing codes: 2

missing "": 303/1,666
 missing *: 581/1,666

```

tabulation: Freq. Value
            303 ""
              3 "16.30"
             12 "17.00"
              4 "17.30"
              8 "18.00"
             33 "19.00"
              1 "19.15"
             51 "19.30"
              1 "19.45"
              2 "19.50"
             268 "20.00"
             148 "20.30"
             162 "21.00"
              1 "21.15"
             42 "21.30"
             30 "22.00"
  
```

```

      1 "22.15"
     11 "22.30"
      4 "23.00"
    581 "NA"
  
```

cc6ce_1

Starting time of caring time of the child by primary caretaker : before go to wo

```

      type: string (str5)
unique values: 18                               missing "": 622/1,666
  
```

tabulation:	Freq.	Value
	622	" "
	12	"04.00"
	10	"04.30"
	101	"05.00"
	1	"05.05"
	60	"05.30"
	1	"05.40"
	416	"06.00"
	1	"06.10"
	1	"06.15"
	123	"06.30"
	166	"07.00"
	71	"07.30"
	1	"07.40"
	58	"08.00"
	11	"08.30"
	9	"09.00"
	1	"10.00"
	1	"11.00"

cc6ce_2

Finishing time of caring time of the child by primary caretaker : before go to w

```

      type: string (str7), but longest is str5
unique values: 29                               missing "": 622/1,666
  
```

tabulation:	Freq.	Value
	622	" "
	1	"07.00"
	1	"07.40"
	1	"08.00"
	1	"08.30"
	5	"09.00"
	4	"09.30"
	9	"10.00"
	2	"10.30"
	13	"11.00"
	18	"12.00"
	2	"12.30"
	7	"13.00"
	5	"14.00"
	1	"14.30"
	3	"16.00"
	15	"17.00"
	9	"18.00"
	52	"19.00"
	65	"19.30"
	1	"19.45"
	2	"19.50"
	328	"20.00"
	189	"20.30"
	199	"21.00"
	1	"21.15"
	54	"21.30"

```

42 "22.00"
11 "22.30"
3  "23.00"

```

cc6ce_3
 Starting time of caring time of the child by primary caretaker : after go to wor

```

type: string (str5)
unique values: 13          missing "": 1,597/1,666
tabulation: Freq. Value
1,597 ""
11 "12.00"
1  "12.30"
8  "13.00"
6  "13.30"
15 "14.00"
2  "14.30"
9  "15.00"
2  "15.30"
5  "16.00"
3  "17.00"
2  "17.30"
4  "18.00"
1  "20.00"

```

cc6ce_4
 Finishing time of caring time of the child by primary caretaker : after go to wo

```

type: string (str5)
unique values: 12          missing "": 1,597/1,666
tabulation: Freq. Value
1,597 ""
2  "16.30"
2  "17.00"
1  "18.00"
4  "19.00"
1  "19.15"
5  "19.30"
20 "20.00"
1  "20.15"
13 "20.30"
11 "21.00"
3  "21.30"
6  "22.00"

```

cc6ce_5
 Hours per day on weekends or holidays caring time of the child by primary careta

```

type: numeric (double)
range: [1.5,13]          units: .1
unique values: 10        missing .: 1,654/1,666

```

```

tabulation:  Freq.  Value
              1    1.5
              1    2
              2    2.5
              2    3
              1    4
              1   10.5
              1   11
              1   11.5
              1   12.5
              1   13
              1,654 .
mean:        6.41667
std. dev:    4.74262

percentiles: 10%    25%    50%    75%    90%
              2     2.5    3.5    11.25  12.5
    
```

cc6ce **Weekends or holidays by primary caregiver : Take care from**

```

type: string (str112)
unique values: 362
unique missing codes: 2
missing "": 23/1,666
missing *: 581/1,666

warning: variable has embedded blanks
    
```

cc7_1 **Child caregiver category 1: Childcare center (not display)**

```

type: string (str127), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation:  Freq.  Value
              1,666 ""
    
```

cc7a_1 **Is the child receiving care from childcare center**

```

type: numeric (byte)
label: cc7a
range: [1,3]
unique values: 2
units: 1
missing .: 0/1,666

tabulation:  Freq.  Numeric  Label
              1      1    yes
              1,665  3    no
    
```

cc7b_1 **Member ID : of childcare center**

```

type: string (str5), but longest is str2
unique values: 1
unique missing codes: 2
missing "": 1,665/1,666
missing *: 1/1,666

tabulation:  Freq.  Value
              1,665 ""
              1  "NA"
    
```

cc7c_1 **Relationship type between child care center with the child (not display)**

```

type: string (str119), but longest is str0
unique values: 0 missing "": 1,666/1,666
tabulation: Freq. Value
             1,666 ""
    
```

cc7c_code_1 Relationship code (child care center with the child)

```

type: numeric (byte)
label: cc7c_code

range: [.,.] units: .
unique values: 0 missing .: 1,665/1,666
unique missing codes: 2 missing *: 1/1,666

tabulation: Freq. Numeric Label
             1,665 .
             1 .b
    
```

cc7da_1 When did the child start to receive care from childcare center? (month)

```

type: numeric (byte)

range: [5,5] units: 1
unique values: 1 missing .: 1,665/1,666

tabulation: Freq. Value
             1 5
             1,665 .
mean: 5
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              5 5 5 5 5
    
```

cc7db_1 When did the child start to receive care from childcare center? (year)

```

type: numeric (int)

range: [2016,2016] units: 1
unique values: 1 missing .: 1,665/1,666

tabulation: Freq. Value
             1 2016
             1,665 .
mean: 2016
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              2016 2016 2016 2016 2016
    
```

cc7e_1 How many hours per week does the child receive care from childcare center?

```

type: numeric (int)

range: [40,40] units: 10
unique values: 1 missing .: 1,665/1,666
    
```

```

tabulation:  Freq.  Value
              1    40
            1,665  .
    mean:      40
    std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              40     40     40     40     40
    
```

cc7f_1 How much is the monthly average amount the household member pays a childcare ce

```

    type: numeric (int)
    range: [.,.]
unique values: 1
    units: .
missing ..: 1,665/1,666

    tabulation:  Freq.  Value
                  1    0
                1,665  .
    mean:        0
    std. dev:    .

percentiles:    10%    25%    50%    75%    90%
                0     0     0     0     0
    
```

cc7g_1 Does that expense include lunch meal?

```

    type: numeric (byte)
    label: cc7g
    range: [.,.]
unique values: 0
    units: .
missing ..: 1,666/1,666

    tabulation:  Freq.  Numeric  Label
                  1,666  .
    
```

cc7ha_1 Total number of children in the classroom

```

    type: numeric (byte)
    range: [20,20]
unique values: 1
    units: 10
missing ..: 1,665/1,666

    tabulation:  Freq.  Value
                  1    20
                1,665  .
    mean:        20
    std. dev:    .

percentiles:    10%    25%    50%    75%    90%
                20     20     20     20     20
    
```

cc7hb_1 Number of teacher/caregiver in the classroom

```

    type: numeric (byte)
    range: [6,6]
unique values: 1
    units: 1
missing ..: 1,665/1,666
    
```

```

tabulation: Freq. Value
              1 6
            1,665 .
      mean:   6
      std. dev: .

percentiles: 10%      25%      50%      75%      90%
              6        6        6        6        6
    
```

cc7_2 **Child caregiver category 2 : Babysitter (not display)**

```

type: string (str127), but longest is str0
unique values: 0 missing "": 1,666/1,666

tabulation: Freq. Value
            1,666 ""
    
```

cc7a_2 **Is the child receiving care from a babysitter?**

```

type: numeric (byte)
label: cc7a

range: [1,3] units: 1
unique values: 2 missing .: 0/1,666

tabulation: Freq. Numeric Label
            10         1 yes
            1,656       3 no
    
```

cc7b_2 **Member ID : of babysitter**

```

type: string (str5), but longest is str2
unique values: 1 missing "": 1,656/1,666
unique missing codes: 2 missing *: 10/1,666

tabulation: Freq. Value
            1,656 ""
              10 "NA"
    
```

cc7c_2 **Relationship type between babysitter with the child (not display)**

```

type: string (str119), but longest is str0
unique values: 0 missing "": 1,666/1,666

tabulation: Freq. Value
            1,666 ""
    
```

cc7c_code_2 **Relationship code (babysitter with the child)**

```

type: numeric (byte)
label: cc7c_code

range: [.,.] units: .
unique values: 0 missing .: 1,656/1,666
unique missing codes: 2 missing *: 10/1,666
    
```

```

tabulation: Freq.  Numeric  Label
            1,656      .
            10         .b
    
```

cc7da_2 **When did the child start to receive care from babysitter? (month)**

```

type: numeric (byte)

range: [1,12]
unique values: 6
unique missing codes: 3

units: 1
missing .: 1,656/1,666
missing *: 2/1,666

tabulation: Freq.  Value
            1  1
            2  3
            1  4
            1  5
            1 11
            2 12
          1,656 .
            1  .c
            1  .d
mean:      6.375
std. dev:  4.5336

percentiles:    10%    25%    50%    75%    90%
                1      3      4.5    11.5    12
    
```

cc7db_2 **When did the child start to receive care from babysitter? (year)**

```

type: numeric (int)

range: [2011,2016]
unique values: 5
unique missing codes: 2

units: 1
missing .: 1,656/1,666
missing *: 1/1,666

tabulation: Freq.  Value
            1  2011
            2  2012
            3  2014
            2  2015
            1  2016
          1,656 .
            1  .d
mean:     2013.67
std. dev:  1.65831

percentiles:    10%    25%    50%    75%    90%
                2011   2012   2014   2015   2016
    
```

cc7e_2 **How many hours per week does the child receive care from babysitter?**

```

type: numeric (int)

range: [9,70]
unique values: 8
unique missing codes: 2

units: 1
missing .: 1,656/1,666
missing *: 1/1,666
    
```

```

tabulation:  Freq.  Value
              1    9
              1   12
              1   32
              1   40
              1   45
              1   56
              2   60
              1   70
            1,656  .
              1  .d
    mean:     42.6667
    std. dev: 21.5812

percentiles:      10%      25%      50%      75%      90%
                  9        32        45        60        70
    
```

cc7f_2 How much is the monthly average amount the household member pays a babysitter?

```

type: numeric (int)
range: [387,6000]
unique values: 7
unique missing codes: 2
units: 1
missing .: 1,656/1,666
missing *: 2/1,666

tabulation:  Freq.  Value
              1   387
              1  3000
              1  3300
              1  3500
              2  4000
              1  5000
              1  6000
            1,656  .
              2  .d
    mean:     3648.38
    std. dev: 1639.02

percentiles:      10%      25%      50%      75%      90%
                  387      3150     3750     4500     6000
    
```

cc7g_2 Does that expense include lunch meal?

```

type: numeric (byte)
label: cc7g
range: [3,3]
unique values: 1
unique missing codes: 3
units: 1
missing .: 1,656/1,666
missing *: 3/1,666

tabulation:  Freq.  Numeric  Label
              7        3    no
            1,656      .
              1        .c
              2        .d
    
```

cc7ha_2 Total number of children in the classroom

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,656/1,666
missing *: 10/1,666
    
```

```

tabulation:  Freq.  Value
              1,656  .
              10   .b
    mean:    .
    std. dev: .
percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cc7hb_2 **Number of teacher/caregiver in the classroom**

```

    type: numeric (byte)
    range: [.,.]
    unique values: 0
    unique missing codes: 2
    units: .
    missing .: 1,656/1,666
    missing *: 10/1,666

    tabulation:  Freq.  Value
                  1,656  .
                  10   .b
    mean:    .
    std. dev: .
percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cc7_3 **Child caregiver category 2 : Relatives outside household (not display)**

```

    type: string (str127), but longest is str0
    unique values: 0
    missing "": 1,666/1,666

    tabulation:  Freq.  Value
                  1,666  ""
    
```

cc7a_3 **Is the child receiving care from relatives outside household?**

```

    type: numeric (byte)
    label: cc7a
    range: [1,3]
    unique values: 2
    units: 1
    missing .: 0/1,666

    tabulation:  Freq.  Numeric  Label
                  549    1      yes
                  1,117  3      no
    
```

cc7b_3 **Member ID : of relatives outside household**

```

    type: string (str5), but longest is str2
    unique values: 1
    unique missing codes: 2
    missing "": 1,117/1,666
    missing *: 549/1,666

    tabulation:  Freq.  Value
                  1,117  ""
                  549   "NA"
    
```

cc7c_3 **Relationship type between relatives outside household with the child (not displa**

```

type: string (str119), but longest is str0
unique values: 0 missing "": 1,666/1,666
tabulation: Freq. Value
             1,666 ""
    
```

cc7c_code_3 Relationship code (relatives outside household with the child)

```

type: numeric (byte)
label: cc7c_code_3

range: [5,37] units: 1
unique values: 9 missing .: 1,117/1,666
unique missing codes: 2 missing *: 1/1,666

tabulation: Freq. Numeric Label
             29         5 Father/Mother
              1         9 Brother/Sister
             13        13 Cousin
             31        15 Uncle and aunt: father side
             90        17 Uncle and aunt: mother side
             63        19 Grand parents: father side
             84        21 Grand parents: mother side
            233        35 Relatives of other kinds
              4        37 Non-relatives
           1,117         .
              1         .d
    
```

cc7da_3 When did the child start to receive care from relatives outside household? (mont

```

type: numeric (byte)

range: [1,12] units: 1
unique values: 12 missing .: 1,117/1,666
unique missing codes: 2 missing *: 13/1,666

tabulation: Freq. Value
             55 1
             39 2
             44 3
             54 4
             51 5
             36 6
             37 7
             49 8
             45 9
             39 10
             49 11
             38 12
           1,117 .
             13 .c
mean: 6.33022
std. dev: 3.47449

percentiles: 10% 25% 50% 75% 90%
              1 3 6 9 11
    
```

cc7db_3 When did the child start to receive care from relatives outside household? (year

```

type: numeric (int)
    
```

range: [2010,2016] units: 1
 unique values: 7 missing .: 1,117/1,666
 unique missing codes: 2 missing *: 2/1,666

tabulation: Freq. Value
 7 2010
 62 2011
 109 2012
 113 2013
 116 2014
 93 2015
 47 2016
 1,117 .
 2 .c
 mean: 2013.35
 std. dev: 1.52254

percentiles: 10% 25% 50% 75% 90%
 2011 2012 2013 2015 2015

cc7e_3

How many hours per week does the child receive care from relatives outside house

type: numeric (int)

range: [1,109] units: 1
 unique values: 65 missing .: 1,117/1,666
 unique missing codes: 2 missing *: 6/1,666

tabulation: Freq. Value
 5 1
 7 2
 16 3
 19 4
 15 5
 15 6
 73 7
 11 8
 11 9
 10 10
 44 11
 2 12
 2 13
 41 14
 5 15
 3 16
 46 18
 2 19
 6 20
 44 21
 3 22
 1 23
 1 24
 21 25
 4 26
 4 27
 24 28
 3 29
 2 30
 1 31
 12 32
 1 33
 3 34
 12 35
 1 38
 5 39
 1 40
 3 41
 10 42
 1 43

```

1 44
1 46
6 49
1 51
3 53
1 54
4 56
1 57
1 58
1 59
1 60
1 61
2 62
4 63
2 64
1 68
6 70
2 72
1 75
2 77
3 84
2 91
1 95
3 105
2 109
1,117 .
6 .c
mean: 20.8821
std. dev: 19.007

percentiles:      10%      25%      50%      75%      90%
                   5         7        15        27        42

```

cc7f_3

How much is the monthly average amount the household member pays a relatives ou

```

type: numeric (int)
range: [0,3000]
unique values: 12
unique missing codes: 3

units: 10
missing .: 1,117/1,666
missing *: 5/1,666

tabulation: Freq. Value
531 0
1 200
1 250
1 280
1 300
1 350
1 400
1 450
1 500
3 1000
1 1500
1 3000
1,117 .
1 .c
4 .d
mean: 18.8051
std. dev: 166.557

percentiles:      10%      25%      50%      75%      90%
                   0         0         0         0         0

```

cc7g_3

Does that expense include lunch meal?

```

type: numeric (byte)
label: cc7g
range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing .: 1,648/1,666
missing *: 4/1,666

```

```

tabulation: Freq. Numeric Label
              3         1 yes
              11        3 no
            1,648      .
              4         .d

```

cc7ha_3 **Total number of children in the classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,117/1,666
missing *: 549/1,666

```

```

tabulation: Freq. Value
              1,117 .
              549 .b
mean: .
std. dev: .

```

```

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .

```

cc7hb_3 **Number of teacher/caregiver in the classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,117/1,666
missing *: 549/1,666

```

```

tabulation: Freq. Value
              1,117 .
              549 .b
mean: .
std. dev: .

```

```

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .

```

cc7_4 **Child caregiver category 4 : Relatives inside household (not display)**

```

type: string (str127), but longest is str0
unique values: 0
unique missing codes: 1
missing "": 1,666/1,666

```

```

tabulation: Freq. Value
            1,666 ""

```

cc7a_4 **Is the child receiving care from relatives inside household?**

```

type: numeric (byte)
label: cc7a
range: [1,3]
unique values: 2
units: 1
missing .: 0/1,666

```

```

tabulation: Freq.  Numeric  Label
            1,295      1  yes
            371       3  no
    
```

cc7b_4 **Member ID : of relatives inside household**

```

type: string (str5), but longest is str3
unique values: 9 missing "": 371/1,666
    
```

```

tabulation: Freq.  Value
            371  ""
             1  "H1"
             1  "H13"
            657  "H2"
            386  "H3"
            150  "H4"
             59  "H5"
             29  "H6"
              9  "H7"
              3  "H8"
    
```

cc7c_4 **Relationship type between relatives inside household with the child (not display**

```

type: string (str119), but longest is str0
unique values: 0 missing "": 1,666/1,666
    
```

```

tabulation: Freq.  Value
            1,666  ""
    
```

cc7c_code_4 **Relationship code (relatives inside household with the child)**

```

type: numeric (byte)
label: cc7c_code_4
range: [9,37] units: 1
unique values: 8 missing .: 371/1,666
    
```

```

tabulation: Freq.  Numeric  Label
            80      9  Brother/Sister
            26     13  Cousin
            20     15  Uncle and aunt: father side
            53     17  Uncle and aunt: mother side
            244    19  Grand parents: father side
            736    21  Grand parents: mother side
            134    35  Relatives of other kinds
              2     37  Non-relatives
            371     .
    
```

cc7da_4 **When did the child start to receive care from relatives inside household? (month**

```

type: numeric (byte)
range: [1,12] units: 1
unique values: 12 missing .: 371/1,666
unique missing codes: 2 missing *: 16/1,666
    
```


4	13
147	14
2	15
1	16
1	17
79	18
1	19
2	20
111	21
2	22
1	23
1	24
42	25
1	26
76	28
3	29
7	30
2	31
29	32
3	33
4	34
64	35
3	36
2	37
2	38
13	39
5	40
2	41
28	42
3	43
4	44
3	45
3	46
3	47
1	48
17	49
2	50
6	51
3	52
10	53
8	54
6	55
22	56
5	57
9	58
8	59
20	60
16	61
10	62
23	63
11	64
8	65
12	66
8	67
14	68
5	69
13	70
5	71
3	72
6	73
3	74
1	75
2	76
6	77
1	78
3	79
1	80
3	81
3	84
1	87
2	88
4	91

```

          7 95
          1 96
         20 98
          1 100
         10 102
          6 105
          3 109
          6 112
          2 119
         371 .
          4 .c
    mean: 32.1565
std. dev: 25.5999

percentiles:    10%    25%    50%    75%    90%
                7      14     21     49     68
    
```

cc7f_4 How much is the monthly average amount the household member pays a relatives in

```

    type: numeric (int)
    range: [.,.]
unique values: 0
unique missing codes: 2
    units: .
missing .: 370/1,666
missing *: 1,296/1,666

    tabulation: Freq. Value
                370 .
                1,296 .b
    mean: .
std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

cc7g_4 Does that expense include lunch meal?

```

    type: numeric (byte)
    label: cc7g
    range: [.,.]
unique values: 0
unique missing codes: 2
    units: .
missing .: 370/1,666
missing *: 1,296/1,666

    tabulation: Freq. Numeric Label
                370 .
                1,296 .b
    
```

cc7ha_4 Total number of children in the classroom

```

    type: numeric (byte)
    range: [.,.]
unique values: 0
unique missing codes: 2
    units: .
missing .: 371/1,666
missing *: 1,295/1,666

    tabulation: Freq. Value
                371 .
                1,295 .b
    mean: .
std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

cc7hb_4 **Number of teacher/caregiver in the classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 371/1,666
missing *: 1,295/1,666

tabulation: Freq. Value
              371 .
              1,295 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cc7_5 **Child caregiver category 5 : Others (specify) (not display)**

```

type: string (str127), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation: Freq. Value
              1,666 ""
    
```

cc7a_5 **Receiving care from Child caregiver category 5 (Yes/No)**

```

type: numeric (byte)
label: cc7a
range: [1,1]
unique values: 1
units: 1
missing .: 993/1,666

tabulation: Freq. Numeric Label
              673 1 yes
              993 .
    
```

cc7b_5 **HH. Member ID : of Child caregiver category 5**

```

type: string (str5), but longest is str2
unique values: 10
unique missing codes: 2
missing "": 993/1,666
missing *: 143/1,666

tabulation: Freq. Value
              993 ""
              3 "H1"
              50 "H2"
              137 "H3"
              170 "H4"
              79 "H5"
              59 "H6"
              25 "H7"
              6 "H8"
              1 "H9"
              143 "NA"
    
```

cc7c_5 **Relationship type between Child caregiver category 5 with the child (not display)**

```

type: string (str119), but longest is str0
unique values: 0 missing "": 1,666/1,666
tabulation: Freq. Value
             1,666 ""
    
```

cc7c_code_5 Relationship code (Child caregiver category 5 with the child)

```

type: numeric (byte)
label: cc7c_code_5
range: [5,35] units: 1
unique values: 8 missing .: 993/1,666
    
```

tabulation:	Freq.	Numeric	Label
	17	5	Father/Mother
	88	9	Brother/Sister
	36	13	Cousin
	34	15	Uncle and aunt: father side
	109	17	Uncle and aunt: mother side
	86	19	Grand parents: father side
	175	21	Grand parents: mother side
	128	35	Relatives of other kinds
	993	.	.

cc7da_5 Starting month of receiving care : from relatives in the HH.

```

type: numeric (byte)
range: [1,12] units: 1
unique values: 12 missing .: 993/1,666
unique missing codes: 2 missing *: 13/1,666
    
```

tabulation:	Freq.	Value
	65	1
	42	2
	52	3
	73	4
	48	5
	40	6
	51	7
	75	8
	57	9
	51	10
	58	11
	48	12
	993	.
	13	.c
mean:	6.47121	
std. dev:	3.44399	

```

percentiles:      10%      25%      50%      75%      90%
                  2        4        7        9        11
    
```

cc7db_5 Starting year of receiving care : from relatives in the HH.

```

type: numeric (int)
range: [2010,2016] units: 1
unique values: 7 missing .: 993/1,666
unique missing codes: 3 missing *: 5/1,666
    
```

```

tabulation:  Freq.  Value
              10  2010
              91  2011
              140 2012
              166 2013
              139 2014
              101 2015
               21 2016
              993 .
               4  .c
               1  .d
    mean:    2013.08
std. dev:   1.40781

percentiles:    10%    25%    50%    75%    90%
                2011    2012    2013    2014    2015
    
```

cc7e_5

Hours / week : receiving care from

```

type: numeric (int)
range: [1,109]
unique values: 78
unique missing codes: 2
units: 1
missing .: 993/1,666
missing *: 2/1,666
    
```

```

tabulation:  Freq.  Value
              1  1
              9  2
              6  3
             29  4
              8  5
              3  6
             98  7
              5  8
              5  9
              8  10
             47  11
              2  12
              1  13
             75  14
              2  15
              2  16
              1  17
             43  18
              4  20
             56  21
              2  22
              2  23
              2  24
             22  25
              5  26
              3  27
             35  28
              1  29
              3  30
              5  31
             21  32
              4  34
             30  35
              2  37
              2  38
              1  39
              6  40
              2  41
              9  42
              3  44
              4  45
              1  46
              1  47
              6  49
    
```

```

1 50
5 51
1 52
5 53
3 54
4 55
5 56
3 57
2 58
3 59
4 60
5 61
4 62
5 63
4 64
3 65
1 66
2 67
2 68
3 69
4 70
3 71
1 74
2 75
1 77
2 78
1 88
3 91
1 95
1 96
3 98
3 102
2 105
2 109
993 .
2 .c
mean: 24.9687
std. dev: 21.0554

percentiles:      10%      25%      50%      75%      90%
                  7        10       18       32       57

```

cc7f_5 **Average cost /month : for other (specify)**

```

type: numeric (int)
range: [0,1075]
unique values: 3
unique missing codes: 3

units: 1
missing .: 993/1,666
missing *: 530/1,666

tabulation: Freq. Value
             141 0
             1 1000
             1 1075
             993 .
             527 .b
             3 .d
mean: 14.5105
std. dev: 122.345

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

cc7g_5 **Does the cost include lunch cost**

```

type: numeric (byte)
label: cc7g

```

```

        range: [3,3]                units: 1
    unique values: 1                missing .: 1,134/1,666
    unique missing codes: 3        missing *: 530/1,666

    tabulation:  Freq.  Numeric  Label
                  2      3      no
                  1,134
                  527      .b
                  3      .d
    
```

cc7ha_5 **Number of children in the classroom**

```

    type: numeric (byte)

    range: [.,.]                units: .
    unique values: 0            missing .: 993/1,666
    unique missing codes: 2    missing *: 673/1,666

    tabulation:  Freq.  Value
                  993  .
                  673  .b
    mean:        .
    std. dev:    .

    percentiles:  10%    25%    50%    75%    90%
                  .      .      .      .      .
    
```

cc7hb_5 **Number of teacher/caregiver in the classroom**

```

    type: numeric (byte)

    range: [.,.]                units: .
    unique values: 0            missing .: 993/1,666
    unique missing codes: 2    missing *: 673/1,666

    tabulation:  Freq.  Value
                  993  .
                  673  .b
    mean:        .
    std. dev:    .

    percentiles:  10%    25%    50%    75%    90%
                  .      .      .      .      .
    
```

cc7_6 **Child caregiver category 6 : Others (specify) (not display)**

```

    type: string (str127), but longest is str0
    unique values: 0                missing "": 1,666/1,666

    tabulation:  Freq.  Value
                  1,666  ""
    
```

cc7a_6 **Receiving care from Relatives in the household**

```

    type: numeric (byte)
    label: cc7a

    range: [1,1]                units: 1
    unique values: 1            missing .: 1,445/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              221      1  yes
              1,445      .
    
```

cc7b_6

HH. Member ID : others

```

type:  string (str5), but longest is str3
unique values:  11
unique missing codes:  2
missing "":  1,445/1,666
missing *:  54/1,666
    
```

```

tabulation:  Freq.  Value
              1,445  ""
                1  "H1"
                1  "H11"
                 6  "H2"
                 9  "H3"
                24  "H4"
                62  "H5"
                40  "H6"
                20  "H7"
                 3  "H8"
                 1  "H9"
                54  "NA"
    
```

cc7c_6

Relationship type between others with the child (not display)

```

type:  string (str119), but longest is str0
unique values:  0
missing "":  1,666/1,666
tabulation:  Freq.  Value
              1,666  ""
    
```

cc7c_code_6

Relationship code (others with the child)

```

type:  numeric (byte)
label:  cc7c_code_6
range:  [5,37]
unique values:  10
units:  1
missing .:  1,445/1,666
tabulation:  Freq.  Numeric  Label
              8      5  Father/Mother
              35     9  Brother/Sister
              31     13  Cousin
              14     15  Uncle and aunt: father side
              38     17  Uncle and aunt: mother side
              14     19  Grand parents: father side
              23     21  Grand parents: mother side
               1     29  Sister/brother-in-law
              55     35  Relatives of other kinds
               2     37  Non-relatives
              1,445      .
    
```

cc7da_6

Starting month of receiving care : from others

```

type:  numeric (byte)
range:  [1,12]
unique values:  12
unique missing codes:  2
units:  1
missing .:  1,445/1,666
missing *:  4/1,666
    
```

```

tabulation:  Freq.  Value
              23    1
              14    2
              15    3
              28    4
              18    5
              18    6
              17    7
              23    8
              18    9
              20   10
              14   11
               9   12
            1,445  .
               4  .c
    mean:      6.14286
    std. dev:  3.28053

percentiles:      10%      25%      50%      75%      90%
                  1         4         6         9        11
    
```

cc7db_6 **Starting year of receiving care : from others**

```

type: numeric (int)
range: [2010,2016]
unique values: 7
unique missing codes: 2
units: 1
missing .: 1,445/1,666
missing *: 2/1,666
    
```

```

tabulation:  Freq.  Value
              7   2010
             26   2011
             46   2012
             56   2013
             35   2014
             42   2015
              7   2016
            1,445  .
               2  .c
    mean:      2013.1
    std. dev:  1.47919

percentiles:      10%      25%      50%      75%      90%
                  2011    2012    2013    2014    2015
    
```

cc7e_6 **Hours / week : receiving care from**

```

type: numeric(int)
range: [1,98]
unique values: 44
units: 1
missing .: 1,445/1,666
    
```

```

tabulation:  Freq.  Value
              1    1
              2    2
              4    3
             15    4
              2    5
              1    6
             42    7
              2   10
             14   11
               1   12
               1   13
             41   14
               1   15
             13   18
               2   20
    
```

```

17 21
1 24
7 25
2 26
9 28
1 30
2 31
8 32
1 34
8 35
1 36
1 38
1 41
1 42
1 43
2 49
1 52
1 53
1 57
2 58
1 59
1 62
1 63
2 66
1 67
2 68
1 70
1 95
1 98
1,445 .
mean: 19.5882
std. dev: 16.7244

percentiles:      10%      25%      50%      75%      90%
                  5         7         14        25        36

```

cc7f_6 **Average cost /month : for relatives in the HH.**

```

type: numeric (int)
range: [0,1000]
unique values: 2
unique missing codes: 2

units: 1000
missing .: 1,445/1,666
missing *: 165/1,666

tabulation: Freq. Value
             55 0
             1 1000
             1,445 .
             165 .b
mean: 17.8571
std. dev: 133.631

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0

```

cc7g_6 **Does the cost include lunch cost?**

```

type: numeric (byte)
label: cc7g

range: [3,3]
unique values: 1
unique missing codes: 2

units: 1
missing .: 1,500/1,666
missing *: 165/1,666

```

```

tabulation:  Freq.  Numeric  Label
              1      3      no
              1,500  .
              165   .b
    
```

cc7ha_6 **Number of children in the classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,445/1,666
missing *: 221/1,666

tabulation:  Freq.  Value
              1,445  .
              221   .b
mean: .
std. dev: .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cc7hb_6 **Number of teacher/caregiver in the classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,445/1,666
missing *: 221/1,666

tabulation:  Freq.  Value
              1,445  .
              221   .b
mean: .
std. dev: .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cc7_7 **Child caregiver category 7 : Others (specify) (not display)**

```

type: string (str127), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation:  Freq.  Value
              1,666  ""
    
```

cc7a_7 **Receiving care from Relatives in the household**

```

type: numeric (byte)
label: cc7a
range: [1,1]
unique values: 1
units: 1
missing .: 1,607/1,666

tabulation:  Freq.  Numeric  Label
              59      1      yes
              1,607  .
    
```

cc7b_7 **HH. Member ID : others**

type: string (**str5**), but longest is str2
 unique values: 10 missing "": 1,607/1,666
 unique missing codes: 2 missing *: 10/1,666

tabulation:	Freq.	Value
	1,607	" "
	1	"H1"
	1	"H2"
	5	"H3"
	4	"H4"
	3	"H5"
	18	"H6"
	11	"H7"
	3	"H8"
	3	"H9"
	10	"NA"

cc7c_7 Relationship type between others with the child (not display)

type: string (**str119**), but longest is str0
 unique values: 0 missing "": 1,666/1,666

tabulation:	Freq.	Value
	1,666	" "

cc7c_code_7 Relationship code (others with the child)

type: numeric (**byte**)
 label: **cc7c_code_7**
 range: [5,35] units: 1
 unique values: 8 missing .: 1,607/1,666

tabulation:	Freq.	Numeric	Label
	4	5	Father/Mother
	12	9	Brother/Sister
	17	13	Cousin
	5	15	Uncle and aunt: father side
	1	17	Uncle and aunt: mother side
	2	19	Grand parents: father side
	3	21	Grand parents: mother side
	15	35	Relatives of other kinds
	1,607	.	

cc7da_7 Starting month of receiving care : from others

type: numeric (**byte**)
 range: [1,12] units: 1
 unique values: 12 missing .: 1,607/1,666
 unique missing codes: 2 missing *: 2/1,666

tabulation:	Freq.	Value
	5	1
	6	2
	3	3
	9	4
	4	5
	3	6
	5	7
	7	8
	5	9
	6	10
	3	11

```

          1 12
    1,607 .
          2 .c
    mean:  5.98246
    std. dev: 3.19872

    percentiles:    10%    25%    50%    75%    90%
                   2      4      6      9     10
    
```

cc7db_7 **Starting year of receiving care : from others**

```

    type: numeric (int)

    range: [2010,2016]          units: 1
    unique values: 7           missing .: 1,607/1,666

    tabulation: Freq. Value
                 1 2010
                 9 2011
                 10 2012
                 17 2013
                 7 2014
                 12 2015
                 3 2016
    1,607 .
    mean: 2013.15
    std. dev: 1.52918

    percentiles:    10%    25%    50%    75%    90%
                   2011   2012   2013   2015   2015
    
```

cc7e_7 **Hours / week : receiving care from**

```

    type: numeric (int)

    range: [4,98]              units: 1
    unique values: 18          missing .: 1,607/1,666

    tabulation: Freq. Value
                 3 4
                 1 5
                 14 7
                 5 11
                 13 14
                 2 18
                 5 21
                 1 24
                 1 30
                 1 31
                 3 32
                 3 35
                 1 39
                 2 42
                 1 66
                 1 67
                 1 68
                 1 98
    1,607 .
    mean: 20.3559
    std. dev: 18.3939

    percentiles:    10%    25%    50%    75%    90%
                   7      7      14     30     42
    
```

cc7f_7 **Average cost /month : for relatives in the HH.**

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 2
units: 1
missing .: 1,607/1,666
missing *: 49/1,666

tabulation: Freq. Value
             10 0
             1,607 .
             49 .b
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

cc7g_7 **Does the cost include lunch cost?**

```

type: numeric (byte)
label: cc7g
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,617/1,666
missing *: 49/1,666

tabulation: Freq. Numeric Label
             1,617 .
             49 .b
    
```

cc7ha_7 **Number of children in the classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,607/1,666
missing *: 59/1,666

tabulation: Freq. Value
             1,607 .
             59 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cc7hb_7 **Number of teacher/caregiver in the classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,607/1,666
missing *: 59/1,666

tabulation: Freq. Value
             1,607 .
             59 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cc7_8 **Child caregiver category 8 : Others (specify) (not display)**

type: string (**str127**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

cc7a_8 **Receiving care from Relatives in the household**

type: numeric (**byte**)
 label: **cc7a**
 range: [1,1] units: 1
 unique values: 1 missing .: 1,654/1,666
 tabulation: Freq. Numeric Label
 12 1 yes
 1,654 .

cc7b_8 **HH. Member ID : others**

type: string (**str5**), but longest is str2
 unique values: 6 missing "": 1,654/1,666
 unique missing codes: 2 missing *: 2/1,666
 tabulation: Freq. Value
 1,654 ""
 1 "H3"
 2 "H5"
 1 "H6"
 5 "H7"
 1 "H8"
 2 "NA"

cc7c_8 **Relationship type between others with the child (not display)**

type: string (**str119**), but longest is str0
 unique values: 0 missing "": 1,666/1,666
 tabulation: Freq. Value
 1,666 ""

cc7c_code_8 **Relationship code (others with the child)**

type: numeric (**byte**)
 label: **cc7c_code_8**
 range: [9,35] units: 1
 unique values: 6 missing .: 1,654/1,666

```

tabulation:  Freq.  Numeric  Label
              1       9  Brother/Sister
              3      13  Cousin
              5      17  Uncle and aunt: mother side
              1      19  Grand parents: father side
              1      21  Grand parents: mother side
              1      35  Relatives of other kinds
            1,654      .
    
```

cc7da_8 **Starting month of receiving care : from others**

```

type: numeric (byte)
range: [1,11] units: 1
unique values: 7 missing .. 1,654/1,666

tabulation:  Freq.  Value
              2     1
              2     2
              1     3
              2     4
              1     9
              2    10
              2    11
            1,654      .
mean:      5.66667
std. dev:  4.14144

percentiles:  10%    25%    50%    75%    90%
              1      2      4      10     11
    
```

cc7db_8 **Starting year of receiving care : from others**

```

type: numeric (int)
range: [2011,2016] units: 1
unique values: 5 missing .. 1,654/1,666

tabulation:  Freq.  Value
              1  2011
              2  2012
              3  2013
              4  2015
              2  2016
            1,654      .
mean:      2013.83
std. dev:  1.6967

percentiles:  10%    25%    50%    75%    90%
              2012  2012.5  2014   2015   2016
    
```

cc7e_8 **Hours / week : receiving care from**

```

type: numeric (int)
range: [3,64] units: 1
unique values: 5 missing .. 1,654/1,666
    
```

```

tabulation:  Freq.  Value
              1    3
              1    4
              7    7
              2   14
              1   64
            1,654  .
      mean:   12.3333
    std. dev: 16.5986

percentiles:  10%    25%    50%    75%    90%
              4      7      7     10.5   14
    
```

cc7f_8 Average cost /month : for relatives in the HH.

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 2
units: 1
missing .: 1,654/1,666
missing *: 10/1,666

tabulation:  Freq.  Value
              2    0
            1,654  .
              10   .b
      mean:   0
    std. dev: 0

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

cc7g_8 Does the cost include lunch cost?

```

type: numeric (byte)
label: cc7g
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,656/1,666
missing *: 10/1,666

tabulation:  Freq.  Numeric  Label
            1,656  .
              10   .b
    
```

cc7ha_8 Number of children in the classroom

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,654/1,666
missing *: 12/1,666

tabulation:  Freq.  Value
            1,654  .
              12   .b
      mean:   .
    std. dev: .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cc7hb_8 Number of teacher/caregiver in the classroom

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,654/1,666
missing *: 12/1,666

tabulation: Freq. Value
             1,654 .
             12 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

cc7_9 Child caregiver category 9 : others (specify) (not display)

```

type: string (str127), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation: Freq. Value
             1,666 ""
    
```

cc7a_9 Receiving care from Relatives in the household

```

type: numeric (byte)
label: cc7a
range: [1,1]
unique values: 1
units: 1
missing .: 1,662/1,666

tabulation: Freq. Numeric Label
             4         1 yes
             1,662 .
    
```

cc7b_9 HH. Member ID : others

```

type: string (str5), but longest is str2
unique values: 3
unique missing codes: 2
missing "": 1,662/1,666
missing *: 1/1,666

tabulation: Freq. Value
             1,662 ""
             1 "H6"
             2 "H8"
             1 "NA"
    
```

cc7c_9 Relationship type between others with the child (not display)

```

type: string (str60), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation: Freq. Value
             1,666 ""
    
```

cc7c_code_9 Relationship code (others with the child)

```

type: numeric (byte)
label: cc7c_code_9

range: [9,35] units: 1
unique values: 3 missing .: 1,662/1,666

tabulation: Freq. Numeric Label
             1      9 Brother/Sister
             2     13 Cousin
             1     35 Relatives of other kinds
            1,662 .
    
```

cc7da_9 Starting month of receiving care : from others

```

type: numeric (byte)

range: [1,3] units: 1
unique values: 3 missing .: 1,662/1,666

tabulation: Freq. Value
             1  1
             2  2
             1  3
            1,662 .
mean:      2
std. dev:  .816497

percentiles:      10%      25%      50%      75%      90%
                  1        1.5        2        2.5        3
    
```

cc7db_9 Starting year of receiving care : from others

```

type: numeric (int)

range: [2013,2016] units: 1
unique values: 3 missing .: 1,662/1,666

tabulation: Freq. Value
             1  2013
             2  2015
             1  2016
            1,662 .
mean:      2014.75
std. dev:  1.25831

percentiles:      10%      25%      50%      75%      90%
                  2013    2014    2015    2015.5    2016
    
```

cc7e_9 Hours / week : receiving care from

```

type: numeric (int)

range: [7,14] units: 1
unique values: 2 missing .: 1,662/1,666

tabulation: Freq. Value
             3  7
             1  14
            1,662 .
mean:      8.75
std. dev:  3.5

percentiles:      10%      25%      50%      75%      90%
                  7        7        7       10.5     14
    
```

cc7f_9 **Average cost /month : for relatives in the HH.**

```

type: numeric (int)
range: [.,.]
unique values: 1
unique missing codes: 2
units: .
missing .: 1,662/1,666
missing *: 3/1,666

tabulation: Freq. Value
             1 0
             1,662 .
             3 .b
mean: 0
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

cc7g_9 **Does the cost include lunch cost?**

```

type: numeric (byte)
label: cc7g
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,663/1,666
missing *: 3/1,666

tabulation: Freq. Numeric Label
             1,663 .
             3 .b
    
```

cc7ha_9 **Number of children in the classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,662/1,666
missing *: 4/1,666

tabulation: Freq. Value
             1,662 .
             4 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cc7hb_9 **Number of teacher/caregiver in the classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,662/1,666
missing *: 4/1,666

tabulation: Freq. Value
             1,662 .
             4 .b
mean: .
std. dev: .
    
```



```

range: [2,2] units: 1
unique values: 1 missing .: 1,665/1,666

tabulation: Freq. Value
              1 2
              1,665 .
mean: 2
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              2 2 2 2 2
    
```

cc7db_10 Starting year of receiving care : from others

```

type: numeric (int)
range: [2016,2016] units: 1
unique values: 1 missing .: 1,665/1,666

tabulation: Freq. Value
              1 2016
              1,665 .
mean: 2016
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              2016 2016 2016 2016 2016
    
```

cc7e_10 Hours / week : receiving care from

```

type: numeric (int)
range: [7,7] units: 1
unique values: 1 missing .: 1,665/1,666

tabulation: Freq. Value
              1 7
              1,665 .
mean: 7
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              7 7 7 7 7
    
```

cc7f_10 Average cost /month : for relatives in the HH.

```

type: numeric (int)
range: [.,.] units: .
unique values: 1 missing .: 1,665/1,666

tabulation: Freq. Value
              1 0
              1,665 .
mean: 0
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

cc7g_10 Does the cost include lunch cost?

```

type: numeric (byte)
label: cc7g
range: [.,.]
unique values: 0
units: .
missing ..: 1,666/1,666
tabulation: Freq. Numeric Label
              1,666 .
    
```

cc7ha_10 **Number of children in the classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing ..: 1,665/1,666
missing *: 1/1,666
tabulation: Freq. Value
              1,665 .
              1 .b
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cc7hb_10 **Number of teacher/caregiver in the classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing ..: 1,665/1,666
missing *: 1/1,666
tabulation: Freq. Value
              1,665 .
              1 .b
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cc10a1 **Rank of reponsive freq : using praise to the child satisfying behavior**

```

type: numeric (byte)
label: cc10a1
range: [1,3]
unique values: 3
units: 1
missing ..: 158/1,666
tabulation: Freq. Numeric Label
              682 1 most frequent response
              780 2 fairly frequent response
              46 3 least frequent response
              158 .
    
```

cc10a2 **Rank of reponsive freq : using praise to the child satisfying behavior**

```

type: numeric (byte)
label: cc10a2
    
```

```

        range: [1,3]                units: 1
unique values: 3                    missing .: 108/1,666

tabulation: Freq.  Numeric  Label
             937      1      most frequent response
             592      2      fairly frequent response
             29       3      least frequent response
             108      .

```

cc10a3 Rank of reponsive freq : give reward to the child for satisfying behavior

```

        type: numeric (byte)
        label: cc10a3

        range: [1,3]                units: 1
unique values: 3                    missing .: 1,143/1,666

tabulation: Freq.  Numeric  Label
             32      1      most frequent response
             123     2      fairly frequent response
             368     3      least frequent response
             1,143   .

```

cc10a4 Rank of reponsive freq : respond to the child with the other reponsive types

```

        type: numeric (byte)
        label: cc10a4

        range: [1,3]                units: 1
unique values: 3                    missing .: 1,649/1,666

tabulation: Freq.  Numeric  Label
             14      1      most frequent response
             1       2      fairly frequent response
             2       3      least frequent response
             1,649   .

```

cc10a4_des Description of other reponsive types (not display)

```

        type: string (str126), but longest is str0
unique values: 0                    missing "": 1,666/1,666

tabulation: Freq.  Value
             1,666  ""

```

cc10b1 Rank of reponsive freq : show offensive facial expression to the child for unsa

```

        type: numeric (byte)
        label: cc10b1

        range: [2,3]                units: 1
unique values: 2                    missing .: 1,661/1,666

tabulation: Freq.  Numeric  Label
             2       2      fairly frequent response
             3       3      least frequent response
             1,661   .

```

cc10b2

Rank of reponsive freq : expressing offensive facial to the child for unsatisfie

```

type: numeric (byte)
label: cc10b2

range: [1,3]                units: 1
unique values: 3            missing .: 1,440/1,666

tabulation: Freq.  Numeric  Label
              51         1  most frequent response
              84         2  fairly frequent response
              91         3  least frequent response
            1,440         .
    
```

cc10b3

Rank of reponsive freq : use fierceful words, loud voice or shout to the child f

```

type: numeric (byte)
label: cc10b3

range: [1,3]                units: 1
unique values: 3            missing .: 554/1,666

tabulation: Freq.  Numeric  Label
              652         1  most frequent response
              360         2  fairly frequent response
              100         3  least frequent response
              554         .
    
```

cc10b4

Rank of reponsive freq : give warning to the child for unsatisfying behavior

```

type: numeric (byte)
label: cc10b4

range: [1,3]                units: 1
unique values: 3            missing .: 594/1,666

tabulation: Freq.  Numeric  Label
              459         1  most frequent response
              397         2  fairly frequent response
              216         3  least frequent response
              594         .
    
```

cc10b5

Rank of reponsive freq : hit or spank the child for unsatisfying behavior

```

type: numeric (byte)
label: cc10b5

range: [1,3]                units: 1
unique values: 3            missing .: 549/1,666

tabulation: Freq.  Numeric  Label
              406         1  most frequent response
              484         2  fairly frequent response
              227         3  least frequent response
              549         .
    
```

cc10b6

Rank of reponsive freq : threaten to not love or leave the child for unsatisfyin

cc10c1 Rank of reponsive freq for the bedwetting : punishing of the child

```

type: numeric (byte)
label: cc10c1

range: [1,3]
unique values: 3
units: 1
missing .. 1,617/1,666

tabulation: Freq.  Numeric  Label
              31         1  most frequent response
              14         2  fairly frequent response
               4         3  least frequent response
            1,617         .
    
```

cc10c2 Rank of reponsive freq for the bedwetting : training the child to urinate before

```

type: numeric (byte)
label: cc10c2

range: [1,3]
unique values: 3
units: 1
missing .. 1,244/1,666

tabulation: Freq.  Numeric  Label
              329         1  most frequent response
               86         2  fairly frequent response
                7         3  least frequent response
            1,244         .
    
```

cc10c3 Rank of reponsive freq for the bedwetting : avoid giving milk and water to the c

```

type: numeric (byte)
label: cc10c3

range: [1,3]
unique values: 3
units: 1
missing .. 1,622/1,666

tabulation: Freq.  Numeric  Label
               4         1  most frequent response
               26         2  fairly frequent response
               14         3  least frequent response
            1,622         .
    
```

cc10c4 Rank of reponsive freq for the bedwetting : waking the child up at night to urin

```

type: numeric (byte)
label: cc10c4

range: [1,3]
unique values: 3
units: 1
missing .. 1,395/1,666

tabulation: Freq.  Numeric  Label
              92         1  most frequent response
             150         2  fairly frequent response
              29         3  least frequent response
            1,395         .
    
```

cc10c6 Rank of reponsive freq for the bedwetting : do nothing

```

type: numeric (byte)
label: cc10c6

range: [1,3]
unique values: 3
units: 1
missing .. 1,591/1,666

tabulation: Freq.  Numeric  Label
              67         1  most frequent response
              5         2  fairly frequent response
              3         3  least frequent response
            1,591         .
    
```

cc10c5 Rank of reponsive freq for the bedwetting of the child : other rection tyes

```

type: numeric (byte)
label: cc10c5

range: [1,3]
unique values: 3
units: 1
missing .. 1,651/1,666

tabulation: Freq.  Numeric  Label
              10         1  most frequent response
              1         2  fairly frequent response
              4         3  least frequent response
            1,651         .
    
```

cc10c5_des Description of other reaction types when the child wets (not display)

```

type: string (str118), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation: Freq.  Value
            1,666  ""
    
```

cc10d In the past 12 monthss : the child's got constipation (Yes/No)

```

type: numeric (byte)
label: cc10d

range: [1,3]
unique values: 2
units: 1
missing .. 0/1,666

tabulation: Freq.  Numeric  Label
              458         1  yes
            1,208         3  no
    
```

cc10d1 Constipation problem solution : anus's been tucked by soap

```

type: numeric (byte)
label: cc10d1

range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing .. 1,208/1,666
missing *: 2/1,666

tabulation: Freq.  Numeric  Label
              95         1  yes
             361         3  no
            1,208         .
              2         .d
    
```

cc10d2 Constipation problem solution : giving the child an enema (yes/no)

```

type: numeric (byte)
label: cc10d2

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing ..: 1,208/1,666
missing *: 1/1,666

tabulation: Freq.  Numeric  Label
              86         1  yes
              371        3  no
            1,208        .
              1         .d
    
```

cc10d3 Constipation problem solution : training child excrete on a regular scheduled (y

```

type: numeric (byte)
label: cc10d3

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing ..: 1,208/1,666
missing *: 1/1,666

tabulation: Freq.  Numeric  Label
              239        1  yes
              218        3  no
            1,208        .
              1         .d
    
```

cc10d4 Constipation problem solution : giving the child laxative (yes/no)

```

type: numeric (byte)
label: cc10d4

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing ..: 1,208/1,666
missing *: 1/1,666

tabulation: Freq.  Numeric  Label
              93         1  yes
              364        3  no
            1,208        .
              1         .d
    
```

cc10e1 In the past week : took the child to the restroom

```

type: numeric (byte)
label: cc10e1

range: [1,3]
unique values: 2

units: 1
missing ..: 0/1,666

tabulation: Freq.  Numeric  Label
              775        1  yes
              891        3  no
    
```

cc10e2 In the past week : let the child go to restroom by himself/herself (yes/no)

```

type: numeric (byte)
label: cc10e2

range: [1,3]
unique values: 2
units: 1
missing ..: 0/1,666

tabulation: Freq.   Numeric   Label
              1,008       1   yes
              658        3   no
    
```

cc10e3 In the past week : took the child to defecate around the house (yes/no)

```

type: numeric (byte)
label: cc10e3

range: [1,3]
unique values: 2
units: 1
missing ..: 0/1,666

tabulation: Freq.   Numeric   Label
              549       1   yes
              1,117     3   no
    
```

cc10e4 In the past week :helped the child to clean after defecation in the past week? (

```

type: numeric (byte)
label: cc10e4

range: [1,3]
unique values: 2
units: 1
missing ..: 0/1,666

tabulation: Freq.   Numeric   Label
              1,404       1   yes
              262        3   no
    
```

cc10e5 In the past week : let the child manage himself after defecation (yes/no)

```

type: numeric (byte)
label: cc10e5

range: [1,3]
unique values: 2
units: 1
missing ..: 0/1,666

tabulation: Freq.   Numeric   Label
              497       1   yes
              1,169     3   no
    
```

cc10f1 Environmental management in the house : using secured plug socket covers (yes/no)

```

type: numeric (byte)
label: cc10f1

range: [1,3]
unique values: 2
unique missing codes: 1
units: 1
missing ..: 0/1,666
missing *: 493/1,666

tabulation: Freq.   Numeric   Label
              14       1   yes
              1,159     3   no
              493       .b
    
```

cc10f2

Environmental management in the house : installing plug at high position (yes/no

```

type: numeric (byte)
label: cc10f2

range: [1,3]
unique values: 2
unique missing codes: 1

units: 1
missing .: 0/1,666
missing *: 480/1,666

tabulation: Freq.  Numeric  Label
              675      1  yes
              511      3  no
              480      .b
    
```

cc10f3

Environmental management in the house : keeping sharp objects away from children

```

type: numeric (byte)
label: cc10f3

range: [1,3]
unique values: 2
unique missing codes: 1

units: 1
missing .: 0/1,666
missing *: 495/1,666

tabulation: Freq.  Numeric  Label
              685      1  yes
              486      3  no
              495      .b
    
```

cc10f4

Environmental management in the house : keeping medicine away from children

```

type: numeric (byte)
label: cc10f4

range: [1,3]
unique values: 2
unique missing codes: 1

units: 1
missing .: 0/1,666
missing *: 643/1,666

tabulation: Freq.  Numeric  Label
              797      1  yes
              226      3  no
              643      .b
    
```

cc10f5

Environmental management in the house : keeping chemical substance away from chi

```

type: numeric (byte)
label: cc10f5

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 0/1,666
missing *: 543/1,666

tabulation: Freq.  Numeric  Label
              764      1  yes
              359      3  no
              542      .b
               1      .c
    
```

cc10g Regarding the child's eating behavior, do you still need to follow and feed the

```

type: numeric (byte)
label: cc10g

range: [1,3]
unique values: 2
units: 1
missing ..: 0/1,666

tabulation: Freq.  Numeric  Label
              807      1  yes
              859      3  no
    
```

cc11i While the child is eating, how often does the child watch television?

```

type: numeric (byte)
label: cc11i

range: [1,5]
unique values: 3
units: 1
missing ..: 0/1,666

tabulation: Freq.  Numeric  Label
              658      1  never
              698      3  sometime
              310      5  often
    
```

cc11c Restricted the child for watching TV program (yes/no)

```

type: numeric (byte)
label: cc11c

range: [1,5]
unique values: 3
unique missing codes: 1
units: 1
missing ..: 0/1,666
missing *: 10/1,666

tabulation: Freq.  Numeric  Label
              372      1  yes
            1,155      3  no
              129      5  the child did not watch
                   television
              10      .d
    
```

cc11e Internet connection via computer, Ipad, tablet (yes/no)

```

type: numeric (byte)
label: cc11e

range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 0/1,666
missing *: 5/1,666

tabulation: Freq.  Numeric  Label
              855      1  yes
              806      3  no
                 2      .c
                 3      .d
    
```

cc12 HH. members've watched political news via political TV chanel (yes/no)

```

type: numeric (byte)
label: cc12

range: [1,3]
unique values: 2
units: 1
missing ..: 0/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              208      1  yes
              1,458    3  no
    
```

cc12a The child's joint time for watching political news (yes/no)

```

type: numeric (byte)
label: cc12a

range: [1,3]          units: 1
unique values: 2      missing .: 1,458/1,666
unique missing codes: 2  missing *: 1/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              82      1  yes
              125     3  no
              1,458   .
              1       .d
    
```

cc13a The response of parents to the child : the participation of father for child re

```

type: numeric (byte)
label: cc13a

range: [1,5]          units: 1
unique values: 3      missing .: 0/1,666
unique missing codes: 2  missing *: 2/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              407     1  never
              655     3  sometimes
              602     5  often
              1       .a
              1       .d
    
```

cc13a_des Description of father's participation (not display)

```

type: string (str266), but longest is str0
unique values: 0      missing "": 1,666/1,666

tabulation:  Freq.  Value
              1,666 ""
    
```

cc13b_des Description of child rearing (not display)

```

type: string (str367), but longest is str0
unique values: 0      missing "": 1,666/1,666

tabulation:  Freq.  Value
              1,666 ""
    
```

cc13h Number of learning centers for children in the community

```

type: numeric (byte)
label: cc13h

range: [1,5]          units: 1
unique values: 3      missing .: 0/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              1,442      1  none
              199       3  some
              25        5  many
    
```

cc13i **How dangerous is this community to the child**

```

type: numeric (byte)
label: cc13i

range: [1,5]          units: 1
unique values: 3      missing .: 0/1,666

tabulation:  Freq.  Numeric  Label
              1,057      1  not at all
              453       3  somewhat
              156       5  much
    
```

cc14 **Interviewer note (unavailable)**

```

type: string (str519), but longest is str0
unique values: 0      missing "": 1,666/1,666

tabulation:  Freq.  Value
              1,666  ""
    
```

year_survey **year survey**

```

type: numeric (float)

range: [2016,2016]    units: 1
unique values: 1      missing .: 0/1,666

tabulation:  Freq.  Value
              1,666  2016
mean:        2016
std. dev:    0

percentiles:      10%      25%      50%      75%      90%
                  2016    2016    2016    2016    2016
    
```

```

2 . log close
   name: <unnamed>
   log:  Z:\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codebook_sc\b2.scm
> 1
   log type: smcl
   closed on: 23 Dec 2025, 16:11:09
    
```
