



```

name: <unnamed>
log: R:\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codebook_sc\b4.scm
> 1
log type: smcl
opened on: 12 Feb 2026, 14:00:44

```

```
1 . codebookr _all,all
```

```

Dataset: \RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\stata\sc
> ramble/b4_run.dta
Last saved: 12 Feb 2026 14:00

```

```

Label: [none]
Number of variables: 76
Number of observations: 1,666
Size: 2,970,478 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or -6 or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or -7 or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or -8 or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or -9 or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a or -6
                  .b or -7
                  .c or -8
                  .d or -9
String Missing*:  RF
                  NA
                  DK
                  MI

```

---

```
pid personal id
```

---

```

type: string (str18)
unique values: 1,666 missing "": 0/1,666
examples: "201591160601205H1"
          "201691130216999H1"
          "201691160104180H1"
          "201691161706142H6"

```

---

```
iyear year
```

---

```

type: string (str4)
unique values: 2 missing "": 0/1,666
tabulation: Freq. Value
             626 "2015"
             1,040 "2016"

```

---

```
hhid household id
```

---

```
type: string (str15)
```

unique values: 1,413                      missing "": 0/1,666  
 examples: "201591160601205"  
           "201691130216999"  
           "201691160104180"  
           "201691161706142"

---

**prov** **province**

---

type: string (**str2**)  
 unique values: 2                              missing "": 0/1,666  
 tabulation: Freq. Value  
               1,501 "91"  
               165 "93"

---

**amp** **amphoe**

---

type: string (**str2**)  
 unique values: 7                              missing "": 0/1,666  
 tabulation: Freq. Value  
               165 "12"  
               308 "13"  
               134 "14"  
               164 "15"  
               608 "16"  
               45 "17"  
               242 "18"

---

**tam** **tambon**

---

type: string (**str2**)  
 unique values: 15                              missing "": 0/1,666  
 tabulation: Freq. Value  
               71 "01"  
               259 "02"  
               141 "04"  
               65 "05"  
               60 "06"  
               69 "07"  
               67 "08"  
               109 "09"  
               155 "10"  
               96 "11"  
               167 "13"  
               52 "14"  
               169 "15"  
               116 "17"  
               70 "19"

---

**moo** **moo**

---

type: string (**str2**)  
 unique values: 21                              missing "": 0/1,666

```

tabulation:  Freq.  Value
              168  "01"
              75  "02"
              166  "03"
              172  "04"
              151  "05"
              175  "06"
              86  "07"
              173  "08"
              108  "09"
              84  "10"
              61  "11"
              51  "12"
              46  "13"
              14  "14"
              12  "15"
              41  "16"
              10  "17"
              14  "18"
              31  "19"
              21  "22"
              7  "24"
    
```

---

**strucid** **structure ID**

---

```

type: string (str3)
unique values: 182           missing "": 0/1,666
examples: "011"
          "034"
          "071"
          "157"
    
```

---

**cid** **children id**

---

```

type: string (str18)
unique values: 1,666       missing "": 0/1,666
examples: "201591160601205H1"
          "201691130216999H1"
          "201691160104180H1"
          "201691161706142H6"
    
```

---

**ch\_added** **children added**

---

```

type: numeric (float)
label: ch_add
range: [0,1]           units: 1
unique values: 2       missing .: 0/1,666

tabulation:  Freq.  Numeric  Label
              1,595  0      no
              71     1      yes
    
```

---

**survey\_name** **survey round**

---

```

type: string (str12)
unique values: 2           missing "": 0/1,666
    
```

```

tabulation:  Freq.  Value
              1,040  "BASELINE2016"
              626   "RESURVEY2016"
    
```

**chd1 Have you ever been informed by the doctor, nurse, or professional whether the ch**

```

type: numeric (byte)
label: chd1

range: [1,3]          units: 1
unique values: 2      missing .: 555/1,666

tabulation:  Freq.  Numeric  Label
              130     1       yes
              981     3       no (skip to chd2)
              555     .
    
```

**chd1\_1 Open the Roster and specify the number of disease since last interview (If there**

```

type: numeric (byte)

range: [0,2]          units: 1
unique values: 3      missing .: 1,111/1,666

tabulation:  Freq.  Value
              485   0
              67   1
              3    2
            1,111  .
mean:        .131532
std. dev:    .353931

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      1
    
```

**chd1\_2 Since last interview, how many kinds of congenital disease that have been dec**

```

type: numeric (byte)

range: [0,2]          units: 1
unique values: 3      missing .: 1,111/1,666

tabulation:  Freq.  Value
              527   0
              26   1
              2    2
            1,111  .
mean:        .054054
std. dev:    .241753

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

**chd1a\_1 Identify name of the disease. (not display)**

```

type: string (str111), but longest is str0
unique values: 0      missing "": 1,666/1,666

tabulation:  Freq.  Value
            1,666  ""
    
```

---

**chdlaa\_1** **Code : Disease 1**

---

```

type: numeric (float)
label: chdlaa_1

range: [7,99]
unique values: 10
units: 1
missing .. 1,440/1,666

tabulation:
  Freq.  Numeric  Label
      2         7  Heart disease
      1        17  Depression/psychosis/neurosis
      7        21  Seizures/epilepsy
     123        27  Asthma/emphysema
     26         31  Allergy
     12         55  Thalassemia
      1         57  Down's syndrome
     20         77  G6PD
     14         79  Anemia
     20         99  Other
    1,440          .
  
```

---

**chdlb\_1** **What was the last medical treatment? (can be more than 1 answer)**

---

```

type: string (str5)

unique values: 17
unique missing codes: 2
missing "": 1,440/1,666
missing *: 1/1,666

tabulation:
  Freq.  Value
    1,440  ""
      1  "A;B;C"
      1  "A;B;D"
     67  "B"
      9  "B;C"
      2  "B;C;D"
     22  "B;D"
      2  "B;G"
      9  "C"
      1  "C;B"
      3  "C;D"
      1  "C;F"
      2  "C;G"
     48  "D"
     48  "F"
      2  "F;G"
      7  "G"
      1  "MI"
  
```

---

**chdlba\_1** **Other categories of treatment 1 (not display)**

---

```

type: string (str48), but longest is str0

unique values: 0
missing "": 1,666/1,666

tabulation:
  Freq.  Value
    1,666  ""
  
```

---

**chdlc\_1** **Since the child was born, has the child been taken to an emergency room or hospi**

---

```

type: numeric (byte)
label: chdlc
  
```

```

range: [1,3] units: 1
unique values: 2 missing .: 1,440/1,666
unique missing codes: 2 missing *: 1/1,666

tabulation: Freq. Numeric Label
              78          1 yes
              147         3 no
              1,440        .
                1          .d
    
```

**chdlca\_1**  
**How many days was the child hospitalized as the longest period because of diseas**

```

type: numeric (byte)

range: [1,30] units: 1
unique values: 11 missing .: 1,587/1,666
unique missing codes: 2 missing *: 1/1,666

tabulation: Freq. Value
              3 1
              12 2
              26 3
              10 4
               5 5
               2 6
              14 7
               1 9
               2 10
               1 11
               2 30
            1,587 .
               1 .d
mean: 4.87179
std. dev: 4.66921

percentiles: 10% 25% 50% 75% 90%
              2 3 3 7 7
    
```

**chdlc\_1** **Does child still have this disease?**

```

type: numeric (byte)
label: chdlc

range: [1,3] units: 1
unique values: 2 missing .: 1,440/1,666

tabulation: Freq. Numeric Label
              187         1 yes
               39         3 no
            1,440        .
    
```

**chdla\_2** **Identify name of the disease. (not display)**

```

type: string (str91), but longest is str0
unique values: 0 missing "": 1,666/1,666

tabulation: Freq. Value
            1,666 ""
    
```

**chdlaa\_2** **Code : Disease 2**

```

type: numeric (float)
label: chdlaa_2

range: [13,99]
unique values: 5
units: 1
missing ..: 1,652/1,666

tabulation: Freq.  Numeric  Label
              1         13  Cancer
              6         27  Asthma/emphysema
              3         31  Allergy
              2         77  G6PD
              2         99  Other
            1,652          .
    
```

**chdlb\_2**                      **What was the last medical treatment? (can be more than 1 answer)**

```

type: string (str5)

unique values: 5
missing "": 1,652/1,666

tabulation: Freq.  Value
              1,652  ""
              1     "A;B;D"
              3     "B"
              4     "D"
              5     "F"
              1     "G"
    
```

**chdlba\_2**                      **Other category of treatment 2 (not display)**

```

type: string (str48), but longest is str0

unique values: 0
missing "": 1,666/1,666

tabulation: Freq.  Value
              1,666  ""
    
```

**chdlc\_2**  
**Since the child was born, has the child been taken to an emergency room or hospi**

```

type: numeric (byte)
label: chdlc

range: [1,3]
unique values: 2
units: 1
missing ..: 1,652/1,666

tabulation: Freq.  Numeric  Label
              6         1  yes
              8         3  no
            1,652          .
    
```

**chdlca\_2**  
**How many days was the child hospitalized as the longest period because of diseas**

```

type: numeric (byte)

range: [1,30]
unique values: 5
units: 1
missing ..: 1,660/1,666
    
```

```

tabulation:  Freq.  Value
              1    1
              2    4
              1    7
              1   25
              1   30
            1,660  .
      mean:   11.8333
    std. dev: 12.3841

percentiles:  10%      25%      50%      75%      90%
              1         4        5.5       25       30
    
```

**chd1d\_2** **Does child still have this disease?**

```

      type: numeric (byte)
      label: chd1d

      range: [1,3]
unique values: 2
                units: 1
                missing.: 1,652/1,666

      tabulation:  Freq.  Numeric  Label
                  11      1    yes
                  3       3    no
            1,652      .
    
```

**chd1a\_3** **Identify name of the disease. (not display)**

```

      type: string (str91), but longest is str0
unique values: 0
                missing "": 1,666/1,666

      tabulation:  Freq.  Value
                  1,666  ""
    
```

**chd1aa\_3** **Code : Disease 3**

```

      type: numeric (float)
      label: chd1aa_3

      range: [3,57]
unique values: 2
                units: 1
                missing.: 1,664/1,666

      tabulation:  Freq.  Numeric  Label
                  1       3    Thyroid/Goiter
                  1      57    Down's syndrome
            1,664      .
    
```

**chd1b\_3** **What was the last medical treatment? (can be more than 1 answer)**

```

      type: string (str5)
unique values: 2
                missing "": 1,664/1,666

      tabulation:  Freq.  Value
                  1,664  ""
                  1    "A,B,D"
                  1    "D"
    
```

**chd1ba\_3** **Other category of treatment 3 (not display)**

```

type: string (str48), but longest is str0
unique values: 0 missing "": 1,666/1,666
tabulation: Freq. Value
             1,666 ""
    
```

**chdlc\_3**  
**Since the child was born, has the child been taken to an emergency room or hospi**

```

type: numeric (byte)
label: chdlc_3
range: [3,3] units: 1
unique values: 1 missing ..: 1,664/1,666
tabulation: Freq. Numeric Label
             2 3 no (skip to chdld_3)
             1,664 .
    
```

**chdlca\_3**  
**How many days was the child hospitalized as the longest period because of diseas**

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing ..: 1,666/1,666
tabulation: Freq. Value
             1,666 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

**chdld\_3**  
**Does child still have this disease?**

```

type: numeric (byte)
label: chdld
range: [1,1] units: 1
unique values: 1 missing ..: 1,664/1,666
tabulation: Freq. Numeric Label
             2 1 yes
             1,664 .
    
```

**chd2**  
**Since the child was born, has the child had a myringgotomy?**

```

type: numeric (byte)
label: chd2
range: [1,3] units: 1
unique values: 2 missing ..: 0/1,666
unique missing codes: 1 missing *: 4/1,666
tabulation: Freq. Numeric Label
             7 1 yes
             1,655 3 no (skip to chd4)
             4 .c
    
```

---

**chd3** **What was the cause of the myringotomy?**

---

```

type: numeric (byte)
label: chd3

range: [1,7]
unique values: 3
unique missing codes: 2

units: 1
missing .: 1,659/1,666
missing *: 1/1,666

tabulation: Freq.  Numeric  Label
              1          1  fluid in the ears
              1          3  ears infection
              4          7  others chd3a
            1,659          .
              1          .c
    
```

---

**chd3a Other category of the reason for the child ever had an ear drainage puncture (no**

---

```

type: string (str111), but longest is str0
unique values: 0
missing "": 1,666/1,666

tabulation: Freq.  Value
            1,666  ""
    
```

---

**chd4 Since the child was born, has a doctor informed you whether the child has any di**

---

```

type: numeric (byte)
label: chd4

range: [1,3]
unique values: 2

units: 1
missing .: 555/1,666

tabulation: Freq.  Numeric  Label
              14          1  yes
            1,097          3  no (skip to chd5)
              555          .
    
```

---

**chd4\_1**  
**Open the Roster, and record the number of underlying disease since last intervie**

---

```

type: numeric (byte)

range: [0,1]
unique values: 2

units: 1
missing .: 1,111/1,666

tabulation: Freq.  Value
            551  0
              4  1
          1,111  .
mean:      .007207
std. dev:  .084665

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
    
```

---

**chd4\_2**  
**Since last interview, how many kinds of deficiency symptoms of the child have be**

---

```

type: numeric (byte)
    
```

```

    range: [0,1]                units: 1
unique values: 2                missing .: 1,111/1,666

    tabulation: Freq. Value
                553  0
                2   1
                1,111 .
    mean:       .003604
    std. dev:   .059976

percentiles:      10%    25%    50%    75%    90%
                  0      0      0      0      0
    
```

**chd4a\_1** **Identify the disability (not display)**

```

    type: string (str107), but longest is str0
unique values: 0                missing "": 1,666/1,666

    tabulation: Freq. Value
                1,666 ""
    
```

**chd4aa\_1** **Identify the code**

```

    type: numeric (byte)
    label: chd4aa_1

    range: [1,99]                units: 1
unique values: 5                missing .: 1,646/1,666

    tabulation: Freq. Numeric Label
                2           1 problems with movement due to
                5           3 brain disorder
                2           7 problems with learning
                9           9 development
                2           9 Problems with limb movement
                2           9 development
                2           9 problems with communication
                2           99 development
                1,646       . others
    
```

**chd4b\_1** **What kind of treatment did child receive**

```

    type: string (str11)
unique values: 9                missing "": 1,646/1,666
unique missing codes: 2        missing *: 3/1,666

    tabulation: Freq. Value
                1,646 ""
                4 "A"
                1 "A;B;C;D;H;I"
                1 "A;D;J"
                2 "B"
                2 "C"
                1 "F;G;I"
                1 "I"
                5 "L"
                3 "NA"
    
```

**chd4ba\_1** **Other category of treatment 1**

```

type: string (str46), but longest is str0
unique values: 0 missing "": 1,666/1,666
tabulation: Freq. Value
             1,666 ""
    
```

**chd4c\_1** Since last interview, has the child ever been diagnosed or treated by a doctor o

```

type: numeric (byte)
label: chd4c
range: [1,3] units: 1
unique values: 2 missing .: 1,646/1,666
tabulation: Freq. Numeric Label
             13 1 yes
             7 3 no
             1,646 .
    
```

**chd4d\_1** Does the child still have this problem?

```

type: numeric (byte)
label: chd4d
range: [1,3] units: 1
unique values: 2 missing .: 1,646/1,666
tabulation: Freq. Numeric Label
             16 1 yes
             4 3 no
             1,646 .
    
```

**chd4a\_2** Identify the disability (not display)

```

type: string (str107), but longest is str0
unique values: 0 missing "": 1,666/1,666
tabulation: Freq. Value
             1,666 ""
    
```

**chd4aa\_2** Identify the code

```

type: numeric (byte)
label: chd4aa_2
range: [9,9] units: 1
unique values: 1 missing .: 1,664/1,666
tabulation: Freq. Numeric Label
             2 9 problems with communication
             1,664 . development
    
```

**chd4b\_2** What kind of treatment did child receive

```

type: string (str11), but longest is str1
unique values: 2 missing "": 1,664/1,666
    
```

```

tabulation: Freq. Value
            1,664 ""
            1 "B"
            1 "I"
    
```

**chd4ba\_2** Other category of treatment 2

```

type: string (str33), but longest is str0
unique values: 0 missing "": 1,666/1,666
tabulation: Freq. Value
            1,666 ""
    
```

**chd4c\_2** Since last interview, has the child ever been diagnosed or treated by a doctor o

```

type: numeric (byte)
label: chd4c
range: [1,1] units: 1
unique values: 1 missing .: 1,664/1,666
tabulation: Freq. Numeric Label
            2 1 yes
            1,664 .
    
```

**chd4d\_2** Does the child still have this problem?

```

type: numeric (byte)
label: chd4d
range: [1,1] units: 1
unique values: 1 missing .: 1,664/1,666
tabulation: Freq. Numeric Label
            2 1 yes
            1,664 .
    
```

**chd5** Since last interview, has the child had hearing disability?

```

type: numeric (byte)
label: chd5
range: [1,3] units: 1
unique values: 2 missing .: 0/1,666
tabulation: Freq. Numeric Label
            2 1 yes
            1,664 3 no (skip to chd7)
    
```

**chd6** Is the child's hearing loss in the right ear, left ear, or both?

```

type: numeric (byte)
label: chd6
range: [3,5] units: 1
unique values: 2 missing .: 1,664/1,666
    
```

```

tabulation:  Freq.  Numeric  Label
              1      3      right
              1      5      both
            1,664      .
    
```

**chd7** **Since last interview, has the child had vision disability?**

```

type: numeric (byte)
label: chd7

range: [1,3]
unique values: 2

units: 1
missing .: 0/1,666

tabulation:  Freq.  Numeric  Label
              2      1      yes
            1,664      3      no
    
```

**chd8** **Does the child have any impairment or health problem that requires special equip**

```

type: numeric (byte)
label: chd8

range: [1,3]
unique values: 2

units: 1
missing .: 0/1,666

tabulation:  Freq.  Numeric  Label
              1      1      yes
            1,665      3      no
    
```

**chd9** **Does the child wear glasses?**

```

type: numeric (byte)
label: chd9

range: [3,3]
unique values: 1

units: 1
missing .: 0/1,666

tabulation:  Freq.  Numeric  Label
            1,666      3      no
    
```

**chd10** **Is the child receiving special education services?**

```

type: numeric (byte)
label: chd10

range: [1,3]
unique values: 2
unique missing codes: 1

units: 1
missing .: 0/1,666
missing *: 1/1,666

tabulation:  Freq.  Numeric  Label
              1      1      yes
            1,664      3      no (skip to chd11)
              1      .d
    
```

**chd10a1** **Name of place (unavailable)**

```

type: string (str6), but longest is str0
unique values: 0
missing "": 1,666/1,666
    
```

tabulation: Freq. Value  
 1,666 ""

---

**chd10a2** **Sub-district code (unavailable)**

---

type: string (**str2**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
 1,666 ""

---

**chd10a3** **District (unavailable)**

---

type: string (**str2**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
 1,666 ""

---

**chd10a4** **Province (unavailable)**

---

type: string (**str2**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
 1,666 ""

---

**chd10a1\_des** **Location where the child receiving special education services (unavailable)**

---

type: string (**str72**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
 1,666 ""

---

**chd10a2\_des** **Sub-district where the child receiving special education services (unavailable)**

---

type: string (**str21**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
 1,666 ""

---

**chd10a3\_des** **District where the child receiving special education services (unavailable)**

---

type: string (**str30**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
 1,666 ""

---

**chd10a4\_des** Province where the child receiving special education services (unavailable)

---

type: string (**str27**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
 1,666 ""

---

**chd11** Interviewer note (unavailable)

---

type: string (**str262**), but longest is str0  
 unique values: 0 missing "": 1,666/1,666  
 tabulation: Freq. Value  
 1,666 ""

---

**year\_survey** year survey

---

type: numeric (**float**)  
 range: [2016,2016] units: 1  
 unique values: 1 missing .: 0/1,666  
 tabulation: Freq. Value  
 1,666 2016  
 mean: 2016  
 std. dev: 0  
 percentiles: 10% 25% 50% 75% 90%  
 2016 2016 2016 2016 2016

---

**chd1\_number** How many underlying disease does the child currently have that are incurable?

---

type: numeric (**float**)  
 range: [0,3] units: 1  
 unique values: 4 missing .: 0/1,666  
 tabulation: Freq. Value  
 1,477 0  
 179 1  
 9 2  
 1 3  
 mean: .120048  
 std. dev: .346575  
 percentiles: 10% 25% 50% 75% 90%  
 0 0 0 0 1

---

**chd1b\_des\_1** Detail of treatment method

---

type: string (**str95**)  
 unique values: 14 missing "": 1,443/1,666

```

tabulation:  Freq.  Value
              1,443  ""
              9  "antibiotics (take continuously until
                  the dose is finished)"
              3  "antibiotics (take continuously until
                  the dose is finished);drug (unknown
                  type)"
              2  "antibiotics (take continuously until
                  the dose is finished);other"
              67  "bronchodilators"
              9  "bronchodilators;antibiotics (take
                  continuously until the dose is
                  finished)"
              2  "bronchodilators;antibiotics (take
                  continuously until the dose is
                  finished);drug (unknown type)"
              22  "bronchodilators;drug (unknown type)"
              2  "bronchodilators;other"
              48  "drug (unknown type)"
              48  "no treatment just observe symptoms"
              2  "no treatment just observe
                  symptoms;other"
              7  "other"
              1  "respirator/pacemaker;bronchodilators;an
                  tibiotics (take continuously until the
                  dose is finished)"
              1  "respirator/pacemaker;bronchodilators;dr
                  ug (unknown type)"
    
```

warning: variable has embedded blanks

---

**chdlb\_des\_2** Detail of treatment method

---

```

type: string (str56)
unique values: 5 missing "": 1,652/1,666
tabulation:  Freq.  Value
              1,652  ""
              3  "bronchodilators"
              4  "drug (unknown type)"
              5  "no treatment just observe symptoms"
              1  "other"
              1  "respirator/pacemaker;bronchodilators;dr
                  ug (unknown type)"
    
```

warning: variable has embedded blanks

---

**chdlb\_des\_3** Detail of treatment method

---

```

type: string (str19)
unique values: 1 missing "": 1,665/1,666
tabulation:  Freq.  Value
              1,665  ""
              1  "drug (unknown type)"
    
```

warning: variable has embedded blanks

---

**chd4\_number** How many disability does the child currently have that are incurable?

---

```

type: numeric (float)
    
```

```

range: [0,2] units: 1
unique values: 3 missing .: 0/1,666

tabulation: Freq. Value
1,650 0
14 1
2 2
mean: .010804
std. dev: .11444

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 0
    
```

**chd4b\_des\_1** Detail of how to help

```

type: string (str156)
unique values: 8 missing "": 1,649/1,666

tabulation: Freq. Value
1,649 ""
2 "occupational therapy"
5 "other"
1 "parental support or training"
2 "physical therapy"
4 "speech or language therapy"
1 "speech or language therapy;help group
(among families with the same
problem);special classes with other
children, some or all of whom also had
special needs"
1 "speech or language therapy;occupational
therapy;physical therapy;help group
(among families with the same
problem);home visit;parental support or
training"
1 "vision service;Hearing service (this
does not include a temporary loss of
hearing due to a cold or
congestion.);parental support or
training"

warning: variable has embedded blanks
    
```

**chd4b\_des\_2** Detail of how to help

```

type: string (str20)
unique values: 2 missing "": 1,664/1,666

tabulation: Freq. Value
1,664 ""
1 "occupational therapy"
1 "other"

warning: variable has embedded blanks
    
```

```

2 . log close
name: <unnamed>
log: R:\RIECE_RELEASE V2-2016\Combine_baseline_resurvey2016\codebook_sc/b4.scm
> 1
log type: smcl
closed on: 12 Feb 2026, 14:00:46
    
```