



```

name: <unnamed>
log: R:\RIECE_RELEASE V3-2017-2018/codebook\2017\b11.scml
log type: smcl
opened on: 13 Feb 2026, 16:50:07

```

1 . codebookr _all,all

```

Dataset: \RIECE_RELEASE V3-2017-2018/codebook\b11_run.dta
Last saved: 13 Feb 2026 16:42
DATA HAVE CHANGED SINCE LAST SAVED

```

```

Label: [none]
Number of variables: 708
Number of observations: 1,510
Size: 15,246,470 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or -6 or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or -7 or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or -8 or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or -9 or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a or -6	String Missing*:	RF
	.b or -7		NA
	.c or -8		DK
	.d or -9		MI

pid **personal id**

```

type: string (str18)
unique values: 1,510 missing "": 0/1,510
examples: "201591160604209H1"
           "201691131001997H1"
           "201691160105067H1"
           "201691161708058H1"

```

iyear **year**

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/1,510
tabulation: Freq. Value
             553 "2015"
             957 "2016"

```

hhid **household id**

```

type: string (str15)

```

unique values: 1,286 missing "": 0/1,510
 examples: "201591160604209"
 "201691131001097"
 "201691160105068"
 "201691161708058"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,510
 tabulation: Freq. Value
 1,365 "91"
 145 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,510
 tabulation: Freq. Value
 1 "09"
 145 "12"
 266 "13"
 129 "14"
 148 "15"
 557 "16"
 40 "17"
 224 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,510
 tabulation: Freq. Value
 65 "01"
 229 "02"
 123 "04"
 63 "05"
 57 "06"
 66 "07"
 64 "08"
 97 "09"
 138 "10"
 93 "11"
 154 "13"
 47 "14"
 151 "15"
 106 "17"
 57 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,510

```

tabulation:  Freq.  Value
              158  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              157  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8  "17"
              12  "18"
              26  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,510
examples: "011"
          "035"
          "071"
          "149"
    
```

cid **children id**

```

type: string (str18)
unique values: 1,510       missing "": 0/1,510
examples: "201591160604209H1"
          "201691131001997H1"
          "201691160105067H1"
          "201691161708058H1"
    
```

tdl_times **At night, the child sleeps : since (hour:minute)**

```

type: string (str6), but longest is str5
unique values: 19           missing "": 0/1,510
tabulation:  Freq.  Value
              1  "03.00"
              1  "06.30"
              1  "07.30"
              1  "17.30"
              6  "18.00"
              1  "18.30"
              50 "19.00"
              87 "19.30"
              4  "19.45"
             517 "20.00"
              1  "20.15"
             297 "20.30"
              1  "20.45"
    
```

```

      1 "20.50"
    359 "21.00"
      82 "21.30"
      83 "22.00"
      15 "22.30"
       2 "23.00"
  
```

td1_timee **At night, the child sleeps : until (hour:minute)**

```

      type: string (str6), but longest is str5
unique values: 21          missing "": 0/1,510

tabulation: Freq. Value
             1 "03.00"
             10 "04.00"
              7 "04.30"
             124 "05.00"
             113 "05.30"
               2 "05.40"
               5 "05.45"
               3 "05.50"
             620 "06.00"
               3 "06.15"
               1 "06.20"
             264 "06.30"
               4 "06.40"
               2 "06.50"
             243 "07.00"
               2 "07.15"
               2 "07.20"
              78 "07.30"
              23 "08.00"
               1 "12.00"
               2 "20.30"
  
```

td1_hr **At night, the child sleeps for hours**

```

      type: numeric (byte)
      range: [6,14]          units: 1
unique values: 9          missing .: 0/1,510

tabulation: Freq. Value
             1 6
             22 7
            156 8
            533 9
            608 10
            174 11
             12 12
              2 13
              2 14

      mean: 9.53444
      std. dev: .93376

percentiles:      10%      25%      50%      75%      90%
                  8         9         10         10         11
  
```

td1_mi **At night, the child sleeps for minutes**

```

      type: numeric (byte)
      range: [0,50]          units: 1
unique values: 9          missing .: 0/1,510
  
```

```

tabulation:  Freq.  Value
              889    0
              1     5
              2    10
              8    15
              3    20
             591    30
              5    40
              6    45
              5    50
    mean:     12.3543
    std. dev: 14.9509
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        30       30
    
```

td2_times The child goes to school/child development center : since (hour:minute)

type: string (**str17**), but longest is str5

```

unique values: 26
unique missing codes: 1
missing "": 0/1,510
missing *: 147/1,510
    
```

```

tabulation:  Freq.  Value
              7  "06.00"
              1  "06.15"
              2  "06.20"
              1  "06.21"
             47  "06.30"
              4  "06.40"
              2  "06.45"
              2  "06.50"
            189  "07.00"
              9  "07.10"
              8  "07.15"
             10  "07.20"
              1  "07.25"
            571  "07.30"
             29  "07.40"
              7  "07.45"
              7  "07.50"
            326  "08.00"
              2  "08.10"
              1  "08.15"
            122  "08.30"
              1  "08.45"
             12  "09.00"
              1  "09.30"
              1  "13.00"
            147  "NA"
    
```

td2_timee The child goes to school/child development center : until (hour:minute)

type: string (**str6**), but longest is str5

```

unique values: 28
unique missing codes: 1
missing "": 0/1,510
missing *: 147/1,510
    
```



```

1 "15.00-15.30"
1 "15.00-16.00"
1 "15.00-16.30"
3 "15.30"
2 "16.00"
2 "17.00"
1,296 "NA"

```

td3_hr **The child takes a nap (weekdays) for hours**

```

type: numeric (byte)
range: [0,15] units: 1
unique values: 7 missing .: 0/1,510
unique missing codes: 1 missing *: 1,296/1,510

tabulation: Freq. Value
             69  0
             18  1
             65  2
             44  3
             15  4
              2  5
              1 15
            1,296 .b
mean:       1.70561
std. dev:   1.63077

percentiles: 10%    25%    50%    75%    90%
              0      0      2      3      3

```

td3_mi **The child takes a nap (weekdays) for minutes**

```

type: numeric (byte)
range: [0,30] units: 1
unique values: 3 missing .: 0/1,510
unique missing codes: 1 missing *: 1,296/1,510

tabulation: Freq. Value
             185  0
              1 15
              28 30
            1,296 .b
mean:       3.99533
std. dev:   10.1651

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0     30

```

td3b_times **The child takes a nap (holidays) : since (hour:minute)**

```

type: string (str20)
unique values: 33 missing "": 0/1,510
unique missing codes: 1 missing *: 1/1,510

```

```

tabulation:  Freq.  Value
              435  "0"
              1   "08.00"
              16  "09.00"
              1   "09.00-10.00"
              3   "09.00-10.30"
              4   "09.00-11.00"
              1   "09.00-12.00"
              2   "09.30"
              1   "09.30-11.00"
              1   "09.40"
              1   "1-2 ชม."
              1   "1-2ชม./วัน"
              1   "1.30 ชม."
              82  "10.00"
              3   "10.00-11.00"
              2   "10.00-12.00"
              11  "10.30"
              1   "10.40"
              212 "11.00"
              22  "11.30"
              1   "11.45"
              366 "12.00"
              10  "12.30"
              242 "13.00"
              4   "13.30"
              67  "14.00"
              6   "14.30"
              6   "15.00"
              1   "16.00"
              2   "17.00"
              1   "2-3ชม."
              2   "30นาที"
              1   "DK"
    
```

warning: variable has embedded blanks

```

td3b_timee                                The child takes a nap (holidays) : util (hour:minute)
    
```

type: string (str11)

unique values: 32
 unique missing codes: 2

missing "": 0/1,510
 missing *: 7/1,510

```

tabulation:  Freq.  Value
              435  "00.00"
              1   "03.00"
              1   "10.00"
              1   "10.30"
              14  "11.00"
              4   "11.30"
              79  "12.00"
              1   "12.15"
              29  "12.30"
              196 "13.00"
              1   "13.00-14.30"
              1   "13.00-15.00"
              57  "13.30"
              1   "13.40"
              283 "14.00"
              1   "14.00-14.40"
              3   "14.00-15.00"
              4   "14.00-16.00"
              67  "14.30"
              2   "14.30-15.30"
              201 "15.00"
              1   "15.00-15.30"
              1   "15.00-16.00"
              1   "15.00-16.30"
              34  "15.30"
    
```

```

65 "16.00"
7  "16.30"
8  "17.00"
2  "17.30"
2  "18.00"
1  "DK"
6  "NA"

```

td3b_hr **The child takes a nap (holidays) for hours**

```

type: numeric (byte)
range: [0,15] units: 1
unique values: 7 missing .: 0/1,510

tabulation: Freq. Value
             450  0
             340  1
             486  2
             186  3
              43  4
               4  5
               1 15
mean:       1.3755
std. dev:   1.18363

percentiles: 10%    25%    50%    75%    90%
              0     0     1     2     3

```

td3b_mi **The child takes a nap (holidays) for minutes**

```

type: numeric (byte)
range: [0,50] units: 1
unique values: 6 missing .: 0/1,510

tabulation: Freq. Value
             1,284  0
               3 15
               1 20
             220 30
               1 40
               1 50
mean:       4.47351
std. dev:   10.7059

percentiles: 10%    25%    50%    75%    90%
              0     0     0     0     30

```

td5d **While watching TV, what activity does the child do?**

```

type: numeric (byte)
label: td5d
range: [1,3] units: 1
unique values: 2 missing .: 102/1,510

tabulation: Freq. Numeric Label
             293      1 no
            1,115      3 yes
             102      .

```

td5d_des **Activities to do while children watch TV (not display)**

```

type: string (str168), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

activity_A
Listening to a story book that adult reads (use a book while reading) (not displ

```

type: string (str147), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

detail_A **A : Identify the books**

```

type: string (str238), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

c1_code_A **A : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code
range: [0,9] units: 1
unique values: 4 missing .: 0/1,510
unique missing codes: 1 missing *: 487/1,510

tabulation: Freq. Numeric Label
             884 0 never
             2 5 at least once a week
             130 7 once a day
             7 9 more than once a day
             487 .c
    
```

c1_hr_A **A : Hours per week (Monday - Friday)**

```

type: numeric (float)
range: [0,12] units: 1
unique values: 6 missing .: 1,371/1,510

tabulation: Freq. Value
             92 0
             18 1
             19 2
             1 3
             8 5
             1 12
             1,371 .
mean: .798561
std. dev: 1.61146

percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 2
    
```

c1_min_A **A : Minutes per week (Monday - Friday)**

```

type: numeric (float)
range: [0,50]
unique values: 14
units: 1
missing .: 1,371/1,510

tabulation: Freq. Value
              8  0
              1  5
              1  8
              4 13
              8 15
              1 18
              1 23
             22 25
             23 30
              1 33
              6 38
             12 40
              1 45
             50 50
1,371 .
mean: 34.1871
std. dev: 15.0817

percentiles:      10%      25%      50%      75%      90%
                  13       25       33       50       50
    
```

c1_aa_A **A :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str3
unique values: 5
missing "": 1,371/1,510

tabulation: Freq. Value
1,371 ""
130 "1"
  2 "1.5"
  4 "2"
  1 "2.5"
  2 "4"
    
```

c1_ab_A **A :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str4
unique values: 2
missing "": 1,371/1,510

tabulation: Freq. Value
1,371 ""
137 "day"
  2 "week"
    
```

c1_ac_A **A :Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [0,1]
unique values: 2
units: 1
missing .: 1,371/1,510
    
```

```

tabulation:  Freq.  Value
              131  0
              8   1
              1,371 .
mean:        .057554
std. dev:    .23374

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

c1_ad_A A : Monday-Friday How many times per minutes (Monday - Friday)

```

type: numeric (double)
range: [0,45]                    units: .1
unique values: 16                missing .: 1,371/1,510

tabulation:  Freq.  Value
              8   0
              1  1.5
              4  2.5
              2   3
              1  3.5
              2   4
              1  4.5
             22   5
              1  6.5
              8  7.5
             53  10
              6  15
              9  20
              1  25
             19  30
              1  45
             1,371 .
mean:        11.8705
std. dev:    9.15474

percentiles:    10%    25%    50%    75%    90%
                3      5      10     15     30
    
```

c1_ba_A A : People doing activity with (person 1)

```

type: numeric (byte)
label: c1_ba_A
range: [1,13]                    units: 1
unique values: 7                missing .: 1,371/1,510

tabulation:  Freq.  Numeric  Label
              17     1  father
              46     3  mother
              52     5  grandparents
              5      7  uncle/aunt
              14     9  brother/sister/cousin
              1     11  outsider
              4     13  other household member
             1,371 .
    
```

c1_bb_A A : People doing activity with (person 2)

```

type: numeric (byte)
label: c1_ba_A
    
```

range: [1,13] units: 1
 unique values: 6 missing .: 1,442/1,510

tabulation:	Freq.	Numeric	Label
	7	1	father
	14	3	mother
	15	5	grandparents
	1	7	uncle/aunt
	30	9	brother/sister/cousin
	1	13	other household member
	1,442	.	

c1_bc_A **A : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**

range: [1,9] units: 1
 unique values: 5 missing .: 1,484/1,510

tabulation:	Freq.	Numeric	Label
	2	1	father
	3	3	mother
	3	5	grandparents
	1	7	uncle/aunt
	17	9	brother/sister/cousin
	1,484	.	

c1_ba_gen_A **Gender code (person 1)**

type: numeric (byte)
 label: **c1_ba_gen**

range: [1,3] units: 1
 unique values: 2 missing .: 1,371/1,510

tabulation:	Freq.	Numeric	Label
	28	1	male
	111	3	female
	1,371	.	

c1_bb_gen_A **Gender code (person 2)**

type: numeric (byte)
 label: **c1_bb_gen**

range: [1,3] units: 1
 unique values: 2 missing .: 1,442/1,510

tabulation:	Freq.	Numeric	Label
	33	1	male
	35	3	female
	1,442	.	

c1_bc_gen_A **Gender code (person 3)**

type: numeric (byte)
 label: **c1_bc_gen**

range: [1,3] units: 1
 unique values: 2 missing .: 1,484/1,510

```

tabulation:  Freq.  Numeric  Label
              12      1  male
              14      3  female
            1,484      .
    
```

c2_code_A **A : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]          units: 1
unique values: 4      missing .: 0/1,510
unique missing codes: 1  missing *: 487/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              920      0  never
              1       5  at least once a week
              95      7  once a day
              7       9  more than once a day
            487      .c
    
```

c2_hr_A **A : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,5]          units: 1
unique values: 4      missing .: 1,407/1,510
    
```

```

tabulation:  Freq.  Value
              79  0
              15  1
              8   2
              1   5
            1,407 .
mean:       .349515
std. dev:   .763233
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1
    
```

c2_min_A **A : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,40]        units: 1
unique values: 10     missing .: 1,407/1,510
    
```

```

tabulation:  Freq.  Value
              23  0
              2   3
              3   5
              1   6
              10  10
              2  12
              6  15
              36  20
              8  30
              12  40
            1,407 .
mean:       16.3204
std. dev:   12.5762
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0         5        20        20        40
    
```

c2_aa_A **A :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str3
unique values: 4 missing "": 1,407/1,510
tabulation: Freq. Value
             1,407 ""
              96 "1"
               2 "1.5"
               4 "2"
               1 "2.5"
    
```

c2_ab_A **A :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 2 missing "": 1,407/1,510
tabulation: Freq. Value
             1,407 ""
              102 "day"
               1 "week"
    
```

c2_ac_A **A :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,407/1,510
tabulation: Freq. Value
             95 0
              8 1
            1,407 .
mean: .07767
std. dev: .26896
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

c2_ad_A **A :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric(double)
range: [0,45] units: .1
unique values: 12 missing .: 1,407/1,510
tabulation: Freq. Value
             8 0
              2 1.5
              3 2.5
              1 3
              2 4
             10 5
              6 7.5
             39 10
              6 15
              9 20
             16 30
              1 45
            1,407 .
mean: 12.6359
std. dev: 9.64116
    
```



```

tabulation:  Freq.  Numeric  Label
              17      1  male
              86      3  female
            1,407      .
    
```

c2_bb_gen_A **Gender code (person 2)**

```

type:  numeric (byte)
label:  c2_bb_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,467/1,510

tabulation:  Freq.  Numeric  Label
              19      1  male
              24      3  female
            1,467      .
    
```

c2_bc_gen_A **Gender code (person 3)**

```

type:  numeric (byte)
label:  c2_bc_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,494/1,510

tabulation:  Freq.  Numeric  Label
              8      1  male
              8      3  female
            1,494      .
    
```

c3_code_A **A : Frequency (Monday - Sunday)**

```

type:  numeric (byte)
label:  c3_code

range:  [1,5]
unique values:  3
unique missing codes:  2

units:  1
missing .:  0/1,510
missing *:  1,023/1,510

tabulation:  Freq.  Numeric  Label
              1      1  less than once a month
              75     3  at least once a month
              411    5  at least once a week
            1,022    .b
              1      .c
    
```

c3_hr_A **A : Hours per week (Monday - Sunday)**

```

type:  numeric (float)

range:  [0,14]
unique values:  6

units:  1
missing .:  1,099/1,510
    
```

```

tabulation:  Freq.  Value
              356  0
              36  1
              8  2
              7  3
              2  4
              2 14
              1,099 .
    mean:    .265207
    std. dev: 1.13276

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

c3_min_A **A : Minutes per week (Monday - Sunday)**

```

    type:  numeric (float)
    range:  [0,54]
unique values: 32
    units:  1
missing .:  1,099/1,510
    
```

```

tabulation:  Freq.  Value
              26  0
              3  2
              13  3
              6  4
              20  5
              17  6
              8  7
              14  8
              5  9
              63 10
              6 11
              2 12
              14 13
              2 14
              43 15
              1 16
              1 17
              4 18
              3 19
              32 20
              8 23
              17 25
              5 26
              53 30
              1 34
              9 35
              3 38
              7 40
              14 45
              9 50
              1 53
              1 54
              1,099 .
    mean:    17.3236
    std. dev: 12.6281

percentiles:    10%    25%    50%    75%    90%
                3      8     15     26     35
    
```

c3_aa_A **A :Monday-Friday How many times (Monday - Sunday)**

```

    type:  string (str6), but longest is str3
unique values: 10
missing "":  1,099/1,510
    
```



```

          3 22.5
          1 25
          62 30
          1 45
          1 53
    1,114 .
    mean: 11.8674
    std. dev: 9.30874

    percentiles:    10%    25%    50%    75%    90%
                   3      5      10     15     30
    
```

c3_ba_A **A : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]          units: 1
    unique values: 7      missing .. 1,022/1,510

    tabulation: Freq.  Numeric  Label
                40      1  father
                171     3  mother
                196     5  grandparents
                 24     7  uncle/aunt
                 47     9  brother/sister/cousin
                  4    11  outsider
                  6    13  other household member
                1,022    .
    
```

c3_bb_A **A : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,11]         units: 1
    unique values: 6      missing .. 1,291/1,510

    tabulation: Freq.  Numeric  Label
                13      1  father
                36      3  mother
                41      5  grandparents
                  9      7  uncle/aunt
                119     9  brother/sister/cousin
                  1    11  outsider
                1,291    .
    
```

c3_bc_A **A : People doing activity with (person 3)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,9]          units: 1
    unique values: 4      missing .. 1,449/1,510

    tabulation: Freq.  Numeric  Label
                2      1  father
                7      3  mother
                9      5  grandparents
                43     9  brother/sister/cousin
                1,449    .
    
```

c3_ba_gen_A **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,022/1,510

tabulation: Freq.  Numeric  Label
              99      1      male
              389     3      female
              1,022     .
    
```

c3_bb_gen_A **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,291/1,510

tabulation: Freq.  Numeric  Label
              87      1      male
              132     3      female
              1,291     .
    
```

c3_bc_gen_A **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,449/1,510

tabulation: Freq.  Numeric  Label
              24      1      male
              37      3      female
              1,449     .
    
```

activity_B
Listening to a story that adult tells (no book used while reading) (not display)

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.  Value
              1,510 ""
    
```

detail_B **B : Identify the stories**

```

type: string (str238), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.  Value
              1,510 ""
    
```

c1_code_B **B : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code
    
```

range: [0,9] units: 1
 unique values: 3 missing .: 0/1,510
 unique missing codes: 1 missing *: 680/1,510

tabulation:	Freq.	Numeric	Label
	716	0	never
	105	7	once a day
	9	9	more than once a day
	680	.c	

c1_hr_B **B : Hours per week (Monday - Friday)**

type: numeric (float)
 range: [0,12] units: 1
 unique values: 7 missing .: 1,396/1,510

tabulation:	Freq.	Value
	60	0
	14	1
	24	2
	12	5
	1	6
	2	7
	1	12
	1,396	.
mean:	1.35088	
std. dev:	2.06094	

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	5

c1_min_B **B : Minutes per week (Monday - Friday)**

type: numeric (float)
 range: [0,53] units: 1
 unique values: 16 missing .: 1,396/1,510

tabulation:	Freq.	Value
	12	0
	2	3
	4	5
	1	10
	2	13
	9	15
	1	18
	2	20
	3	23
	14	25
	23	30
	1	31
	8	38
	4	40
	27	50
	1	53
	1,396	.
mean:	28.614	
std. dev:	16.4626	

percentiles:	10%	25%	50%	75%	90%
	0	15	30	40	50

c1_aa_B **B : Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str10
unique values: 5 missing "": 1,396/1,510
tabulation: Freq. Value
             1,396 ""
             105 "1"
              2 "1.5"
              2 "2"
              3 "2.5"
              2 "many times"
warning: variable has embedded blanks

```

c1_ab_B **B :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str3
unique values: 1 missing "": 1,396/1,510
tabulation: Freq. Value
             1,396 ""
             114 "day"

```

c1_ac_B **B :Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [0,2.5] units: .1
unique values: 4 missing .: 1,396/1,510
tabulation: Freq. Value
             100 0
              11 1
               2 1.5
               1 2.5
            1,396 .
mean: .144737
std. dev: .413937
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1

```

c1_ad_B **B :Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric(double)
range: [0,30] units: .1
unique values: 15 missing .: 1,396/1,510
tabulation: Freq. Value
             13 0
              1 2
               3 2.5
               1 3
               1 3.5
               2 4
               3 4.5
             15 5
              9 7.5
             29 10
              5 15
               4 20
               1 22.5
               4 25
             23 30

```

mean: 1,396 .
 std. dev: 12.6096
 10.4003
 percentiles: 10% 25% 50% 75% 90%
 0 5 10 20 30

c1_ba_B **B : People doing activity with (person 1)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 6 missing.: 1,396/1,510

tabulation:	Freq.	Numeric	Label
	11	1	father
	24	3	mother
	59	5	grandparents
	4	7	uncle/aunt
	7	9	brother/sister/cousin
	9	13	other household member
	1,396	.	

c1_bb_B **B : People doing activity with (person 2)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 6 missing.: 1,458/1,510

tabulation:	Freq.	Numeric	Label
	1	1	father
	8	3	mother
	17	5	grandparents
	2	7	uncle/aunt
	23	9	brother/sister/cousin
	1	13	other household member
	1,458	.	

c1_bc_B **B : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,9] units: 1
 unique values: 4 missing.: 1,495/1,510

tabulation:	Freq.	Numeric	Label
	1	1	father
	5	5	grandparents
	1	7	uncle/aunt
	8	9	brother/sister/cousin
	1,495	.	

c1_ba_gen_B **Gender code (person 1)**

type: numeric (byte)
 label: **c1_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing.: 1,396/1,510

```

tabulation:  Freq.  Numeric  Label
              38      1  male
              76      3  female
            1,396      .
    
```

c1_bb_gen_B **Gender code (person 2)**

```

type:  numeric (byte)
label:  c1_bb_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,458/1,510

tabulation:  Freq.  Numeric  Label
              17      1  male
              35      3  female
            1,458      .
    
```

c1_bc_gen_B **Gender code (person 3)**

```

type:  numeric (byte)
label:  c1_bc_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,495/1,510

tabulation:  Freq.  Numeric  Label
              9      1  male
              6      3  female
            1,495      .
    
```

c2_code_B **B : Frequency (Saturday - Sunday)**

```

type:  numeric (byte)
label:  c2_code

range:  [0,9]
unique values:  4
unique missing codes:  1

units:  1
missing .:  0/1,510
missing *:  680/1,510

tabulation:  Freq.  Numeric  Label
              710      0  never
              1      5  at least once a week
             109      7  once a day
              10      9  more than once a day
              680      .c
    
```

c2_hr_B **B : Hours per week (Saturday - Sunday)**

```

type:  numeric (float)

range:  [0,5]
unique values:  5

units:  1
missing .:  1,390/1,510

tabulation:  Freq.  Value
              82      0
              20      1
              15      2
               2      3
               1      5
            1,390      .
mean:  .508333
std. dev:  .879226
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 2

c2_min_B **B : Minutes per week (Saturday - Sunday)**

type: numeric (**float**)
 range: [0,50] units: 1
 unique values: 16 missing .: 1,390/1,510

tabulation: Freq. Value
 37 0
 1 4
 1 5
 3 6
 1 7
 2 8
 3 9
 15 10
 2 13
 8 15
 27 20
 2 25
 9 30
 4 40
 1 45
 4 50
 1,390 .
 mean: 13.65
 std. dev: 13.1005

percentiles: 10% 25% 50% 75% 90%
 0 0 10 20 30

c2_aa_B **B :Monday-Friday How many times (Saturday - Sunday)**

type: string (**str30**), but longest is str10
 unique values: 5 missing "": 1,390/1,510

tabulation: Freq. Value
 1,390 ""
 110 "1"
 2 "1.5"
 2 "2"
 4 "2.5"
 2 "many times"

warning: variable has embedded blanks

c2_ab_B **B :Monday-Friday How many times per units (Saturday - Sunday)**

type: string (**str21**), but longest is str4
 unique values: 2 missing "": 1,390/1,510

tabulation: Freq. Value
 1,390 ""
 119 "day"
 1 "week"

c2_ac_B **B :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,2.5] units: .1
unique values: 4 missing .: 1,390/1,510

tabulation: Freq. Value
             105  0
              12  1
               2  1.5
               1  2.5
             1,390 .
mean:       .145833
std. dev:   .411983

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      1
    
```

c2_ad_B **B : Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,30] units: .1
unique values: 15 missing .: 1,390/1,510

tabulation: Freq. Value
             15  0
              1  2
               3  2.5
               3  3
               1  3.5
               2  4
               3  4.5
             15  5
              9  7.5
             30  10
              6  15
               4  20
               1  22.5
               4  25
              23  30
             1,390 .
mean:       12.2375
std. dev:   10.3394

percentiles: 10%    25%    50%    75%    90%
              0      5      10     20     30
    
```

c2_ba_B **B : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13] units: 1
unique values: 6 missing .: 1,390/1,510

tabulation: Freq. Numeric Label
             11         1 father
             25         3 mother
             63         5 grandparents
               4         7 uncle/aunt
               8         9 brother/sister/cousin
               9        13 other household member
             1,390         .
    
```

c2_bb_B **B : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 6
units: 1
missing .. 1,455/1,510

tabulation: Freq.  Numeric  Label
              1          1  father
              8          3  mother
              17         5  grandparents
              3          7  uncle/aunt
              25         9  brother/sister/cousin
              1         13  other household member
            1,455          .
    
```

c2_bc_B **B : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,9]
unique values: 4
units: 1
missing .. 1,494/1,510

tabulation: Freq.  Numeric  Label
              1          1  father
              5          5  grandparents
              1          7  uncle/aunt
              9          9  brother/sister/cousin
            1,494          .
    
```

c2_ba_gen_B **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,390/1,510

tabulation: Freq.  Numeric  Label
              40         1  male
              80         3  female
            1,390          .
    
```

c2_bb_gen_B **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,455/1,510

tabulation: Freq.  Numeric  Label
              18         1  male
              37         3  female
            1,455          .
    
```

c2_bc_gen_B **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,494/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              10      1  male
              6       3  female
            1,494      .
    
```

c3_code_B **B : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 2

units: 1
missing .: 0/1,510
missing *: 827/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              138     3  at least once a month
              545     5  at least once a week
              826     .b
               1     .c
    
```

c3_hr_B **B : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,4]
unique values: 5

units: 1
missing .: 965/1,510
    
```

```

tabulation:  Freq.  Value
              456     0
               73     1
               12     2
                 3     3
                 1     4
              965     .
    
```

```

mean: .201835
std. dev: .510547
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         1
    
```

c3_min_B **B : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,56]
unique values: 31

units: 1
missing .: 965/1,510
    
```

```

tabulation:  Freq.  Value
              40     0
               2     1
               6     2
              19     3
              12     4
              50     5
              12     6
               8     7
              35     8
               6     9
              74    10
              13    11
               2    12
               8    13
               2    14
              63    15
               3    16
               7    18
    
```

```

          9 19
         34 20
          7 23
          6 25
         75 30
          1 31
          1 33
         10 35
          6 38
         13 40
         14 45
          6 50
          1 56
         965 .
    mean: 15.6862
    std. dev: 12.2291

    percentiles:      10%      25%      50%      75%      90%
                     3         6        11        23        30

```

c3_aa_B **B :Monday-Friday How many times (Monday - Sunday)**

```

    type: string (str6), but longest is str3
    unique values: 9          missing "": 964/1,510
    tabulation:
    Freq. Value
    964 ""
    159 "1"
    69 "1.5"
    129 "2"
    62 "2.5"
    77 "3"
    21 "3.5"
    15 "4"
    9 "4.5"
    5 "5"

```

c3_ab_B **B :Monday-Friday How many times per units (Monday - Sunday)**

```

    type: string (str22), but longest is str5
    unique values: 2          missing "": 965/1,510
    tabulation:
    Freq. Value
    965 ""
    1 "month"
    544 "week"

```

c3_ac_B **B :Monday-Friday How many times per hours (Monday - Sunday)**

```

    type: numeric (double)
    range: [0,1.5]          units: .1
    unique values: 3          missing .: 965/1,510
    tabulation:
    Freq. Value
    527 0
    17 1
    1 1.5
    965 .
    mean: .033945
    std. dev: .185018

```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

c3_ad_B B : Monday-Friday How many times per minutes (Monday - Sunday)

type: numeric (double)
 range: [1,40] units: .1
 unique values: 22 missing .: 982/1,510

tabulation: Freq. Value
 2 1
 4 1.5
 12 2
 29 2.5
 18 3
 6 3.5
 5 4
 23 4.5
 108 5
 3 5.5
 2 6.5
 32 7.5
 123 10
 5 12.5
 34 15
 4 17.5
 36 20
 1 22.5
 4 25
 71 30
 3 35
 3 40
 982 .
 mean: 11.7093
 std. dev: 9.24489

percentiles: 10% 25% 50% 75% 90%
 3 5 10 15 30

c3_ba_B B : People doing activity with (person 1)

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 827/1,510
 unique missing codes: 2 missing *: 1/1,510

tabulation: Freq. Numeric Label
 54 1 father
 147 3 mother
 405 5 grandparents
 19 7 uncle/aunt
 30 9 brother/sister/cousin
 6 11 outsider
 21 13 other household member
 827 .
 1 .b

c3_bb_B B : People doing activity with (person 2)

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 7 missing : 1,220/1,510

tabulation:	Freq.	Numeric	Label
	12	1	father
	32	3	mother
	82	5	grandparents
	5	7	uncle/aunt
	151	9	brother/sister/cousin
	6	11	outsider
	2	13	other household member
	1,220	.	

c3_bc_B **B : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 6 missing : 1,443/1,510

tabulation:	Freq.	Numeric	Label
	1	1	father
	2	3	mother
	6	5	grandparents
	56	9	brother/sister/cousin
	1	11	outsider
	1	13	other household member
	1,443	.	

c3_ba_gen_B **Gender code (person 1)**

type: numeric (byte)
 label: c3_ba_gen

range: [1,3] units: 1
 unique values: 2 missing : 828/1,510

tabulation:	Freq.	Numeric	Label
	189	1	male
	493	3	female
	828	.	

c3_bb_gen_B **Gender code (person 2)**

type: numeric (byte)
 label: c3_bb_gen

range: [1,3] units: 1
 unique values: 2 missing : 1,220/1,510

tabulation:	Freq.	Numeric	Label
	111	1	male
	179	3	female
	1,220	.	

c3_bc_gen_B **Gender code (person 3)**

type: numeric (byte)
 label: c3_bc_gen

range: [1,3] units: 1
 unique values: 2 missing : 1,442/1,510

```

tabulation:  Freq.  Numeric  Label
              30      1  male
              38      3  female
            1,442      .
    
```

activity_C **Running outside the house (not display)**

```

type:  string (str147), but longest is str0
unique values:  0                               missing "":  1,510/1,510
tabulation:  Freq.  Value
            1,510  ""
    
```

detail_C **C: detail**

```

type:  string (str238), but longest is str0
unique values:  0                               missing "":  1,510/1,510
tabulation:  Freq.  Value
            1,510  ""
    
```

c1_code_C **C : Frequency (Monday - Friday)**

```

type:  numeric (byte)
label:  c1_code

range:  [0,9]                               units:  1
unique values:  4                           missing .:  1/1,510
unique missing codes:  2                     missing *:  237/1,510

tabulation:  Freq.  Numeric  Label
            237      0  never
              3      5  at least once a week
            697      7  once a day
            335      9  more than once a day
              1      .
            237      .c
    
```

c1_hr_C **C : Hours per week (Monday - Friday)**

```

type:  numeric (float)

range:  [0,33]                               units:  1
unique values:  23                           missing .:  475/1,510
unique missing codes:  2                     missing *:  1/1,510

tabulation:  Freq.  Value
            43      0
            50      1
           162      2
            15      3
             8      4
           343      5
            22      6
           106      7
             8      8
           132      10
             4      11
            59      12
             1      13
            36      15
            16      17
    
```

```

          1 18
          7 20
         10 22
          5 25
          1 27
          1 30
          1 31
          3 33
         475 .
          1 .c
    mean:  6.47099
    std. dev: 4.89538

    percentiles:    10%    25%    50%    75%    90%
                   2      3      5      10     12
    
```

c1_min_C **C : Minutes per week (Monday - Friday)**

```

    type: numeric (float)
    range: [0,56]
    unique values: 28
    unique missing codes: 2
    units: 1
    missing .: 475/1,510
    missing *: 1/1,510
    
```

```

    tabulation:  Freq.  Value
                 528    0
                   1    1
                   1    2
                   2    3
                  15    5
                   5    8
                   4   10
                   1   11
                   2   13
                  43   15
                   3   18
                   1   19
                   2   20
                   1   21
                   6   23
                   6   25
                   1   28
                  329  30
                   1   31
                   1   34
                   1   36
                   5   38
                  23   40
                  20   45
                  18   50
                   6   53
                   6   55
                   2   56
                  475 .
                   1 .c
    mean:  14.4458
    std. dev: 16.3477
    
```

```

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0     30     30
    
```

c1_aa_C **C :Monday-Friday How many times (Monday - Friday)**

```

    type: string (str27), but longest is str18
    unique values: 16
    unique missing codes: 2
    missing "": 475/1,510
    missing *: 2/1,510
    
```



```

tabulation:  Freq.  Value
              607  0
              1  1
              2  1.5
              7  2.5
              3  3
              2  3.5
              3  4.5
             10  5
             16  7.5
             28  10
             29  15
              3  17.5
             23  20
              9  25
            276  30
              3  35
              1  40
             11  45
             476  .
    mean:     10.2452
    std. dev: 13.697

percentiles:    10%    25%    50%    75%    90%
                0      0      0      30     30
    
```

c1_ba_C **C : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 475/1,510
missing *: 19/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              10      1  father
              25      3  mother
             111      5  grandparents
              15      7  uncle/aunt
             250      9  brother/sister/cousin
             597     11  outsider
              8      13  other household member
             475      .
              19      .b
    
```

c1_bb_C **C : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 634/1,510
missing *: 1/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              3      1  father
              5      3  mother
             35      5  grandparents
             15      7  uncle/aunt
            154      9  brother/sister/cousin
             659     11  outsider
              4      13  other household member
             634      .
              1      .b
    
```

c1_bc_C **C : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [3,13]
unique values: 6
units: 1
missing .. 929/1,510

tabulation: Freq.  Numeric  Label
              6         3  mother
              11        5  grandparents
              8         7  uncle/aunt
              101       9  brother/sister/cousin
              454       11  outsider
              1        13  other household member
              929       .
    
```

c1_ba_gen_C **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 494/1,510

tabulation: Freq.  Numeric  Label
              477       1  male
              539       3  female
              494       .
    
```

c1_bb_gen_C **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .. 634/1,510

tabulation: Freq.  Numeric  Label
              393       1  male
              483       3  female
              634       .
    
```

c1_bc_gen_C **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .. 930/1,510

tabulation: Freq.  Numeric  Label
              265       1  male
              315       3  female
              930       .
    
```

c2_code_C **C : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code
    
```

range: [0,9] units: 1
 unique values: 4 missing .: 1/1,510
 unique missing codes: 2 missing *: 239/1,510

tabulation:	Freq.	Numeric	Label
	264	0	never
	3	5	at least once a week
	451	7	once a day
	552	9	more than once a day
	1	.	
	239	.c	

c2_hr_C

C : Hours per week (Saturday - Sunday)

type: numeric (float)

range: [0,24] units: 1
 unique values: 22 missing .: 504/1,510
 unique missing codes: 2 missing *: 1/1,510

tabulation:	Freq.	Value
	81	0
	118	1
	247	2
	88	3
	136	4
	68	5
	79	6
	44	7
	31	8
	24	9
	34	10
	8	11
	18	12
	2	13
	4	14
	4	15
	9	16
	1	17
	5	18
	1	20
	2	22
	1	24
	504	.
	1	.c

mean: 4.11045
 std. dev: 3.57904

percentiles:	10%	25%	50%	75%	90%
	1	2	3	6	9

c2_min_C

C : Minutes per week (Saturday - Sunday)

type: numeric (float)

range: [0,55] units: 1
 unique values: 22 missing .: 504/1,510
 unique missing codes: 2 missing *: 1/1,510

```

tabulation:  Freq.  Value
              841    0
              1     2
              2     5
              1     6
              1     7
              2     8
              1     9
              9    10
              1    12
              1    13
              9    15
             15    20
              2    23
              3    25
             67    30
              1    35
              2    38
             22    40
             12    45
              7    50
              1    53
              4    55
             504   .
              1   .c
    mean:     4.8607
    std. dev: 12.0216

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      30
    
```

c2_aa_C **C :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str18
unique values: 15
unique missing codes: 2
missing "": 504/1,510
missing *: 1/1,510
    
```

```

tabulation:  Freq.  Value
             504   ""
            453   "1"
             21  "1.5"
              1  "10"
            124   "2"
             76  "2.5"
             25   "3"
             25  "3.5"
              4   "4"
             10  "4.5"
              3   "5"
              4  "5.5"
              1  "DK"
            252  "many times"
              6  "more than 1 time"
              1  "more than 10 times"
    
```

warning: variable has embedded blanks

c2_ab_C **C :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 3
missing "": 506/1,510
    
```

```

tabulation: Freq. Value
             506 ""
             1,000 "day"
              1 "time"
              3 "week"
    
```

c2_ac_C **C :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,12]                    units: .1
unique values: 18                missing .: 505/1,510

tabulation: Freq. Value
            276 0
            329 1
             48 1.5
            124 2
             32 2.5
             80 3
             15 3.5
             33 4
             10 4.5
             29 5
              4 5.5
              8 6
              4 7
              6 8
              4 9
              1 10
              1 11
              1 12
            505 .
mean: 1.55075
std. dev: 1.65603

percentiles:            10%        25%        50%        75%        90%
                   0            0            1            2            4
    
```

c2_ad_C **C :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,45]                    units: .1
unique values: 17                missing .: 504/1,510

tabulation: Freq. Value
            644 0
              2 1.5
              6 2.5
              2 3
              1 3.5
              2 4.5
              9 5
             17 7.5
             24 10
             22 15
              1 17.5
             19 20
              9 25
            229 30
              2 35
              2 40
             15 45
            504 .
mean: 9.04225
std. dev: 13.4589
    
```



```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 524/1,510

tabulation: Freq.   Numeric   Label
              455         1   male
              531         3   female
              524         .
    
```

c2_bb_gen_C **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .. 655/1,510

tabulation: Freq.   Numeric   Label
              385         1   male
              470         3   female
              655         .
    
```

c2_bc_gen_C **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .. 958/1,510

tabulation: Freq.   Numeric   Label
              250         1   male
              302         3   female
              958         .
    
```

c3_code_C **C : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 3
units: 1
missing .. 1/1,510
missing *: 1,273/1,510

tabulation: Freq.   Numeric   Label
              8         3   at least once a month
              228        5   at least once a week
              1         .
            1,271        .b
              2         .c
    
```

c3_hr_C **C : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,20]
unique values: 17
units: 1
missing .. 1,282/1,510
    
```

```

tabulation:  Freq.  Value
              43    0
              76    1
              33    2
              29    3
               8    4
              15    5
               9    6
               2    7
               2    8
               1    9
               1   10
               4   12
               1   15
               1   16
               1   17
               1   18
               1   20
              1,282  .
    mean:      2.51316
  std. dev:    3.20583

percentiles:      10%      25%      50%      75%      90%
                  0         1         1         3         6
  
```

c3_min_C

C : Minutes per week (Monday - Sunday)

```

type: numeric (float)
range: [0,53]
unique values: 17
units: 1
missing .: 1,282/1,510
  
```

```

tabulation:  Freq.  Value
              90    0
               2    3
               2    8
               2   10
               2   13
              35   15
               3   20
               1   22
               3   25
               1   26
              60   30
               1   35
               1   38
               6   40
              14   45
               2   50
               3   53
              1,282  .
    mean:      16.5702
  std. dev:    16.0173

percentiles:      10%      25%      50%      75%      90%
                  0         0        15        30        40
  
```

c3_aa_C

C :Monday-Friday How many times (Monday - Sunday)

```

type: string (str6), but longest is str3
unique values: 11
missing "": 1,282/1,510
  
```

```

tabulation: Freq. Value
            1,282 ""
             24 "1"
             18 "1.5"
             49 "2"
             47 "2.5"
              1 "2.9"
             43 "3"
             20 "3.5"
             11 "4"
              5 "4.5"
              9 "5"
              1 "6"
    
```

c3_ab_C C :Monday-Friday How many times per units (Monday - Sunday)

```

type: string (str22), but longest is str4
unique values: 1 missing "": 1,282/1,510
tabulation: Freq. Value
            1,282 ""
             228 "week"
    
```

c3_ac_C C :Monday-Friday How many times per hours (Monday - Sunday)

```

type: numeric (double)
range: [0,9] units: .1
unique values: 10 missing .: 1,282/1,510
tabulation: Freq. Value
            116 0
             65 1
              9 1.5
             18 2
              7 2.5
              5 3
              3 3.5
              2 5
              2 8
              1 9
            1,282 .
mean: .844298
std. dev: 1.29251
percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 2
    
```

c3_ad_C C :Monday-Friday How many times per minutes (Monday - Sunday)

```

type: numeric (double)
range: [0,45] units: .1
unique values: 12 missing .: 1,378/1,510
    
```

```

tabulation:  Freq.  Value
              2    0
              1    3
              4    5
              4   7.5
              9   10
              4   15
             16   20
              1  22.5
              2   25
             82   30
              1   35
              6   45
             1,378 .
    mean:     25.4583
    std. dev:  9.536

percentiles:    10%    25%    50%    75%    90%
                10     20     30     30     30
    
```

c3_ba_C **C : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7       missing .: 1,274/1,510
unique missing codes: 2  missing *: 5/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              9      1  father
             11      3  mother
             40      5  grandparents
              8      7  uncle/aunt
             55      9  brother/sister/cousin
            106     11  outsider
              2     13  other household member
           1,274      .
              5     .b
    
```

c3_bb_C **C : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,11]          units: 1
unique values: 6       missing .: 1,333/1,510
unique missing codes: 2  missing *: 1/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              1      1  father
              4      3  mother
             12      5  grandparents
              6      7  uncle/aunt
             32      9  brother/sister/cousin
            121     11  outsider
           1,333      .
              1     .b
    
```

c3_bc_C **C : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A
    
```

```

    range: [5,11]                units: 1
unique values: 4                missing .: 1,410/1,510

  tabulation: Freq.  Numeric  Label
                1         5  grandparents
                1         7  uncle/aunt
                14        9  brother/sister/cousin
                84       11  outsider
            1,410          .

```

c3_ba_gen_C **Gender code (person 1)**

```

    type: numeric (byte)
    label: c3_ba_gen

    range: [1,3]                units: 1
unique values: 2                missing .: 1,279/1,510

  tabulation: Freq.  Numeric  Label
                102        1  male
                129        3  female
            1,279          .

```

c3_bb_gen_C **Gender code (person 2)**

```

    type: numeric (byte)
    label: c3_bb_gen

    range: [1,3]                units: 1
unique values: 2                missing .: 1,334/1,510

  tabulation: Freq.  Numeric  Label
                68         1  male
                108        3  female
            1,334          .

```

c3_bc_gen_C **Gender code (person 3)**

```

    type: numeric (byte)
    label: c3_bc_gen

    range: [1,3]                units: 1
unique values: 2                missing .: 1,410/1,510

  tabulation: Freq.  Numeric  Label
                50         1  male
                50         3  female
            1,410          .

```

activity_D **Playing sport, singing and dancing (not display)**

```

    type: string (str147), but longest is str0

unique values: 0                missing "": 1,510/1,510

  tabulation: Freq.  Value
            1,510  ""

```

detail_D **D: detail**

```

    type: string (str238), but longest is str0

```

unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

c1_code_D **D : Frequency (Monday - Friday)**

type: numeric (**byte**)
 label: **c1_code**
 range: [0,9] units: 1
 unique values: 4 missing .: 0/1,510
 unique missing codes: 1 missing *: 545/1,510

tabulation:	Freq.	Numeric	Label
	216	0	never
	1	5	at least once a week
	388	7	once a day
	360	9	more than once a day
	545	.c	

c1_hr_D **D : Hours per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,20] units: 1
 unique values: 14 missing .: 761/1,510
 unique missing codes: 2 missing *: 4/1,510

tabulation:	Freq.	Value
	258	0
	114	1
	159	2
	21	3
	4	4
	123	5
	8	6
	20	7
	17	10
	2	11
	12	12
	4	15
	2	17
	1	20
	761	.
	4	.c
mean:	2.36779	
std. dev:	3.00475	

percentiles:	10%	25%	50%	75%	90%
	0	0	2	5	5

c1_min_D **D : Minutes per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,56] units: 1
 unique values: 33 missing .: 761/1,510
 unique missing codes: 2 missing *: 4/1,510

c1_ab_D **D :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str4
unique values: 2 missing "": 761/1,510
tabulation: Freq. Value
              761 ""
              747 "day"
               2 "week"
    
```

c1_ac_D **D :Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [0,3] units: .1
unique values: 6 missing .: 761/1,510
unique missing codes: 2 missing *: 2/1,510
tabulation: Freq. Value
              581 0
              133 1
               6 1.5
              19 2
               5 2.5
               3 3
              761 .
               2 .c
mean: .269746
std. dev: .55089
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

c1_ad_D **D :Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,45] units: .1
unique values: 23 missing .: 761/1,510
unique missing codes: 2 missing *: 1/1,510
tabulation: Freq. Value
              158 0
               3 1
              11 1.5
              17 2
              35 2.5
              13 3
              16 3.5
               4 4
              18 4.5
              92 5
               4 5.5
               1 6.5
              46 7.5
               1 9
              85 10
              27 15
               3 17.5
              39 20
              10 25
             159 30
               1 35
               3 40
               2 45
    
```

761 .
 1 .c
 mean: 11.4011
 std. dev: 11.5399

percentiles: 10% 25% 50% 75% 90%
 0 2 7.5 20 30

c1_ba_D **D : People doing activity with (person 1)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 7 missing .: 761/1,510
 unique missing codes: 2 missing *: 289/1,510

tabulation:	Freq.	Numeric	Label
	21	1	father
	31	3	mother
	44	5	grandparents
	10	7	uncle/aunt
	247	9	brother/sister/cousin
	104	11	outsider
	3	13	other household member
	761	.	
	289	.b	

c1_bb_D **D : People doing activity with (person 2)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 7 missing .: 1,173/1,510
 unique missing codes: 2 missing *: 13/1,510

tabulation:	Freq.	Numeric	Label
	10	1	father
	20	3	mother
	50	5	grandparents
	7	7	uncle/aunt
	108	9	brother/sister/cousin
	127	11	outsider
	2	13	other household member
	1,173	.	
	13	.b	

c1_bc_D **D : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 7 missing .: 1,359/1,510
 unique missing codes: 2 missing *: 3/1,510

```

tabulation:  Freq.  Numeric  Label
              3       1  father
              8       3  mother
             17       5  grandparents
              1       7  uncle/aunt
             35       9  brother/sister/cousin
             82      11  outsider
              2      13  other household member
            1,359      .
              3       .b
    
```

c1_ba_gen_D **Gender code (person 1)**

```

      type: numeric (byte)
      label: c1_ba_gen

      range: [1,3]
unique values: 2
                    units: 1
                    missing .: 1,050/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              199     1  male
             261     3  female
            1,050     .
    
```

c1_bb_gen_D **Gender code (person 2)**

```

      type: numeric (byte)
      label: c1_bb_gen

      range: [1,3]
unique values: 2
                    units: 1
                    missing .: 1,186/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
             143     1  male
             181     3  female
            1,186     .
    
```

c1_bc_gen_D **Gender code (person 3)**

```

      type: numeric (byte)
      label: c1_bc_gen

      range: [1,3]
unique values: 2
                    units: 1
                    missing .: 1,362/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
             63     1  male
             85     3  female
            1,362     .
    
```

c2_code_D **D : Frequency (Saturday - Sunday)**

```

      type: numeric (byte)
      label: c2_code

      range: [0,9]
unique values: 4
unique missing codes: 1
                    units: 1
                    missing .: 0/1,510
                    missing *: 545/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              203      0      never
              2       5      at least once a week
              377      7      once a day
              383      9      more than once a day
              545      .c
    
```

c2_hr_D

D : Hours per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,8]
unique values: 9
unique missing codes: 2
units: 1
missing .: 748/1,510
missing *: 4/1,510
    
```

```

tabulation:  Freq.  Value
              398      0
              156      1
              131      2
               20      3
               26      4
               15      5
                6      6
                4      7
                2      8
              748      .
               4      .c
mean: .972296
std. dev: 1.3956

percentiles:    10%    25%    50%    75%    90%
                0      0      0      2      2
    
```

c2_min_D

D : Minutes per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,57]
unique values: 32
unique missing codes: 2
units: 1
missing .: 748/1,510
missing *: 4/1,510
    
```

```

tabulation:  Freq.  Value
              321      0
                1      2
                3      3
                9      4
               24      5
                9      6
                8      7
               10      8
                7      9
               64     10
                1     11
                1     12
                8     13
                8     14
               30     15
                9     18
               73     20
                1     21
                3     23
               19     25
                2     27
                2     28
               54     30
                1     33
                7     35
                8     38
    
```



```

tabulation:  Freq.  Numeric  Label
              21      1  father
              31      3  mother
              44      5  grandparents
              12      7  uncle/aunt
              255     9  brother/sister/cousin
              107     11  outsider
              3      13  other household member
              748     .
              289     .b
    
```

c2_bb_D **D : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,162/1,510
missing *: 13/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              10      1  father
              21      3  mother
              49      5  grandparents
              7       7  uncle/aunt
              111     9  brother/sister/cousin
              135     11  outsider
              2      13  other household member
              1,162  .
              13     .b
    
```

c2_bc_D **D : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,353/1,510
missing *: 3/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              3       1  father
              8       3  mother
              17      5  grandparents
              1       7  uncle/aunt
              35      9  brother/sister/cousin
              88     11  outsider
              2      13  other household member
              1,353  .
              3     .b
    
```

c2_ba_gen_D **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,037/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              208     1  male
              265     3  female
              1,037  .
    
```

c2_bb_gen_D **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,175/1,510

tabulation: Freq.  Numeric  Label
              149      1  male
              186      3  female
              1,175      .
    
```

c2_bc_gen_D **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,357/1,510

tabulation: Freq.  Numeric  Label
              67      1  male
              86      3  female
              1,357      .
    
```

c3_code_D **D : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 3
unique missing codes: 2
units: 1
missing ..: 0/1,510
missing *: 966/1,510

tabulation: Freq.  Numeric  Label
              2      1  less than once a month
              27     3  at least once a month
              515     5  at least once a week
              963     .b
              3      .c
    
```

c3_hr_D **D : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,9]
unique values: 9
unique missing codes: 2
units: 1
missing ..: 996/1,510
missing *: 1/1,510

tabulation: Freq.  Value
              335     0
              99      1
              36      2
              25      3
               4      4
               4      5
               2      6
               7      7
               1      9
              996     .
               1     .c
mean: .68616
std. dev: 1.31582
    
```



```

tabulation: Freq. Value
             995 ""
             67 "1"
             62 "1.5"
             98 "2"
              1 "2.3"
            103 "2.5"
             72 "3"
             51 "3.5"
             31 "4"
             15 "4.5"
             15 "5"
    
```

c3_ab_D **D :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4
unique values: 1 missing "": 995/1,510
tabulation: Freq. Value
             995 ""
             515 "week"
    
```

c3_ac_D **D :Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,2.5] units: .1
unique values: 5 missing .: 995/1,510
unique missing codes: 2 missing *: 1/1,510
tabulation: Freq. Value
             438 0
             63 1
              3 1.5
              7 2
              3 2.5
            995 .
              1 .c
mean: .173152
std. dev: .443909
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

c3_ad_D **D :Monday-Friday How many times per minutes (Monday - Sunday)**

```

type: numeric (double)
range: [0,50] units: .01
unique values: 25 missing .: 1,063/1,510
unique missing codes: 2 missing *: 1/1,510
tabulation: Freq. Value
             2 0
             8 1
              4 1.5
             10 2
             20 2.5
             22 3
             11 3.5
              1 4
             15 4.5
             66 5
              5 5.5
              1 6
    
```

```

                22  7.5
                1  9
                75 10
                 5 12.5
                22 15
                 1 17.5
                39 20
                 4 25
                 1 26.25
               102 30
                 1 35
                 7 45
                 1 50
            1,063 .
                1 .c
    mean:      14.1788
    std. dev:  11.2533

    percentiles:    10%    25%    50%    75%    90%
                   3      5      10    26.25  30
    
```

c3_ba_D **D : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]          units: 1
    unique values: 7        missing .: 966/1,510
    unique missing codes: 2 missing *: 144/1,510
    
```

tabulation:	Freq.	Numeric	Label
	18	1	father
	34	3	mother
	27	5	grandparents
	5	7	uncle/aunt
	196	9	brother/sister/cousin
	117	11	outsider
	3	13	other household member
	966	.	
	144	.b	

c3_bb_D **D : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]          units: 1
    unique values: 7        missing .: 1,241/1,510
    unique missing codes: 2 missing *: 8/1,510
    
```

tabulation:	Freq.	Numeric	Label
	2	1	father
	16	3	mother
	14	5	grandparents
	9	7	uncle/aunt
	97	9	brother/sister/cousin
	119	11	outsider
	4	13	other household member
	1,241	.	
	8	.b	

c3_bc_D **D : People doing activity with (person 3)**

```

    type: numeric (byte)
    label: c1_ba_A
    
```

range: [1,11] units: 1
 unique values: 5 missing .: 1,379/1,510
 unique missing codes: 2 missing *: 2/1,510

tabulation:	Freq.	Numeric	Label
	1	1	father
	4	3	mother
	4	5	grandparents
	33	9	brother/sister/cousin
	87	11	outsider
	1,379	.	
	2	.b	

c3_ba_gen_D Gender code (person 1)

type: numeric (byte)
 label: c3_ba_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 1,110/1,510

tabulation:	Freq.	Numeric	Label
	189	1	male
	211	3	female
	1,110	.	

c3_bb_gen_D Gender code (person 2)

type: numeric (byte)
 label: c3_bb_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 1,249/1,510

tabulation:	Freq.	Numeric	Label
	118	1	male
	143	3	female
	1,249	.	

c3_bc_gen_D Gender code (person 3)

type: numeric (byte)
 label: c3_bc_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 1,381/1,510

tabulation:	Freq.	Numeric	Label
	61	1	male
	68	3	female
	1,381	.	

activity_E Playing a role play, selling things, playing Robot and car (not display)

type: string (str147), but longest is str0
 unique values: 0 missing "": 1,510/1,510

tabulation:	Freq.	Value
	1,510	" "

detail_E **E: detail**

type: string (**str238**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

c1_code_E **E : Frequency (Monday - Friday)**

type: numeric (**byte**)
 label: **c1_code**
 range: [0,9] units: 1
 unique values: 4 missing .: 0/1,510
 unique missing codes: 2 missing *: 411/1,510
 tabulation: Freq. Numeric Label
 115 0 never
 3 5 at least once a week
 579 7 once a day
 402 9 more than once a day
 1 .a
 410 .c

c1_hr_E **E : Hours per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,42] units: 1
 unique values: 20 missing .: 526/1,510
 unique missing codes: 2 missing *: 2/1,510
 tabulation: Freq. Value
 106 0
 86 1
 234 2
 30 3
 18 4
 282 5
 16 6
 59 7
 9 8
 1 9
 61 10
 4 11
 35 12
 17 15
 6 17
 6 20
 5 22
 4 25
 1 31
 2 42
 526 .
 2 .c
 mean: 4.67617
 std. dev: 4.54595
 percentiles: 10% 25% 50% 75% 90%
 0 2 5 5 10

c1_min_E **E : Minutes per week (Monday - Friday)**

```

type: numeric (float)
range: [0,56]
unique values: 25
unique missing codes: 2
units: 1
missing .: 526/1,510
missing *: 2/1,510
    
```

```

tabulation:
  Freq. Value
  367  0
   6  3
  21  5
   6  8
  18 10
  11 13
  58 15
   1 18
   3 19
  11 20
  13 23
  17 25
   1 26
   2 28
 315 30
   6 34
   3 35
  11 38
  30 40
   1 44
  25 45
  47 50
   5 53
   3 55
   1 56
 526 .
   2 .c
mean: 18.1741
std. dev: 16.6875

percentiles:
  10% 25% 50% 75% 90%
    0  0 19.5 30 40
    
```

c1_aa_E **E :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str16
unique values: 10
missing "": 526/1,510
    
```

```

tabulation:
  Freq. Value
  526 ""
  578 "1"
   36 "1.5"
  113 "2"
   72 "2.5"
   24 "3"
   22 "3.5"
    3 "4.5"
    3 "5.5"
  131 "many times"
    2 "more than 1 time"
    
```

warning: variable has embedded blanks

c1_ab_E **E :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str4
unique values: 3 missing "": 526/1,510
tabulation: Freq. Value
              526 ""
              977 "day"
                1 "time"
                6 "week"
    
```

cl_ac_E E :Monday-Friday How many times per hours (Monday - Friday)

```

type: numeric (double)
range: [0,5] units: .1
unique values: 9 missing .: 526/1,510
unique missing codes: 2 missing *: 2/1,510
tabulation: Freq. Value
              558 0
              324 1
               19 1.5
               47 2
               10 2.5
               11 3
                2 3.5
                8 4
                3 5
              526 .
                2 .c
mean: .568737
std. dev: .798897
percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 1.5
    
```

cl_ad_E E :Monday-Friday How many times per minutes (Monday - Friday)

```

type: numeric (double)
range: [0,50] units: .1
unique values: 22 missing .: 526/1,510
unique missing codes: 2 missing *: 2/1,510
tabulation: Freq. Value
              385 0
                6 1.5
                6 2
               14 2.5
                2 3
                2 3.5
                1 4
                7 4.5
               24 5
                4 5.5
               25 7.5
               56 10
               48 15
               55 20
                1 24
               15 25
                1 26
              315 30
                3 35
                1 40
                9 45
                2 50
              526 .
    
```

```

                2 .c
    mean:      13.5835
    std. dev:  13.6316

    percentiles:    10%    25%    50%    75%    90%
                   0      0      10     30     30
    
```

c1_ba_E **E : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,13]          units: 1
    unique values: 7        missing .: 526/1,510
    unique missing codes: 2 missing *: 418/1,510
    
```

tabulation:	Freq.	Numeric	Label
	2	1	father
	9	3	mother
	20	5	grandparents
	4	7	uncle/aunt
	332	9	brother/sister/cousin
	195	11	outsider
	4	13	other household member
	526	.	.
	418	.b	.b

c1_bb_E **E : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,11]          units: 1
    unique values: 6        missing .: 1,024/1,510
    unique missing codes: 2 missing *: 31/1,510
    
```

tabulation:	Freq.	Numeric	Label
	2	1	father
	9	3	mother
	28	5	grandparents
	2	7	uncle/aunt
	149	9	brother/sister/cousin
	265	11	outsider
	1,024	.	.
	31	.b	.b

c1_bc_E **E : People doing activity with (person 3)**

```

    type: numeric (byte)
    label: c1_ba_A

    range: [1,11]          units: 1
    unique values: 6        missing .: 1,278/1,510
    unique missing codes: 2 missing *: 9/1,510
    
```

tabulation:	Freq.	Numeric	Label
	3	1	father
	2	3	mother
	8	5	grandparents
	4	7	uncle/aunt
	47	9	brother/sister/cousin
	159	11	outsider
	1,278	.	.
	9	.b	.b

c1_ba_gen_E **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .. 942/1,510

tabulation: Freq.  Numeric  Label
              268      1  male
              300      3  female
              942      .
    
```

c1_bb_gen_E **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .. 1,054/1,510

tabulation: Freq.  Numeric  Label
              232      1  male
              224      3  female
             1,054      .
    
```

c1_bc_gen_E **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2

units: 1
missing .. 1,287/1,510

tabulation: Freq.  Numeric  Label
              102      1  male
              121      3  female
             1,287      .
    
```

c2_code_E **E : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 2

units: 1
missing .. 0/1,510
missing *: 411/1,510

tabulation: Freq.  Numeric  Label
              68      0  never
              3      5  at least once a week
             518      7  once a day
             510      9  more than once a day
              1      .a
             410      .c
    
```

c2_hr_E **E : Hours per week (Saturday - Sunday)**

```

type: numeric (float)
    
```

range: [0,20] units: 1
 unique values: 14 missing .: 479/1,510
 unique missing codes: 2 missing *: 2/1,510

tabulation: Freq. Value
 192 0
 258 1
 294 2
 69 3
 93 4
 47 5
 38 6
 10 7
 7 8
 6 9
 6 10
 5 12
 2 16
 2 20
 479 .
 2 .c
 mean: 2.19631
 std. dev: 2.24439

percentiles: 10% 25% 50% 75% 90%
 0 1 2 3 5

c2_min_E

E : Minutes per week (Saturday - Sunday)

type: numeric (float)

range: [0,50] units: 1
 unique values: 24 missing .: 479/1,510
 unique missing codes: 2 missing *: 2/1,510

tabulation: Freq. Value
 740 0
 1 2
 1 3
 4 4
 10 5
 1 6
 3 8
 6 9
 18 10
 2 11
 2 12
 1 13
 20 15
 1 18
 52 20
 1 21
 1 23
 5 25
 79 30
 2 33
 7 38
 45 40
 8 45
 19 50
 479 .
 2 .c
 mean: 7.51506
 std. dev: 13.7456

percentiles: 10% 25% 50% 75% 90%
 0 0 0 10 30

c2_aa_E **E :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str16
unique values: 11 missing "": 480/1,510
tabulation: Freq. Value
              480 ""
              517 "1"
               40 "1.5"
              143 "2"
               78 "2.5"
               34 "3"
               22 "3.5"
                1 "4"
                6 "4.5"
                4 "5.5"
              183 "many times"
                2 "more than 1 time"
warning: variable has embedded blanks

```

c2_ab_E **E :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 3 missing "": 481/1,510
tabulation: Freq. Value
              481 ""
            1,021 "day"
                 1 "time"
                 7 "week"

```

c2_ac_E **E :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,10] units: .1
unique values: 12 missing .: 479/1,510
unique missing codes: 2 missing *: 2/1,510
tabulation: Freq. Value
              545 0
              334 1
               26 1.5
               65 2
               17 2.5
               23 3
                3 3.5
                6 4
                5 5
                1 6
                2 8
                2 10
              479 .
                2 .c
mean: .695821
std. dev: 1.02938
percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 2

```

c2_ad_E **E : Monday-Friday How many times per minutes (Saturday - Sunday)**

type: numeric (double)
 range: [0,50] units: .01
 unique values: 24 missing .: 479/1,510
 unique missing codes: 2 missing *: 2/1,510

tabulation:

Freq.	Value
441	0
4	1.5
5	2
13	2.5
2	3
1	3.5
1	4
7	4.5
25	5
4	5.5
24	7.5
51	10
47	15
2	17.14
56	20
1	24
13	25
1	26
314	30
2	35
1	40
11	45
1	48
2	50
479	.
2	.c

mean: 12.9619
 std. dev: 13.7296

percentiles: 10% 25% 50% 75% 90%

0	0	7.5	30	30
---	---	-----	----	----

c2_ba_E **E : People doing activity with (person 1)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 479/1,510
 unique missing codes: 2 missing *: 417/1,510

tabulation:

Freq.	Numeric	Label
2	1	father
9	3	mother
20	5	grandparents
4	7	uncle/aunt
362	9	brother/sister/cousin
213	11	outsider
4	13	other household member
479	.	
417	.b	

c2_bb_E **E : People doing activity with (person 2)**

type: numeric (byte)
 label: c1_ba_A

range: [1,11] units: 1
 unique values: 6 missing .: 997/1,510
 unique missing codes: 2 missing *: 31/1,510

tabulation:	Freq.	Numeric	Label
	2	1	father
	9	3	mother
	26	5	grandparents
	2	7	uncle/aunt
	155	9	brother/sister/cousin
	288	11	outsider
	997	.	.
	31	.b	.b

c2_bc_E **E : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,11] units: 1
 unique values: 6 missing .: 1,261/1,510
 unique missing codes: 2 missing *: 10/1,510

tabulation:	Freq.	Numeric	Label
	3	1	father
	2	3	mother
	8	5	grandparents
	4	7	uncle/aunt
	50	9	brother/sister/cousin
	172	11	outsider
	1,261	.	.
	10	.b	.b

c2_ba_gen_E **Gender code (person 1)**

type: numeric (byte)
 label: c2_ba_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 894/1,510

tabulation:	Freq.	Numeric	Label
	279	1	male
	337	3	female
	894	.	.

c2_bb_gen_E **Gender code (person 2)**

type: numeric (byte)
 label: c2_bb_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 1,027/1,510

tabulation:	Freq.	Numeric	Label
	237	1	male
	246	3	female
	1,027	.	.

c2_bc_gen_E **Gender code (person 3)**

type: numeric (byte)
 label: c2_bc_gen

```

range: [1,3] units: 1
unique values: 2 missing .: 1,271/1,510

tabulation: Freq. Numeric Label
             109      1 male
             130      3 female
             1,271      .
    
```

c3_code_E **E : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5] units: 1
unique values: 2 missing .: 0/1,510
unique missing codes: 3 missing *: 1,101/1,510

tabulation: Freq. Numeric Label
             11      3 at least once a month
             398     5 at least once a week
              1      .a
             1,099   .b
              1      .c
    
```

c3_hr_E **E : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,9] units: 1
unique values: 9 missing .: 1,112/1,510

tabulation: Freq. Value
             150  0
             133  1
              60  2
              32  3
               7  4
               8  5
               4  6
               2  8
               2  9
             1,112 .
mean: 1.19347
std. dev: 1.45469

percentiles: 10% 25% 50% 75% 90%
              0   0   1   2   3
    
```

c3_min_E **E : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,53] units: 1
unique values: 26 missing .: 1,112/1,510
    
```

```

tabulation:  Freq.  Value
              104    0
               3    2
               4    3
               3    4
               4    5
               2    6
              10    8
               2    9
              10   10
               5   11
               2   13
              52   15
               2   18
               2   19
              19   20
               3   23
               3   25
               3   26
             107   30
               1   31
               7   35
               6   38
               4   40
              29   45
               6   50
               5   53
             1,112  .
    mean:      18.9472
    std. dev:  15.4661

percentiles:    10%    25%    50%    75%    90%
                0      0      15     30     45
    
```

c3_aa_E **E :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 9 missing "": 1,112/1,510

tabulation:  Freq.  Value
              1,112  ""
               50   "1"
               44   "1.5"
               82   "2"
               83   "2.5"
               63   "3"
               38   "3.5"
               21   "4"
                8   "4.5"
                9   "5"
    
```

c3_ab_E **E :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4
unique values: 2 missing "": 1,113/1,510

tabulation:  Freq.  Value
              1,113  ""
                3   "day"
               394  "week"
    
```

c3_ac_E **E :Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,3] units: .1
unique values: 6 missing .: 1,112/1,510

tabulation: Freq. Value
             274 0
             107 1
              6 1.5
              7 2
              1 2.5
              3 3
            1,112 .
mean:       .355528
std. dev:   .575404

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      1
    
```

c3_ad_E **E : Monday-Friday How many times per minutes (Monday - Sunday)**

```

type: numeric (double)
range: [0,53] units: .1
unique values: 22 missing .: 1,224/1,510

tabulation: Freq. Value
             7 0
             2 1
             3 1.5
             5 2.5
             6 3
             4 4
             3 4.5
            15 5
             1 5.5
            12 7.5
            37 10
             4 12.5
            18 15
             1 18
            22 20
             4 25
            133 30
             1 35
             2 40
             4 45
             1 50
             1 53
            1,224 .
mean:       20.535
std. dev:   11.5819

percentiles:    10%    25%    50%    75%    90%
                4.5    10     25     30     30
    
```

c3_ba_E **E : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,11] units: 1
unique values: 6 missing .: 1,100/1,510
unique missing codes: 2 missing *: 147/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              1      1      father
              4      3      mother
              9      5      grandparents
              3      7      uncle/aunt
             153     9      brother/sister/cousin
              93     11     outsider
             1,100   .
              147   .b
    
```

c3_bb_E **E : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,11]          units: 1
unique values: 6       missing .: 1,309/1,510
unique missing codes: 2  missing *: 8/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              1      1      father
              3      3      mother
              4      5      grandparents
              1      7      uncle/aunt
              61     9      brother/sister/cousin
             123     11     outsider
             1,309   .
              8      .b
    
```

c3_bc_E **E : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,11]          units: 1
unique values: 5       missing .: 1,408/1,510
unique missing codes: 2  missing *: 4/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              1      1      father
              1      3      mother
              1      7      uncle/aunt
              17     9      brother/sister/cousin
              78     11     outsider
             1,408   .
              4      .b
    
```

c3_ba_gen_E **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]          units: 1
unique values: 2       missing .: 1,248/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
             110     1      male
             152     3      female
            1,248   .
    
```

c3_bb_gen_E **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,317/1,510

tabulation: Freq.  Numeric  Label
              70         1  male
              123        3  female
              1,317        .
    
```

c3_bc_gen_E **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,412/1,510

tabulation: Freq.  Numeric  Label
              46         1  male
              52         3  female
              1,412        .
    
```

activity_F **Practice reading-writing num, ABC and counting number (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.  Value
              1,510  ""
    
```

detail_F **F: detail**

```

type: string (str238), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.  Value
              1,510  ""
    
```

c1_code_F **F : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 3
unique missing codes: 3
units: 1
missing ..: 0/1,510
missing *: 565/1,510

tabulation: Freq.  Numeric  Label
              443         0  never
              425         7  once a day
              77         9  more than once a day
              1          .a
              1          .b
              563         .c
    
```

c1_hr_F **F : Hours per week (Monday - Friday)**

```

type: numeric (float)
range: [0,17]
unique values: 13
unique missing codes: 2
units: 1
missing .: 1,008/1,510
missing *: 1/1,510

```

```

tabulation: Freq. Value
             178  0
             96  1
            130  2
              5  3
              2  4
             74  5
              3  6
              5  7
              1  8
              1  9
              3 10
              2 12
              1 17
            1,008 .
              1 .c

```

```

mean: 1.77645
std. dev: 2.16193

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        2        5

```

cl_min_F

F : Minutes per week (Monday - Friday)

```

type: numeric (float)
range: [0,56]
unique values: 29
unique missing codes: 2
units: 1
missing .: 1,008/1,510
missing *: 1/1,510

```

```

tabulation: Freq. Value
             74  0
              1  1
              2  3
            16  5
              1  8
              2  9
              5 10
              1 11
             10 13
            32 15
              9 18
              1 19
              5 20
              9 23
            33 25
              1 27
              1 28
            121 30
              1 31
              2 34
              1 35
            21 38
            64 40
              4 45
              2 49
            78 50
              1 53
              1 55
              2 56
            1,008 .
              1 .c

```

```

mean: 27.2894
std. dev: 16.4536

```



```

tabulation:  Freq.  Value
              71    0
              2    1.5
              5    2
             15    2.5
              6    3
             11    3.5
              3    4
              9    4.5
             36    5
              2    5.5
              1    6.5
             22    7.5
             85    10
             25    15
              2   17.5
             60    20
             16    25
            128    30
              2    45
          1,008    .
              1    .c
    mean:      14.5948
  std. dev:   11.3179

percentiles:      10%      25%      50%      75%      90%
                  0         5         10         30         30
  
```

c1_ba_F **F : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7       missing .: 1,008/1,510
unique missing codes: 2  missing *: 54/1,510
  
```

```

tabulation:  Freq.  Numeric  Label
              52     1  father
             133     3  mother
             162     5  grandparents
              7     7  uncle/aunt
              71     9  brother/sister/cousin
              5    11  outsider
              18    13  other household member
          1,008     .
              54    .b
  
```

c1_bb_F **F : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7       missing .: 1,266/1,510
unique missing codes: 2  missing *: 9/1,510
  
```

```

tabulation:  Freq.  Numeric  Label
              21     1  father
              65     3  mother
              68     5  grandparents
              10     7  uncle/aunt
              63     9  brother/sister/cousin
              3    11  outsider
              5    13  other household member
          1,266     .
              9     .b
  
```

c1_bc_F **F : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [3,13]
unique values: 6
unique missing codes: 2

units: 1
missing ..: 1,449/1,510
missing *: 4/1,510

tabulation: Freq.  Numeric  Label
              6          3  mother
              14         5  grandparents
              7          7  uncle/aunt
              26         9  brother/sister/cousin
              2         11  outsider
              2         13  other household member
            1,449         .
              4          .b
    
```

c1_ba_gen_F **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,062/1,510

tabulation: Freq.  Numeric  Label
              112         1  male
              336         3  female
            1,062         .
    
```

c1_bb_gen_F **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,275/1,510

tabulation: Freq.  Numeric  Label
              69         1  male
              166         3  female
            1,275         .
    
```

c1_bc_gen_F **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,453/1,510

tabulation: Freq.  Numeric  Label
              20         1  male
              37         3  female
            1,453         .
    
```

c2_code_F **F : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 3

units: 1
missing .: 0/1,510
missing *: 565/1,510
    
```

tabulation:	Freq.	Numeric	Label
	431	0	never
	1	5	at least once a week
	423	7	once a day
	90	9	more than once a day
	1	.a	
	1	.b	
	563	.c	

c2_hr_F **F : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,7]
unique values: 8
unique missing codes: 2

units: 1
missing .: 996/1,510
missing *: 1/1,510
    
```

tabulation:	Freq.	Value
	284	0
	125	1
	88	2
	7	3
	4	4
	3	5
	1	6
	1	7
	996	.
	1	.c
mean:		.71345
std. dev:		.991051

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

c2_min_F **F : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,50]
unique values: 24
unique missing codes: 2

units: 1
missing .: 996/1,510
missing *: 1/1,510
    
```

tabulation:	Freq.	Value
	211	0
	1	3
	4	4
	10	5
	4	6
	7	7
	6	8
	7	9
	33	10
	2	12
	1	13
	4	14
	19	15
	1	16
	81	20
	2	23
	3	25
	2	28

```

                29 30
                2 35
                1 38
                64 40
                3 45
                16 50
                996 .
                1 .c
    mean:      14.1267
    std. dev:  15.5515

    percentiles:    10%    25%    50%    75%    90%
                   0      0      10     20     40
    
```

c2_aa_F **F :Monday-Friday How many times (Saturday - Sunday)**

```

    type: string (str30), but longest is str10
    unique values: 8          missing "": 996/1,510

    tabulation:  Freq. Value
                 996 ""
                 425 "1"
                 16 "1.5"
                 41 "2"
                 16 "2.5"
                 1  "3"
                 4  "3.5"
                 2  "4.5"
                 9  "many times"

    warning: variable has embedded blanks
    
```

c2_ab_F **F :Monday-Friday How many times per units (Saturday - Sunday)**

```

    type: string (str21), but longest is str4
    unique values: 3          missing "": 996/1,510

    tabulation:  Freq. Value
                 996 ""
                 511 "day"
                 1  "time"
                 2  "week"
    
```

c2_ac_F **F :Monday-Friday How many times per hours (Saturday - Sunday)**

```

    type: numeric (double)
    range: [0,3]
    unique values: 5          units: .1
    unique missing codes: 2    missing .: 996/1,510
                                missing *: 1/1,510

    tabulation:  Freq. Value
                 428 0
                 76 1
                 2 1.5
                 6 2
                 1 3
                 996 .
                 1 .c
    mean:      .183236
    std. dev:  .433634
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

c2_ad_F F :Monday-Friday How many times per minutes (Saturday - Sunday)

type: numeric (double)
 range: [0,45] units: .1
 unique values: 19 missing .: 996/1,510
 unique missing codes: 2 missing *: 1/1,510

tabulation: Freq. Value
 81 0
 2 1.5
 5 2
 14 2.5
 6 3
 11 3.5
 3 4
 9 4.5
 39 5
 2 5.5
 1 6.5
 20 7.5
 83 10
 24 15
 2 17.5
 60 20
 16 25
 133 30
 2 45
 996 .
 1 .c
 mean: 14.4727
 std. dev: 11.4687

percentiles: 10% 25% 50% 75% 90%
 0 4.5 10 30 30

c2_ba_F F : People doing activity with (person 1)

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 996/1,510
 unique missing codes: 2 missing *: 55/1,510

tabulation: Freq. Numeric Label
 52 1 father
 136 3 mother
 158 5 grandparents
 11 7 uncle/aunt
 77 9 brother/sister/cousin
 7 11 outsider
 18 13 other household member
 996 .
 55 .b

c2_bb_F F : People doing activity with (person 2)

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 7 missing .: 1,261/1,510
 unique missing codes: 2 missing *: 9/1,510

tabulation:	Freq.	Numeric	Label
	21	1	father
	67	3	mother
	68	5	grandparents
	10	7	uncle/aunt
	64	9	brother/sister/cousin
	4	11	outsider
	6	13	other household member
	1,261	.	
	9	.b	

c2_bc_F **F : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**

range: [3,13] units: 1
 unique values: 6 missing .: 1,445/1,510
 unique missing codes: 2 missing *: 4/1,510

tabulation:	Freq.	Numeric	Label
	6	3	mother
	16	5	grandparents
	7	7	uncle/aunt
	27	9	brother/sister/cousin
	3	11	outsider
	2	13	other household member
	1,445	.	
	4	.b	

c2_ba_gen_F **Gender code (person 1)**

type: numeric (byte)
 label: **c2_ba_gen**

range: [1,3] units: 1
 unique values: 2 missing .: 1,051/1,510

tabulation:	Freq.	Numeric	Label
	115	1	male
	344	3	female
	1,051	.	

c2_bb_gen_F **Gender code (person 2)**

type: numeric (byte)
 label: **c2_bb_gen**

range: [1,3] units: 1
 unique values: 2 missing .: 1,270/1,510

tabulation:	Freq.	Numeric	Label
	69	1	male
	171	3	female
	1,270	.	

c2_bc_gen_F **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,449/1,510

tabulation: Freq.  Numeric  Label
              20         1  male
              41         3  female
             1,449         .
    
```

c3_code_F **F : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 3
units: 1
missing ..: 0/1,510
missing *: 947/1,510

tabulation: Freq.  Numeric  Label
              23         3  at least once a month
             540         5  at least once a week
              1         .a
             945         .b
              1         .c
    
```

c3_hr_F **F : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,9]
unique values: 7
unique missing codes: 2
units: 1
missing ..: 970/1,510
missing *: 1/1,510

tabulation: Freq.  Value
              373    0
              110    1
               36    2
               16    3
                1    4
                1    6
                2    9
              970    .
                1    .c
mean:       .478664
std. dev:   .952891

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      2
    
```

c3_min_F **F : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,56]
unique values: 33
unique missing codes: 2
units: 1
missing ..: 970/1,510
missing *: 1/1,510
    
```

```

tabulation:  Freq.  Value
              58    0
              1    1
              6    2
              9    3
              6    4
             13    5
              9    6
              1    7
             11    8
              6    9
             35   10
             15   11
              2   12
              8   13
              1   14
             55   15
              4   16
              2   18
              7   19
             37   20
              9   23
             20   25
              5   26
              1   28
            128   30
             15   35
              7   38
             14   40
              2   44
             31   45
             14   50
              6   53
              1   56
            970   .
              1   .c
    mean:      21.1503
  std. dev:   14.2108

percentiles:      10%      25%      50%      75%      90%
                  0        10        20        30        44
  
```

c3_aa_F **F :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 10          missing "": 969/1,510

tabulation:  Freq.  Value
             969   ""
             75   "1"
             60   "1.5"
             86   "2"
            100   "2.5"
            118   "3"
             54   "3.5"
             27   "4"
             11   "4.5"
              9   "5"
              1   "6"
  
```

c3_ab_F **F :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str5
unique values: 2          missing "": 969/1,510
  
```



```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 947/1,510
missing *: 42/1,510

```

tabulation:	Freq.	Numeric	Label
	54	1	father
	164	3	mother
	194	5	grandparents
	17	7	uncle/aunt
	79	9	brother/sister/cousin
	6	11	outsider
	7	13	other household member
	947	.	
	42	.b	

c3_bb_F **F : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,250/1,510
missing *: 14/1,510

```

tabulation:	Freq.	Numeric	Label
	14	1	father
	55	3	mother
	58	5	grandparents
	10	7	uncle/aunt
	98	9	brother/sister/cousin
	7	11	outsider
	4	13	other household member
	1,250	.	
	14	.b	

c3_bc_F **F : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,11]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,439/1,510
missing *: 3/1,510

```

tabulation:	Freq.	Numeric	Label
	5	1	father
	6	3	mother
	15	5	grandparents
	5	7	uncle/aunt
	33	9	brother/sister/cousin
	4	11	outsider
	1,439	.	
	3	.b	

c3_ba_gen_F **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 989/1,510

```

```

tabulation:  Freq.  Numeric  Label
              134      1  male
              387      3  female
              989      .
    
```

c3_bb_gen_F **Gender code (person 2)**

```

type:  numeric (byte)
label:  c3_bb_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,262/1,510

tabulation:  Freq.  Numeric  Label
              76      1  male
              172     3  female
             1,262     .
    
```

c3_bc_gen_F **Gender code (person 3)**

```

type:  numeric (byte)
label:  c3_bc_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,442/1,510

tabulation:  Freq.  Numeric  Label
              27      1  male
              41      3  female
             1,442     .
    
```

activity_G **Playing blocks or plasticine, drawing and painting (not display)**

```

type:  string (str147), but longest is str0

unique values:  0
missing "":  1,510/1,510

tabulation:  Freq.  Value
             1,510  ""
    
```

detail_G **G: detail**

```

type:  string (str238), but longest is str0

unique values:  0
missing "":  1,510/1,510

tabulation:  Freq.  Value
             1,510  ""
    
```

c1_code_G **G : Frequency (Monday - Friday)**

```

type:  numeric (byte)
label:  c1_code

range:  [0,9]
unique values:  4
unique missing codes:  3

units:  1
missing .:  0/1,510
missing *:  709/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              368      0      never
              1       5      at least once a week
              312      7      once a day
              120      9      more than once a day
              1       .a
              1       .b
              707      .c
    
```

c1_hr_G

G : Hours per week (Monday - Friday)

```

type: numeric (float)
range: [0,30]
unique values: 17
units: 1
missing .: 1,077/1,510

tabulation:  Freq.  Value
              146    0
              68    1
              93    2
               8    3
               1    4
              77    5
               2    6
               6    7
               1    8
              17   10
               1   11
               6   12
               3   15
               1   17
               1   20
               1   22
               1   30
            1,077 .
mean: 2.57737
std. dev: 3.54849

percentiles:  10%    25%    50%    75%    90%
               0     0     2     5     5
    
```

c1_min_G

G : Minutes per week (Monday - Friday)

```

type: numeric (float)
range: [0,56]
unique values: 21
units: 1
missing .: 1,077/1,510

tabulation:  Freq.  Value
              100    0
               1    2
               7    3
               9    5
               4   10
               5   13
              27   15
               4   18
               1   19
               5   20
              11   23
              20   25
               5   28
             100   30
               4   35
              14   38
              36   40
               5   45
              71   50
    
```

```

          1  53
          3  56
    mean: 1,077 .
    std. dev: 24.873
    17.8849
percentiles:    10%    25%    50%    75%    90%
                0      5      30     40     50
    
```

c1_aa_G **G :Monday-Friday How many times (Monday - Friday)**

```

    type: string (str27), but longest is str10
unique values: 9          missing "": 1,077/1,510
tabulation:
  Freq.  Value
  1,077  ""
    312  "1"
    15  "1.5"
    45  "2"
    14  "2.5"
     5  "3"
     2  "3.5"
     3  "4"
     2  "4.5"
    35  "many times"
warning: variable has embedded blanks
    
```

c1_ab_G **G :Monday-Friday How many times per units (Monday - Friday)**

```

    type: string (str21), but longest is str4
unique values: 2          missing "": 1,077/1,510
tabulation:
  Freq.  Value
  1,077  ""
    431  "day"
     2  "week"
    
```

c1_ac_G **G :Monday-Friday How many times per hours (Monday - Friday)**

```

    type: numeric (double)
    range: [0,6]          units: .1
unique values: 10        missing .: 1,077/1,510
tabulation:
  Freq.  Value
    331  0
     85  1
     1  1.5
     9  2
     1  2.5
     2  3
     1  3.5
     1  4
     1  4.5
     1  6
  1,077  .
    mean: .30254
    std. dev: .667304
percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

c1_ad_G **G : Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,45]
unique values: 19
unique missing codes: 2
units: .1
missing .: 1,077/1,510
missing *: 1/1,510

tabulation: Freq. Value
             99  0
              3  2
              6  2.5
              7  3
              8  3.5
             11  4.5
             33  5
              2  5.5
              2  6.5
             24  7.5
             74  10
              1 12.5
             18  15
              2 17.5
             39  20
              3  25
             98  30
              1  40
              1  45
           1,077 .
              1  .c
mean:       12.5602
std. dev:   11.411

percentiles:    10%    25%    50%    75%    90%
                0     2.75    10     20     30
    
```

c1_ba_G **G : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing .: 1,077/1,510
missing *: 211/1,510

tabulation: Freq. Numeric Label
             14         1 father
             29         3 mother
             37         5 grandparents
              2         7 uncle/aunt
             112         9 brother/sister/cousin
             26        11 outsider
              2        13 other household member
           1,077         .
             211        .b
    
```

c1_bb_G **G : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A
range: [1,13]
unique values: 7
unique missing codes: 2
units: 1
missing .: 1,352/1,510
missing *: 11/1,510
    
```

tabulation:	Freq.	Numeric	Label
	7	1	father
	13	3	mother
	20	5	grandparents
	1	7	uncle/aunt
	66	9	brother/sister/cousin
	38	11	outsider
	2	13	other household member
	1,352	.	
	11	.b	

c1_bc_G **G : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [3,11] units: 1
 unique values: 4 missing .: 1,470/1,510
 unique missing codes: 2 missing *: 3/1,510

tabulation:	Freq.	Numeric	Label
	3	3	mother
	2	5	grandparents
	16	9	brother/sister/cousin
	16	11	outsider
	1,470	.	
	3	.b	

c1_ba_gen_G **Gender code (person 1)**

type: numeric (byte)
 label: **c1_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,288/1,510

tabulation:	Freq.	Numeric	Label
	95	1	male
	127	3	female
	1,288	.	

c1_bb_gen_G **Gender code (person 2)**

type: numeric (byte)
 label: **c1_bb_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,362/1,510

tabulation:	Freq.	Numeric	Label
	55	1	male
	93	3	female
	1,362	.	

c1_bc_gen_G **Gender code (person 3)**

type: numeric (byte)
 label: **c1_bc_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,473/1,510

```

tabulation:  Freq.  Numeric  Label
              17      1  male
              20      3  female
            1,473      .
    
```

c2_code_G **G : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 3

units: 1
missing .: 0/1,510
missing *: 709/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              356      0  never
              2       5  at least once a week
             304      7  once a day
             139      9  more than once a day
              1       .a
              1       .b
             707      .c
    
```

c2_hr_G **G : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,12]
unique values: 10

units: 1
missing .: 1,065/1,510
    
```

```

tabulation:  Freq.  Value
              217    0
              87    1
              97    2
               7    3
              18    4
              12    5
               4    6
               1    7
               1    9
               1   12
            1,065    .
mean:       1.09213
std. dev:   1.51064
    
```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      1      2      2
    
```

c2_min_G **G : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,50]
unique values: 21

units: 1
missing .: 1,065/1,510
    
```

```

tabulation:  Freq.  Value
              204    0
               3    4
               5    5
               4    6
               4    7
               1    8
               9    9
              20   10
               2   11
               1   12
               4   14
              15   15
               1   18
              77   20
               3   23
               7   25
               3   26
              34   30
               3   35
              38   40
               7   50
              1,065 .
    mean:      12.5124
  std. dev:    14.2272

percentiles:  10%    25%    50%    75%    90%
              0      0      9      20     40
    
```

c2_aa_G **G :Monday-Friday How many times (Saturday - Sunday)**

```

type: string (str30), but longest is str10
unique values: 10          missing "": 1,065/1,510
    
```

```

tabulation:  Freq.  Value
              1,065 ""
               305 "1"
                16 "1.5"
                49 "2"
                18 "2.5"
                 5 "3"
                 3 "3.5"
                 2 "4"
                 3 "4.5"
                 2 "5.5"
                42 "many times"
    
```

warning: variable has embedded blanks

c2_ab_G **G :Monday-Friday How many times per units (Saturday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 2          missing "": 1,065/1,510
    
```

```

tabulation:  Freq.  Value
              1,065 ""
               442 "day"
                 3 "week"
    
```

c2_ac_G **G :Monday-Friday How many times per hours (Saturday - Sunday)**

type: numeric (double)

range: [0,6] units: .1
 unique values: 9 missing .: 1,065/1,510

tabulation: Freq. Value
 331 0
 93 1
 1 1.5
 13 2
 1 2.5
 3 3
 1 3.5
 1 4.5
 1 6
 1,065 .
 mean: .32809
 std. dev: .672997

percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 1

c2_ad_G G : Monday-Friday How many times per minutes (Saturday - Sunday)

type: numeric (double)

range: [0,45] units: .1
 unique values: 18 missing .: 1,065/1,510

tabulation: Freq. Value
 108 0
 4 2
 6 2.5
 5 3
 8 3.5
 9 4.5
 30 5
 2 5.5
 2 6.5
 25 7.5
 77 10
 17 15
 2 17.5
 42 20
 3 25
 101 30
 1 40
 3 45
 1,065 .
 mean: 12.6921
 std. dev: 11.6617

percentiles: 10% 25% 50% 75% 90%
 0 2 10 20 30

c2_ba_G G : People doing activity with (person 1)

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 7 missing .: 1,065/1,510
 unique missing codes: 2 missing *: 211/1,510

tabulation:	Freq.	Numeric	Label
	14	1	father
	28	3	mother
	37	5	grandparents
	2	7	uncle/aunt
	126	9	brother/sister/cousin
	25	11	outsider
	2	13	other household member
	1,065	.	
	211	.b	

c2_bb_G **G : People doing activity with (person 2)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 7 missing .: 1,350/1,510
 unique missing codes: 2 missing *: 11/1,510

tabulation:	Freq.	Numeric	Label
	6	1	father
	13	3	mother
	20	5	grandparents
	2	7	uncle/aunt
	68	9	brother/sister/cousin
	38	11	outsider
	2	13	other household member
	1,350	.	
	11	.b	

c2_bc_G **G : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [3,11] units: 1
 unique values: 4 missing .: 1,469/1,510
 unique missing codes: 2 missing *: 3/1,510

tabulation:	Freq.	Numeric	Label
	3	3	mother
	2	5	grandparents
	16	9	brother/sister/cousin
	17	11	outsider
	1,469	.	
	3	.b	

c2_ba_gen_G **Gender code (person 1)**

type: numeric (byte)
 label: **c2_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,277/1,510

tabulation:	Freq.	Numeric	Label
	97	1	male
	136	3	female
	1,277	.	

c2_bb_gen_G **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,360/1,510

tabulation: Freq.  Numeric  Label
              55      1  male
              95      3  female
            1,360      .
    
```

c2_bc_gen_G **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,472/1,510

tabulation: Freq.  Numeric  Label
              17      1  male
              21      3  female
            1,472      .
    
```

c3_code_G **G : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 3
unique missing codes: 3
units: 1
missing ..: 0/1,510
missing *: 802/1,510

tabulation: Freq.  Numeric  Label
              1      1  less than once a month
              47     3  at least once a month
             660     5  at least once a week
              1      .a
             800     .b
              1      .c
    
```

c3_hr_G **G : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,8]
unique values: 9
units: 1
missing ..: 850/1,510

tabulation: Freq.  Value
              418  0
              168  1
               48  2
               13  3
                6  4
                2  5
                1  6
                3  7
                1  8
              850  .
mean: .563636
std. dev: 1.00101

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2
    
```

c3_min_G

G : Minutes per week (Monday - Sunday)

type: numeric (**float**)
 range: [0,53] units: 1
 unique values: 33 missing .: 850/1,510

tabulation: Freq. Value

109	0
4	1
10	2
16	3
3	4
34	5
9	6
2	7
15	8
6	9
51	10
9	11
2	12
7	13
1	14
78	15
2	18
6	19
55	20
9	23
11	25
5	26
3	28
124	30
1	31
1	33
9	35
8	38
23	40
1	44
31	45
11	50
4	53
850	.

mean: 17.9909
 std. dev: 14.2273

percentiles: 10% 25% 50% 75% 90%
 0 5 15 30 40

c3_aa_G

G :Monday-Friday How many times (Monday - Sunday)

type: string (**str6**), but longest is str3
 unique values: 11 missing "": 850/1,510

tabulation: Freq. Value

850	" "
148	"1"
1	"1.3"
68	"1.5"
166	"2"
99	"2.5"
86	"3"
45	"3.5"
20	"4"
14	"4.5"
11	"5"
2	"5.5"

c3_ab_G **G :Monday-Friday How many times per units (Monday - Sunday)**

type: string (**str22**), but longest is str4
 unique values: 1 missing "": 850/1,510
 tabulation: Freq. Value
 850 ""
 660 "week"

c3_ac_G **G :Monday-Friday How many times per hours (Monday - Sunday)**

type: numeric (**double**)
 range: [0,3] units: .1
 unique values: 5 missing .: 850/1,510
 tabulation: Freq. Value
 570 0
 80 1
 3 1.5
 6 2
 1 3
 850 .
 mean: .150758
 std. dev: .398688
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

c3_ad_G **G :Monday-Friday How many times per minutes (Monday - Sunday)**

type: numeric (**double**)
 range: [0,45] units: .1
 unique values: 22 missing .: 931/1,510
 tabulation: Freq. Value
 7 0
 8 1
 3 1.5
 9 2
 14 2.5
 15 3
 7 3.5
 5 4
 4 4.5
 61 5
 2 5.5
 27 7.5
 138 10
 8 12.5
 40 15
 1 17.5
 58 20
 15 25
 151 30
 2 35
 1 40
 3 45
 931 .
 mean: 15.715
 std. dev: 10.4889


```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,095/1,510

tabulation: Freq.  Numeric  Label
              173      1  male
              242      3  female
              1,095      .
    
```

c3_bb_gen_G **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,306/1,510

tabulation: Freq.  Numeric  Label
              84      1  male
              120     3  female
              1,306      .
    
```

c3_bc_gen_G **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,442/1,510

tabulation: Freq.  Numeric  Label
              31      1  male
              37      3  female
              1,442      .
    
```

activity_J
 Go to work with the household members e.g. go to field,farm, sell goods (not dis

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.  Value
              1,510  ""
    
```

detail_J **_J detail**

```

type: string (str238), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.  Value
              1,510  ""
    
```

c1_code_J **J : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code
    
```

range: [0,9] units: 1
 unique values: 4 missing .: 1/1,510
 unique missing codes: 4 missing *: 527/1,510

tabulation:	Freq.	Numeric	Label
	744	0	never
	9	5	at least once a week
	212	7	once a day
	17	9	more than once a day
	1	.	.
	1	.a	.a
	1	.b	.b
	525	.c	.c

c1_hr_J

J : Hours per week (Monday - Friday)

type: numeric (float)
 range: [0,60] units: 1
 unique values: 22 missing .: 1,271/1,510

tabulation:	Freq.	Value
	5	0
	6	1
	31	2
	3	3
	1	4
	56	5
	5	6
	17	7
	48	10
	16	12
	19	15
	4	17
	9	20
	4	22
	3	25
	1	32
	2	35
	1	42
	4	45
	1	47
	2	55
	1	60

mean: 10.1213
 std. dev: 9.88282

percentiles:	10%	25%	50%	75%	90%
	2	5	7	12	20

c1_min_J

J : Minutes per week (Monday - Friday)

type: numeric (float)
 range: [0,56] units: 1
 unique values: 11 missing .: 1,271/1,510

c1_bb_J **J : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7      missing .. 1,325/1,510

tabulation: Freq.   Numeric  Label
              7         1  father
              42        3  mother
              103       5  grandparents
               2         7  uncle/aunt
               24        9  brother/sister/cousin
               2        11  outsider
               5        13  other household member
            1,325         .
    
```

c1_bc_J **J : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 6      missing .. 1,436/1,510

tabulation: Freq.   Numeric  Label
              2         1  father
              3         3  mother
              13        5  grandparents
               2         7  uncle/aunt
              53        9  brother/sister/cousin
               1        13  other household member
            1,436         .
    
```

c1_ba_gen_J **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .. 1,271/1,510

tabulation: Freq.   Numeric  Label
              146       1  male
               93       3  female
            1,271         .
    
```

c1_bb_gen_J **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .. 1,325/1,510

tabulation: Freq.   Numeric  Label
              48         1  male
              137        3  female
            1,325         .
    
```

c1_bc_gen_J **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,436/1,510

tabulation: Freq.  Numeric  Label
              40         1  male
              34         3  female
            1,436         .
    
```

c2_code_J **J : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 5
unique missing codes: 4
units: 1
missing ..: 1/1,510
missing *: 527/1,510

tabulation: Freq.  Numeric  Label
              480         0  never
               4         3  at least once a month
               49         5  at least once a week
              418         7  once a day
               31         9  more than once a day
                1         .
                1         .a
                1         .b
              525         .c
    
```

c2_hr_J **J : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,44]
unique values: 29
units: .1
missing ..: 1,012/1,510

tabulation: Freq.  Value
              18     0
              39     1
              82     2
              23     3
              28     4
              17     5
              37     6
               9     7
              21     8
              19     9
              24    10
               5    11
               1    11.6
              17    12
               7    13
              21    14
               6    15
              43    16
               5    17
              37    18
              11    19
              16    20
               1    21
               4    22
               3    24
    
```

```

                1 25
                1 26
                1 28
                1 44
            1,012 .
    mean:      8.73614
    std. dev:  6.84259

    percentiles:    10%    25%    50%    75%    90%
                   1      2      7     15     18
    
```

c2_min_J **J : Minutes per week (Saturday - Sunday)**

```

    type: numeric (float)

    range: [0,50]
    unique values: 8
    units: 1
    missing ..: 1,012/1,510

    tabulation:
    Freq. Value
    464 0
    1 9
    3 15
    1 19
    2 20
    18 30
    7 40
    2 50
    1,012 .
    mean: 2.0743
    std. dev: 8.04593

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

c2_aa_J **J : Monday-Friday How many times (Saturday - Sunday)**

```

    type: string (str30), but longest is str10

    unique values: 11
    missing "": 1,012/1,510

    tabulation:
    Freq. Value
    1,012 ""
    1 "0.9"
    463 "1"
    1 "1.2"
    3 "1.5"
    14 "2"
    2 "2.5"
    1 "3"
    1 "4"
    1 "4.5"
    1 "5"
    10 "many times"

    warning: variable has embedded blanks
    
```

c2_ab_J **J : Monday-Friday How many times per units (Saturday - Sunday)**

```

    type: string (str21), but longest is str4

    unique values: 2
    missing "": 1,012/1,510
    
```

```

tabulation: Freq. Value
            1,012 ""
            453  "day"
            45  "week"
    
```

c2_ac_J **J :Monday-Friday How many times per hours (Saturday - Sunday)**

```

type: numeric (double)
range: [0,14] units: .1
unique values: 22 missing .: 1,012/1,510

tabulation: Freq. Value
            53 0
            91 1
            14 1.5
            31 2
            15 2.5
            40 3
             6 3.5
            21 4
            13 4.5
            21 5
             5 5.5
            24 6
             1 6.5
            26 7
             1 7.5
            53 8
            53 9
            19 10
             5 11
             4 12
             1 13
             1 14
            1,012 .
mean: 4.39458
std. dev: 3.41591

percentiles: 10% 25% 50% 75% 90%
              0 1 3.5 8 9
    
```

c2_ad_J **J :Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,45] units: .1
unique values: 10 missing .: 1,012/1,510

tabulation: Freq. Value
            394 0
             1 1
             3 7.5
             3 10
             1 11.6
             4 15
             7 20
             2 25
            81 30
             2 45
            1,012 .
mean: 5.69297
std. dev: 11.5555

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 30
    
```

c2_ba_J **J : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]                units: 1
unique values: 7              missing .. 1,008/1,510

tabulation: Freq.  Numeric  Label
              105      1     father
              57       3     mother
              285      5     grandparents
              17       7     uncle/aunt
              20       9     brother/sister/cousin
              2        11    outsider
              16       13    other household member
1,008          .
    
```

c2_bb_J **J : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]                units: 1
unique values: 7              missing .. 1,090/1,510

tabulation: Freq.  Numeric  Label
              11      1     father
              89      3     mother
              236     5     grandparents
              9       7     uncle/aunt
              58      9     brother/sister/cousin
              3       11    outsider
              14      13    other household member
1,090          .
    
```

c2_bc_J **J : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]                units: 1
unique values: 7              missing .. 1,335/1,510

tabulation: Freq.  Numeric  Label
              6       1     father
              10      3     mother
              40      5     grandparents
              5       7     uncle/aunt
              109     9     brother/sister/cousin
              2       11    outsider
              3       13    other household member
1,335          .
    
```

c2_ba_gen_J **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]                 units: 1
unique values: 2              missing .. 1,008/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              318      1  male
              184      3  female
              1,008      .
    
```

c2_bb_gen_J **Gender code (person 2)**

```

type:  numeric (byte)
label:  c2_bb_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,090/1,510

tabulation:  Freq.  Numeric  Label
              111      1  male
              309      3  female
              1,090      .
    
```

c2_bc_gen_J **Gender code (person 3)**

```

type:  numeric (byte)
label:  c2_bc_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,335/1,510

tabulation:  Freq.  Numeric  Label
              82      1  male
              93      3  female
              1,335      .
    
```

c3_code_J **J : Frequency (Monday - Sunday)**

```

type:  numeric (byte)
label:  c3_code

range:  [1,5]
unique values:  3
unique missing codes:  4

units:  1
missing .:  1/1,510
missing *:  983/1,510

tabulation:  Freq.  Numeric  Label
              6      1  less than once a month
              222     3  at least once a month
              298     5  at least once a week
              1      .
              1      .a
              980     .b
              2      .c
    
```

c3_hr_J **J : Hours per week (Monday - Sunday)**

```

type:  numeric (float)

range:  [0,32]
unique values:  25

units:  .1
missing .:  1,212/1,510
    
```

```

tabulation:  Freq.  Value
              40    0
              63    1
              54    2
              32    3
              20    4
              13    5
              16    6
              11    7
               2    8
              15    9
               5   10
               2   11
               6   12
               2   13
               2   14
               3   15
               2   16
               1   17
               2   18
               1   22
               1   25
               1  27.9
               1   28
               1   30
               2   32
              1,212 .
    mean:     4.23121
    std. dev: 5.32268

```

```

percentiles:    10%    25%    50%    75%    90%
                0      1      2      6     10

```

c3_min_J

J : Minutes per week (Monday - Sunday)

```

type: numeric (float)
range: [0,53]
unique values: 16
units: 1
missing .: 1,212/1,510

```

```

tabulation:  Freq.  Value
              157    0
               1    5
               2    8
               3   10
               1   11
               1   13
              21   15
               1   19
               2   20
               1   23
               1   25
              86   30
               1   35
              18   45
               1   50
               1   53
              1,212 .
    mean:     13.5067
    std. dev: 15.7637

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0     30     30

```

c3_aa_J

J :Monday-Friday How many times (Monday - Sunday)

type: string (str6), but longest is str4

unique values: 12 missing "": 1,212/1,510

```

tabulation: Freq. Value
1,212 ""
101 "1"
31 "1.5"
60 "2"
1 "2.1"
27 "2.5"
37 "3"
1 "3.49"
14 "3.5"
8 "4"
8 "4.5"
8 "5"
2 "5.5"
    
```

c3_ab_J J :Monday-Friday How many times per units (Monday - Sunday)

type: string (str22), but longest is str5

unique values: 2 missing "": 1,211/1,510

```

tabulation: Freq. Value
1,211 ""
2 "month"
297 "week"
    
```

c3_ac_J J :Monday-Friday How many times per hours (Monday - Sunday)

type: numeric (double)

range: [0,27.9] units: .1
 unique values: 16 missing .: 1,212/1,510

```

tabulation: Freq. Value
70 0
90 1
13 1.5
31 2
14 2.5
21 3
4 3.5
5 4
8 4.5
9 5
7 6
7 7
7 8
10 9
1 10
1 27.9
1,212 .
mean: 2.21275
std. dev: 2.7877
    
```

percentiles: 10% 25% 50% 75% 90%
 0 1 1 3 6

c3_ad_J J :Monday-Friday How many times per minutes (Monday - Sunday)

type: numeric (double)

range: [0,45] units: .1
 unique values: 11 missing .: 1,411/1,510

```

tabulation:  Freq.  Value
              8    0
              1    1
              5    5
              1   7.5
              6   10
              8   15
              1   20
              1   25
              1   29
              65  30
              2   45
            1,411 .
      mean:   23.5101
    std. dev: 11.1933

percentiles:    10%    25%    50%    75%    90%
                5     15     30     30     30
    
```

c3_ba_J **J : People doing activity with (person 1)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [1,13]          units: 1
unique values: 7          missing .: 984/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              82     1  father
              64     3  mother
             327     5  grandparents
              17     7  uncle/aunt
              14     9  brother/sister/cousin
               5    11  outsider
              17    13  other household member
             984     .
    
```

c3_bb_J **J : People doing activity with (person 2)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [1,13]          units: 1
unique values: 7          missing .: 1,130/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              23     1  father
              73     3  mother
             214     5  grandparents
               8     7  uncle/aunt
              50     9  brother/sister/cousin
               1    11  outsider
              11    13  other household member
            1,130     .
    
```

c3_bc_J **J : People doing activity with (person 3)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [1,13]          units: 1
unique values: 7          missing .: 1,371/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              6         1  father
              8         3  mother
             22         5  grandparents
              2         7  uncle/aunt
             98         9  brother/sister/cousin
              1        11  outsider
              2        13  other household member
            1,371         .
    
```

c3_ba_gen_J **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .. 985/1,510

tabulation:  Freq.  Numeric  Label
              289         1  male
              236         3  female
              985         .
    
```

c3_bb_gen_J **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .. 1,131/1,510

tabulation:  Freq.  Numeric  Label
              108         1  male
              271         3  female
             1,131         .
    
```

c3_bc_gen_J **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2

units: 1
missing .. 1,371/1,510

tabulation:  Freq.  Numeric  Label
              48         1  male
              91         3  female
             1,371         .
    
```

activity_K **Do housework (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation:  Freq.  Value
            1,510  ""
    
```

detail_K **K: detail**

```

type: string (str238), but longest is str0
    
```

unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

c1_code_K **K : Frequency (Monday - Friday)**

type: numeric (byte)
 label: **c1_code**
 range: [0,9] units: 1
 unique values: 3 missing .: 0/1,510
 unique missing codes: 2 missing *: 458/1,510

tabulation:	Freq.	Numeric	Label
	925	0	never
	79	7	once a day
	48	9	more than once a day
	1	.a	
	457	.c	

c1_hr_K **K : Hours per week (Monday - Friday)**

type: numeric (float)
 range: [0,7] units: 1
 unique values: 7 missing .: 1,383/1,510

tabulation:	Freq.	Value
	90	0
	19	1
	11	2
	1	3
	2	4
	3	5
	1	7
	1,383	.

mean: .582677
 std. dev: 1.21133

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

c1_min_K **K : Minutes per week (Monday - Friday)**

type: numeric(float)
 range: [0,56] units: 1
 unique values: 19 missing .: 1,383/1,510

tabulation:	Freq.	Value
	3	0
	2	3
	3	5
	1	8
	6	10
	5	13
	13	15
	3	18
	4	20
	2	23
	32	25
	1	28
	10	30
	1	34
	15	38

```

          5 40
          1 44
          17 50
           3 56
    1,383 .
    mean: 27.7402
    std. dev: 14.0499

    percentiles:    10%    25%    50%    75%    90%
                   10     15     25     38     50

```

c1_aa_K **K :Monday-Friday How many times (Monday - Friday)**

```

    type: string (str27), but longest is str10
    unique values: 7          missing "": 1,383/1,510

    tabulation: Freq. Value
                1,383 ""
                 79 "1"
                 21 "1.5"
                 11 "2"
                   6 "2.5"
                    1 "3"
                    2 "3.5"
                    7 "many times"

    warning: variable has embedded blanks

```

c1_ab_K **K :Monday-Friday How many times per units (Monday - Friday)**

```

    type: string (str21), but longest is str3
    unique values: 1          missing "": 1,383/1,510

    tabulation: Freq. Value
                1,383 ""
                 127 "day"

```

c1_ac_K **K :Monday-Friday How many times per hours (Monday - Friday)**

```

    type: numeric (double)
    range: [0,1]          units: 1
    unique values: 2          missing .: 1,383/1,510

    tabulation: Freq. Value
                124 0
                   3 1
    1,383 .
    mean: .023622
    std. dev: .15247

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0

```

c1_ad_K **K :Monday-Friday How many times per minutes (Monday - Friday)**

```

    type: numeric (double)
    range: [0,30]        units: .1
    unique values: 15     missing .: 1,383/1,510

```



```

tabulation:  Freq.  Numeric  Label
              2      5      grandparents
              2      9      brother/sister/cousin
              1,506      .
    
```

c1_ba_gen_K **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,395/1,510

tabulation:  Freq.  Numeric  Label
              13     1      male
              102    3      female
              1,395      .
    
```

c1_bb_gen_K **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,475/1,510

tabulation:  Freq.  Numeric  Label
              5      1      male
              30     3      female
              1,475      .
    
```

c1_bc_gen_K **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,506/1,510

tabulation:  Freq.  Numeric  Label
              2      1      male
              2      3      female
              1,506      .
    
```

c2_code_K **K : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]          units: 1
unique values: 3      missing .: 0/1,510
unique missing codes: 2      missing *: 458/1,510

tabulation:  Freq.  Numeric  Label
              922    0      never
              80     7      once a day
              50     9      more than once a day
              1      .a
              457    .c
    
```

c2_hr_K **K : Hours per week (Saturday - Sunday)**

```

type: numeric (float)
range: [0,3] units: 1
unique values: 4 missing .: 1,380/1,510

tabulation: Freq. Value
             114 0
              12 1
               3 2
               1 3
            1,380 .
mean:       .161538
std. dev:   .479079

percentiles: 10% 25% 50% 75% 90%
              0  0  0  0  1
    
```

c2_min_K

K : Minutes per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,50] units: 1
unique values: 20 missing .: 1,380/1,510

tabulation: Freq. Value
             13 0
              1 2
              1 3
              5 4
              5 5
              2 6
              3 7
              3 8
              2 9
             32 10
              1 14
             16 15
              2 18
             17 20
              3 23
              2 25
             12 30
              1 35
              7 40
              2 50
            1,380 .
mean:       15.1462
std. dev:   11.3008

percentiles: 10% 25% 50% 75% 90%
              1  8  10  20  30
    
```

c2_aa_K

K :Monday-Friday How many times (Saturday - Sunday)

```

type: string (str30), but longest is str10
unique values: 7 missing "": 1,380/1,510

tabulation: Freq. Value
            1,380 ""
              80 "1"
              23 "1.5"
              10 "2"
               6 "2.5"
               1 "3"
               3 "3.5"
               7 "many times"
    
```

warning: variable has embedded blanks

c2_ab_K **K :Monday-Friday How many times per units (Saturday - Sunday)**

type: string (**str21**), but longest is str3
 unique values: 1 missing "": 1,380/1,510
 tabulation: Freq. Value
 1,380 ""
 130 "day"

c2_ac_K **K :Monday-Friday How many times per hours (Saturday - Sunday)**

type: numeric (**double**)
 range: [0,1] units: 1
 unique values: 2 missing .: 1,380/1,510
 tabulation: Freq. Value
 128 0
 2 1
 1,380 .
 mean: .015385
 std. dev: .123553
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

c2_ad_K **K :Monday-Friday How many times per minutes (Saturday - Sunday)**

type: numeric (**double**)
 range: [0,30] units: .1
 unique values: 15 missing .: 1,380/1,510
 tabulation: Freq. Value
 2 0
 1 1
 2 1.5
 6 2
 8 2.5
 2 3
 3 3.5
 2 4
 3 4.5
 52 5
 8 7.5
 19 10
 4 15
 9 20
 9 30
 1,380 .
 mean: 8.41538
 std. dev: 7.5074
 percentiles: 10% 25% 50% 75% 90%
 2.5 5 5 10 20

c2_ba_K **K : People doing activity with (person 1)**

type: numeric (**byte**)
 label: **c1_ba_A**

range: [1,13] units: 1
 unique values: 6 missing .: 1,380/1,510
 unique missing codes: 2 missing *: 11/1,510

tabulation:	Freq.	Numeric	Label
	2	1	father
	28	3	mother
	67	5	grandparents
	1	7	uncle/aunt
	17	9	brother/sister/cousin
	4	13	other household member
	1,380	.	
	11	.b	

c2_bb_K **K : People doing activity with (person 2)**

type: numeric (byte)
 label: c1_ba_A
 range: [3,13] units: 1
 unique values: 5 missing .: 1,470/1,510

tabulation:	Freq.	Numeric	Label
	9	3	mother
	12	5	grandparents
	2	7	uncle/aunt
	16	9	brother/sister/cousin
	1	13	other household member
	1,470	.	

c2_bc_K **K : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A
 range: [5,9] units: 1
 unique values: 2 missing .: 1,506/1,510

tabulation:	Freq.	Numeric	Label
	2	5	grandparents
	2	9	brother/sister/cousin
	1,506	.	

c2_ba_gen_K **Gender code (person 1)**

type: numeric (byte)
 label: c2_ba_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 1,391/1,510

tabulation:	Freq.	Numeric	Label
	13	1	male
	106	3	female
	1,391	.	

c2_bb_gen_K **Gender code (person 2)**

type: numeric (byte)
 label: c2_bb_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 1,470/1,510

```

tabulation:  Freq.  Numeric  Label
              5        1  male
              35       3  female
              1,470     .
    
```

c2_bc_gen_K **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,506/1,510

tabulation:  Freq.  Numeric  Label
              2        1  male
              2        3  female
              1,506     .
    
```

c3_code_K **K : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]          units: 1
unique values: 2      missing .: 0/1,510
unique missing codes: 3  missing *: 1,053/1,510

tabulation:  Freq.  Numeric  Label
              61        3  at least once a month
              396       5  at least once a week
              1         .a
              1,051     .b
              1         .c
    
```

c3_hr_K **K : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,3]          units: 1
unique values: 4      missing .: 1,114/1,510

tabulation:  Freq.  Value
              364    0
              27    1
              3     2
              2     3
              1,114  .
mean:        .098485
std. dev:    .366851

percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

c3_min_K **K : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,53]        units: 1
unique values: 31    missing .: 1,114/1,510
    
```

```

tabulation:  Freq.  Value
              18    0
               2    1
              13    2
              32    3
              13    4
              38    5
              12    6
               6    7
              23    8
               6    9
              48   10
              12   11
              10   13
               2   14
              30   15
               1   17
               3   18
               4   19
              32   20
               9   23
              14   25
               1   26
               1   28
              29   30
               1   31
              12   35
               5   38
              11   40
               2   45
               4   50
               2   53
            1,114  .
      mean:      14.351
  std. dev:     11.7394

percentiles:      10%      25%      50%      75%      90%
                  3         5         10         20         30
  
```

c3_aa_K **K :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 11          missing "": 1,114/1,510

tabulation:  Freq.  Value
            1,114  ""
             113  "1"
              45  "1.5"
              94  "2"
              53  "2.5"
              50  "3"
              22  "3.5"
               9  "4"
               6  "4.5"
               1  "4.9"
               2  "5"
               1  "5.5"
  
```

c3_ab_K **K :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4
unique values: 1          missing "": 1,114/1,510
  
```

```

tabulation: Freq. Value
             1,114 ""
             396  "week"
    
```

c3_ac_K **K : Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,2.4]
unique values: 3
units: .1
missing .: 1,114/1,510

tabulation: Freq. Value
             388 0
             7  1
             1  2.4
             1,114 .
mean: .023737
std. dev: .178154

percentiles: 10% 25% 50% 75% 90%
              0  0  0  0  0
    
```

c3_ad_K **K : Monday-Friday How many times per minutes (Monday - Sunday)**

```

type: numeric (double)
range: [1,35]
unique values: 21
units: .1
missing .: 1,122/1,510

tabulation: Freq. Value
             9  1
             7  1.5
            24  2
            31  2.5
            19  3
             7  3.5
            13  4.5
            91  5
             1  5.5
             1  6
             1  6.5
            21  7.5
            93  10
             2  12.5
            16  15
             1  17
             1  17.5
            22  20
             2  25
            25  30
             1  35
            1,122 .
mean: 8.81443
std. dev: 7.51169

percentiles: 10% 25% 50% 75% 90%
              2  4  5  10  20
    
```

c3_ba_K **K : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
    
```

range: [1,13] units: 1
 unique values: 7 missing .: 1,053/1,510
 unique missing codes: 2 missing *: 94/1,510

tabulation:	Freq.	Numeric	Label
	6	1	father
	129	3	mother
	165	5	grandparents
	10	7	uncle/aunt
	43	9	brother/sister/cousin
	1	11	outsider
	9	13	other household member
	1,053	.	
	94	.b	

c3_bb_K **K : People doing activity with (person 2)**

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 6 missing .: 1,411/1,510
 unique missing codes: 2 missing *: 4/1,510

tabulation:	Freq.	Numeric	Label
	4	1	father
	15	3	mother
	37	5	grandparents
	4	7	uncle/aunt
	31	9	brother/sister/cousin
	4	13	other household member
	1,411	.	
	4	.b	

c3_bc_K **K : People doing activity with (person 3)**

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 5 missing .: 1,494/1,510

tabulation:	Freq.	Numeric	Label
	1	1	father
	2	3	mother
	4	5	grandparents
	8	9	brother/sister/cousin
	1	13	other household member
	1,494	.	

c3_ba_gen_K **Gender code (person 1)**

type: numeric (byte)
 label: c3_ba_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,148/1,510

tabulation:	Freq.	Numeric	Label
	39	1	male
	323	3	female
	1,148	.	

c3_bb_gen_K **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,413/1,510

tabulation: Freq.  Numeric  Label
              19         1  male
              78         3  female
            1,413         .
    
```

c3_bc_gen_K **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,495/1,510

tabulation: Freq.  Numeric  Label
              5         1  male
             10         3  female
            1,495         .
    
```

activity_L **Do homework (not display)**

```

type: string (str147), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.  Value
            1,510  ""
    
```

detail_L **L: detail**

```

type: string (str238), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.  Value
            1,510  ""
    
```

c1_code_L **L : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 6
unique missing codes: 2
units: 1
missing ..: 0/1,510
missing *: 184/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              568      0      never
              1       1      less than once a month
              2       3      at least once a month
              53      5      at least once a week
              690     7      once a day
              12     9      more than once a day
              2      .a
              182     .c
    
```

cl_hr_L **L : Hours per week (Monday - Friday)**

```

type: numeric (float)
range: [0,25]
unique values: 15
unique missing codes: 2
units: .1
missing .: 755/1,510
missing *: 2/1,510
    
```

```

tabulation:  Freq.  Value
              266     0
              149     1
              1    1.6
              207     2
              7      3
              105     5
              4      7
              1  7.4000001
              1      8
              1      9
              4     10
              4     12
              1     15
              1     20
              1     25
              755     .
              2     .c
    
```

```

mean: 1.74104
std. dev: 2.30829
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        2        5
    
```

cl_min_L **L : Minutes per week (Monday - Friday)**

```

type: numeric (float)
range: [0,56]
unique values: 34
unique missing codes: 2
units: .1
missing .: 755/1,510
missing *: 2/1,510
    
```

```

tabulation:  Freq.  Value
              124     0
              1    1.9
              2     2
              4     3
              7     5
              2     8
              1     9
              6    10
              8    13
              1    14
              59    15
              1    16
              1    17
              6    18
              1    19
              6    20
              5    23
    
```

```

58 25
 2 27
 8 28
212 30
 1 34.900002
 4 35
15 38
79 40
 2 42
 6 45
 1 45.299999
 1 46
 1 47
123 50
 2 53
 2 55
 1 56
755 .
 2 .c
mean: 27.1489
std. dev: 16.392

percentiles:    10%    25%    50%    75%    90%
                  0      15     30     40     50

```

c1_aa_L **L :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str4
unique values: 28 missing "": 755/1,510

```

```

tabulation: Freq. Value
755 ""
697 "1"
 2 "1.5"
 1 "1.6"
 1 "1.8"
10 "2"
 1 "2.3"
 1 "2.32"
 5 "2.5"
 1 "2.79"
 1 "2.8"
 7 "3"
 1 "3.02"
 1 "3.3"
 1 "3.48"
 2 "3.49"
 1 "3.5"
 1 "3.7"
 1 "3.72"
 2 "3.9"
 8 "4"
 1 "4.2"
 2 "4.4"
 2 "4.42"
 1 "4.5"
 1 "4.65"
 1 "4.9"
 1 "5.1"
 1 "5.8"

```

c1_ab_L **L :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str4
unique values: 2 missing "": 755/1,510

```



```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 953/1,510

tabulation: Freq.   Numeric   Label
              141         1   male
              416         3   female
              953         .
    
```

c1_bb_gen_L **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,202/1,510

tabulation: Freq.   Numeric   Label
              97         1   male
              211        3   female
             1,202        .
    
```

c1_bc_gen_L **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,438/1,510

tabulation: Freq.   Numeric   Label
              25         1   male
              47         3   female
             1,438        .
    
```

c2_code_L **L : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 3
units: 1
missing .. 1/1,510
missing *: 184/1,510

tabulation: Freq.   Numeric   Label
              1,002        0   never
              14          5   at least once a week
              303         7   once a day
              6           9   more than once a day
              1           .
              2           .a
              182         .c
    
```

c2_hr_L **L : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,5]
unique values: 6
units: 1
missing .. 1,187/1,510
    
```

```

tabulation:  Freq.  Value
              178    0
              87    1
              47    2
               3    3
               5    4
               3    5
            1,187  .
    mean:     .696594
    std. dev: .965662

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      2
    
```

c2_min_L **L : Minutes per week (Saturday - Sunday)**

```

    type: numeric (float)
    range: [0,40]
    unique values: 15
    units: 1
    missing .: 1,187/1,510

    tabulation:  Freq.  Value
                  142    0
                   2    2
                   2    3
                   2    4
                   4    5
                   3    6
                   5    7
                   5    8
                  29   10
                   1   12
                   5   15
                  55   20
                   3   25
                  27   30
                  38   40
            1,187  .
    mean:     12.4241
    std. dev:  14.111

percentiles:    10%    25%    50%    75%    90%
                0      0      8     20     40
    
```

c2_aa_L **L :Monday-Friday How many times (Saturday - Sunday)**

```

    type: string (str30), but longest is str10
    unique values: 3
    missing "": 1,187/1,510

    tabulation:  Freq.  Value
                  1,187  ""
                   318  "1"
                   4    "2"
                   1  "many times"

    warning: variable has embedded blanks
    
```

c2_ab_L **L :Monday-Friday How many times per units (Saturday - Sunday)**

```

    type: string (str21), but longest is str4
    unique values: 2
    missing "": 1,187/1,510
    
```

```

tabulation: Freq. Value
             1,187 ""
             309 "day"
             14  "week"
    
```

c2_ac_L L :Monday-Friday How many times per hours (Saturday - Sunday)

```

type: numeric (double)
range: [0,2.5] units: .1
unique values: 5 missing .: 1,187/1,510

tabulation: Freq. Value
             263 0
             53 1
              2 1.5
              4 2
              1 2.5
             1,187 .
mean: .205882
std. dev: .452937

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

c2_ad_L L :Monday-Friday How many times per minutes (Saturday - Sunday)

```

type: numeric (double)
range: [0,40] units: .1
unique values: 16 missing .: 1,187/1,510

tabulation: Freq. Value
             57 0
              2 1
              1 1.5
              2 2
              2 2.5
              5 3
              4 3.5
              4 4
              1 4.5
             27 5
             10 7.5
             55 10
             23 15
             38 20
             89 30
              3 40
             1,187 .
mean: 14.6037
std. dev: 11.6002

percentiles: 10% 25% 50% 75% 90%
              0 5 10 30 30
    
```

c2_ba_L L : People doing activity with (person 1)

```

type: numeric (byte)
label: c1_ba_A
range: [1,13] units: 1
unique values: 7 missing .: 1,187/1,510
unique missing codes: 2 missing *: 86/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              28      1  father
              67      3  mother
              94      5  grandparents
              11      7  uncle/aunt
              31      9  brother/sister/cousin
               1     11  outsider
               5     13  other household member
            1,187      .
              86      .b
    
```

c2_bb_L **L : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7
unique missing codes: 2

units: 1
missing .: 1,374/1,510
missing *: 10/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              15      1  father
              29      3  mother
              33      5  grandparents
               8      7  uncle/aunt
              31      9  brother/sister/cousin
               4     11  outsider
               6     13  other household member
            1,374      .
              10      .b
    
```

c2_bc_L **L : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,11]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,478/1,510
missing *: 1/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
               6      1  father
               6      3  mother
              12      5  grandparents
               1      7  uncle/aunt
               4      9  brother/sister/cousin
               2     11  outsider
            1,478      .
               1     .b
    
```

c2_ba_gen_L **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,273/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              57      1  male
              180     3  female
            1,273      .
    
```

c2_bb_gen_L **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,383/1,510

tabulation: Freq.  Numeric  Label
              39      1  male
              88      3  female
            1,383      .
    
```

c2_bc_gen_L **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,479/1,510

tabulation: Freq.  Numeric  Label
              13      1  male
              18      3  female
            1,479      .
    
```

c3_code_L **L : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 3
unique missing codes: 4
units: 1
missing ..: 1/1,510
missing *: 1,328/1,510

tabulation: Freq.  Numeric  Label
              2      1  less than once a month
              18      3  at least once a month
             161      5  at least once a week
              1      .
              2      .a
            1,325      .b
              1      .c
    
```

c3_hr_L **L : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,6]
unique values: 7
unique missing codes: 2
units: .1
missing ..: 1,349/1,510
missing *: 2/1,510

tabulation: Freq.  Value
            104  0
             33  1
             10  2
              2  2.4000001
              7  3
              2  4
              1  6
            1,349  .
              2  .c
mean:      .583648
std. dev:  1.01057
    
```

c3_ab_L **L :Monday-Friday How many times per units (Monday - Sunday)**

type: string (**str22**), but longest is str4
 unique values: 1 missing "": 1,349/1,510
 tabulation: Freq. Value
 1,349 ""
 161 "week"

c3_ac_L **L :Monday-Friday How many times per hours (Monday - Sunday)**

type: numeric (**double**)
 range: [0,2.4] units: .1
 unique values: 4 missing .: 1,349/1,510
 unique missing codes: 2 missing *: 1/1,510
 tabulation: Freq. Value
 139 0
 19 1
 1 2
 1 2.4
 1,349 .
 1 .c
 mean: .14625
 std. dev: .399195
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

c3_ad_L **L :Monday-Friday How many times per minutes (Monday - Sunday)**

type: numeric (**double**)
 range: [1,40] units: .1
 unique values: 17 missing .: 1,370/1,510
 unique missing codes: 2 missing *: 2/1,510
 tabulation: Freq. Value
 1 1
 1 2
 4 2.5
 7 3
 1 3.5
 2 4.5
 19 5
 2 5.5
 3 7.5
 1 9.5
 37 10
 3 12.5
 4 15
 16 20
 2 25
 34 30
 1 40
 1,370 .
 2 .c
 mean: 15.087
 std. dev: 10.2693
 percentiles: 10% 25% 50% 75% 90%
 3.5 5 10 30 30

c3_ba_L **L : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,329/1,510
missing *: 42/1,510

tabulation: Freq.  Numeric  Label
              10         1  father
              48         3  mother
              60         5  grandparents
               1         7  uncle/aunt
              17         9  brother/sister/cousin
               3        13  other household member
            1,329         .
               42         .b
    
```

c3_bb_L **L : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 6
unique missing codes: 2

units: 1
missing .: 1,450/1,510
missing *: 4/1,510

tabulation: Freq.  Numeric  Label
              4         1  father
              12        3  mother
              21         5  grandparents
               2         7  uncle/aunt
              15         9  brother/sister/cousin
               2        13  other household member
            1,450         .
               4         .b
    
```

c3_bc_L **L : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [3,11]
unique values: 4

units: 1
missing .: 1,501/1,510

tabulation: Freq.  Numeric  Label
              2         3  mother
               1         5  grandparents
               5         9  brother/sister/cousin
               1        11  outsider
            1,501         .
    
```

c3_ba_gen_L **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,371/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              34      1  male
              105     3  female
              1,371   .
    
```

c3_bb_gen_L **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,454/1,510

tabulation:  Freq.  Numeric  Label
              13      1  male
              43      3  female
              1,454   .
    
```

c3_bc_gen_L **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,501/1,510

tabulation:  Freq.  Numeric  Label
              3      1  male
              6      3  female
              1,501   .
    
```

activity_M **Child reads a book byself (not display)**

```

type: string (str147), but longest is str0

unique values: 0
missing "": 1,510/1,510

tabulation:  Freq.  Value
              1,510 ""
    
```

detail_M **M: detail**

```

type: string (str238), but longest is str0

unique values: 0
missing "": 1,510/1,510

tabulation:  Freq.  Value
              1,510 ""
    
```

c1_code_M **M : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: c1_code

range: [0,9]
unique values: 3
unique missing codes: 2

units: 1
missing .: 0/1,510
missing *: 36/1,510
    
```

```

tabulation: Freq.  Numeric  Label
            1,438      0      never
            32         7      once a day
            4          9      more than once a day
            1          .a
            35         .c
    
```

c1_hr_M **M : Hours per week (Monday - Friday)**

```

type: numeric (float)
range: [0,5]
unique values: 4
units: 1
missing .: 1,474/1,510

tabulation: Freq.  Value
            15      0
            11      1
             6      2
             4      5
            1,474 .
mean:      1.19444
std. dev:  1.54586

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        2        5
    
```

c1_min_M **M : Minutes per week (Monday - Friday)**

```

type: numeric (float)
range: [0,50]
unique values: 13
units: 1
missing .: 1,474/1,510

tabulation: Freq.  Value
            4      0
            3      3
            1      5
            1      8
            1     10
            1     20
            1     23
            4     25
            5     30
            1     34
            1     38
            7     40
            6     50
            1,474 .
mean:      27.1389
std. dev:  17.2629

percentiles:      10%      25%      50%      75%      90%
                  0         9       30       40       50
    
```

c1_aa_M **M :Monday-Friday How many times (Monday - Friday)**

```

type: string (str27), but longest is str10
unique values: 5
missing "": 1,474/1,510
    
```

```

tabulation: Freq. Value
             1,474 ""
              32 "1"
               1 "2"
               1 "2.5"
               1 "4"
               1 "many times"
    
```

warning: variable has embedded blanks

c1_ab_M **M :Monday-Friday How many times per units (Monday - Friday)**

```

type: string (str21), but longest is str3
unique values: 1 missing "": 1,474/1,510
tabulation: Freq. Value
             1,474 ""
              36 "day"
    
```

c1_ac_M **M :Monday-Friday How many times per hours (Monday - Friday)**

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,474/1,510
tabulation: Freq. Value
             32 0
              4 1
            1,474 .
mean: .111111
std. dev: .318728
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

c1_ad_M **M :Monday-Friday How many times per minutes (Monday - Friday)**

```

type: numeric (double)
range: [0,30] units: .1
unique values: 11 missing .: 1,474/1,510
tabulation: Freq. Value
             4 0
              1 1
              1 1.5
              1 2
              1 4.5
              4 5
              1 7
              5 7.5
              7 10
              6 20
              5 30
            1,474 .
mean: 11.4861
std. dev: 9.7222
percentiles: 10% 25% 50% 75% 90%
              0 5 8.75 20 30
    
```

c1_ba_M **M : People doing activity with (person 1)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [.,.]
      unique values: 0
      unique missing codes: 2

      units: .
      missing ..: 1,474/1,510
      missing *: 36/1,510

      tabulation: Freq.  Numeric  Label
                  1,474      .
                  36         .b
    
```

c1_bb_M **M : People doing activity with (person 2)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [.,.]
      unique values: 0

      units: .
      missing ..: 1,510/1,510

      tabulation: Freq.  Numeric  Label
                  1,510      .
    
```

c1_bc_M **M : People doing activity with (person 3)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [.,.]
      unique values: 0

      units: .
      missing ..: 1,510/1,510

      tabulation: Freq.  Numeric  Label
                  1,510      .
    
```

c1_ba_gen_M **Gender code (person 1)**

```

      type: numeric (byte)
      label: c1_ba_gen

      range: [.,.]
      unique values: 0
      unique missing codes: 2

      units: .
      missing ..: 1,509/1,510
      missing *: 1/1,510

      tabulation: Freq.  Numeric  Label
                  1,509      .
                   1         .b
    
```

c1_bb_gen_M **Gender code (person 2)**

```

      type: numeric (byte)
      label: c1_bb_gen

      range: [.,.]
      unique values: 0

      units: .
      missing ..: 1,510/1,510

      tabulation: Freq.  Numeric  Label
                  1,510      .
    
```

c1_bc_gen_M **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [.,.]
unique values: 0
units: .
missing ..: 1,510/1,510

tabulation: Freq.  Numeric  Label
              1,510      .
    
```

c2_code_M **M : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 4
unique missing codes: 2
units: 1
missing ..: 0/1,510
missing *: 36/1,510

tabulation: Freq.  Numeric  Label
              1,443      0  never
                1         5  at least once a week
               26         7  once a day
                4         9  more than once a day
                1         .a
               35         .c
    
```

c2_hr_M **M : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,2]
unique values: 3
units: 1
missing ..: 1,479/1,510

tabulation: Freq.  Value
              23  0
               5  1
               3  2
            1,479 .
mean:       .354839
std. dev:   .660726

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         1         1
    
```

c2_min_M **M : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,56]
unique values: 12
units: 1
missing ..: 1,479/1,510
    
```

```

tabulation:  Freq.  Value
              8    0
              1    2
              1    3
              1    4
              1    9
              4   10
              1   15
              5   20
              3   25
              1   38
              4   40
              1   56
            1,479  .
      mean:    16.1935
    std. dev:  15.7701

percentiles:      10%      25%      50%      75%      90%
                  0         0         10        25        40
    
```

c2_aa_M **M :Monday-Friday How many times (Saturday - Sunday)**

```

      type:  string (str30), but longest is str10
unique values:  5                missing "":  1,479/1,510

tabulation:  Freq.  Value
            1,479  ""
              26  "1"
               2  "2"
               1  "2.5"
               1  "4"
               1  "many times"

warning:  variable has embedded blanks
    
```

c2_ab_M **M :Monday-Friday How many times per units (Saturday - Sunday)**

```

      type:  string (str21), but longest is str4
unique values:  2                missing "":  1,479/1,510

tabulation:  Freq.  Value
            1,479  ""
              30  "day"
               1  "week"
    
```

c2_ac_M **M :Monday-Friday How many times per hours (Saturday - Sunday)**

```

      type:  numeric (double)
      range:  [0,1]                units:  1
unique values:  2                missing .:  1,479/1,510

tabulation:  Freq.  Value
            28    0
              3    1
            1,479  .
      mean:    .096774
    std. dev:  .300537

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

c2_ad_M **M : Monday-Friday How many times per minutes (Saturday - Sunday)**

type: numeric (**double**)
 range: [0,30] units: .1
 unique values: 11 missing .: 1,479/1,510

tabulation: Freq. Value
 3 0
 1 1
 1 1.5
 1 2
 1 4.5
 4 5
 1 7
 5 7.5
 6 10
 3 20
 5 30
 1,479 .
 mean: 11.0806
 std. dev: 9.91892

percentiles: 10% 25% 50% 75% 90%
 1 5 7.5 20 30

c2_ba_M **M : People doing activity with (person 1)**

type: numeric (**byte**)
 label: **c1_ba_A**
 range: [.,.] units: .
 unique values: 0 missing .: 1,479/1,510
 unique missing codes: 2 missing *: 31/1,510

tabulation: Freq. Numeric Label
 1,479 .
 31 .b

c2_bb_M **M : People doing activity with (person 2)**

type: numeric (**byte**)
 label: **c1_ba_A**
 range: [.,.] units: .
 unique values: 0 missing .: 1,510/1,510

tabulation: Freq. Numeric Label
 1,510 .

c2_bc_M **M : People doing activity with (person 3)**

type: numeric (**byte**)
 label: **c1_ba_A**
 range: [.,.] units: .
 unique values: 0 missing .: 1,510/1,510

tabulation: Freq. Numeric Label
 1,510 .

c2_ba_gen_M **Gender code (person 1)**

```

type: numeric (byte)
label: c2_ba_gen

range: [3,3]
unique values: 1
unique missing codes: 2

units: 1
missing .: 1,492/1,510
missing *: 1/1,510

tabulation: Freq.   Numeric   Label
              17         3   female
              1,492       .
              1         .b
    
```

c2_bb_gen_M **Gender code (person 2)**

```

type: numeric (byte)
label: c2_bb_gen

range: [.,.]
unique values: 0

units: .
missing .: 1,510/1,510

tabulation: Freq.   Numeric   Label
              1,510       .
    
```

c2_bc_gen_M **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [.,.]
unique values: 0

units: .
missing .: 1,510/1,510

tabulation: Freq.   Numeric   Label
              1,510       .
    
```

c3_code_M **M : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [3,5]
unique values: 2
unique missing codes: 3

units: 1
missing .: 0/1,510
missing *: 1,476/1,510

tabulation: Freq.   Numeric   Label
              2         3   at least once a month
              32        5   at least once a week
              1         .a
              1,474     .b
              1         .c
    
```

c3_hr_M **M : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,2]
unique values: 3

units: 1
missing .: 1,478/1,510
    
```

```

tabulation: Freq. Value
             27  0
             2  1
             3  2
          1,478 .
      mean:    .25
      std. dev: .622171

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

c3_min_M **M : Minutes per week (Monday - Sunday)**

```

type: numeric (float)
range: [0,53]
unique values: 14
units: 1
missing .: 1,478/1,510

tabulation: Freq. Value
             4  0
             1  2
             1  3
             2  6
             1 10
             1 11
             5 20
             1 23
             1 24
             2 25
             6 30
             3 38
             3 45
             1 53
          1,478 .
      mean:    22.4063
      std. dev: 15.2524

percentiles:    10%    25%    50%    75%    90%
                0      8     23.5   30     45
    
```

c3_aa_M **M :Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 8
missing "": 1,478/1,510

tabulation: Freq. Value
          1,478 ""
             3 "1"
             6 "1.5"
             9 "2"
             7 "2.5"
             4 "3"
             1 "3.5"
             1 "4"
             1 "5"
    
```

c3_ab_M **M :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4
unique values: 1
missing "": 1,478/1,510
    
```

```

tabulation: Freq. Value
             1,478 ""
             32  "week"
    
```

c3_ac_M **M : Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,1] units: 1
unique values: 2 missing .: 1,478/1,510

tabulation: Freq. Value
             28 0
             4 1
             1,478 .
mean: .125
std. dev: .336011

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

c3_ad_M **M : Monday-Friday How many times per minutes (Monday - Sunday)**

```

type: numeric (double)
range: [1,30] units: .1
unique values: 12 missing .: 1,482/1,510

tabulation: Freq. Value
             1 1
             1 1.5
             1 2.5
             1 3
             1 4.5
             1 5
             1 7.5
             1 8
             8 10
             6 15
             3 20
             3 30
             1,482 .
mean: 12.6071
std. dev: 8.12786

percentiles: 10% 25% 50% 75% 90%
              2.5 7.75 10 15 30
    
```

c3_ba_M **M : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [.,.] units: .
unique values: 0 missing .: 1,476/1,510
unique missing codes: 2 missing *: 34/1,510

tabulation: Freq. Numeric Label
             1,476 .
             34 .b
    
```

c3_bb_M **M : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [...]
unique values: 0
unique missing codes: 2

units: .
missing ..: 1,477/1,510
missing *: 33/1,510

tabulation: Freq. Numeric Label
             1,477      .
             33        .b
    
```

c3_bc_M **M : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [...]
unique values: 0
unique missing codes: 2

units: .
missing ..: 1,477/1,510
missing *: 33/1,510

tabulation: Freq. Numeric Label
             1,477      .
             33        .b
    
```

c3_ba_gen_M **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [...]
unique values: 0

units: .
missing ..: 1,510/1,510

tabulation: Freq. Numeric Label
             1,510      .
    
```

c3_bb_gen_M **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [...]
unique values: 0

units: .
missing ..: 1,510/1,510

tabulation: Freq. Numeric Label
             1,510      .
    
```

c3_bc_gen_M **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [...]
unique values: 0

units: .
missing ..: 1,510/1,510

tabulation: Freq. Numeric Label
             1,510      .
    
```

activity_N **Others (not display)**

type: string (str147), but longest is str0

unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

detail_N Identify frequent activities (not display)

type: string (**str238**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

c1_code_N N : Frequency (Monday - Friday)

type: numeric (**byte**)
 label: **c1_code**
 range: [7,9] units: 1
 unique values: 2 missing .: 1,502/1,510
 unique missing codes: 2 missing *: 3/1,510
 tabulation: Freq. Numeric Label
 4 7 once a day
 1 9 more than once a day
 1,502 .
 3 .c

c1_hr_N N : Hours per week (Monday - Friday)

type: numeric (**float**)
 range: [0,5] units: 1
 unique values: 3 missing .: 1,505/1,510
 tabulation: Freq. Value
 3 0
 1 1
 1 5
 1,505 .
 mean: 1.2
 std. dev: 2.16795
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 1 5

c1_min_N N : Minutes per week (Monday - Friday)

type: numeric (**float**)
 range: [0,50] units: 1
 unique values: 4 missing .: 1,505/1,510
 tabulation: Freq. Value
 1 0
 1 15
 1 38
 2 50
 1,505 .
 mean: 30.6
 std. dev: 22.289


```

type: numeric (byte)
label: c1_ba_A

range: [3,5]
unique values: 2
units: 1
missing .. 1,505/1,510

tabulation: Freq.  Numeric  Label
              1         3  mother
              4         5  grandparents
            1,505      .
    
```

c1_bb_N **N : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,5]
unique values: 2
units: 1
missing .. 1,508/1,510

tabulation: Freq.  Numeric  Label
              1         1  father
              1         5  grandparents
            1,508      .
    
```

c1_bc_N **N : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [3,3]
unique values: 1
units: 1
missing .. 1,509/1,510

tabulation: Freq.  Numeric  Label
              1         3  mother
            1,509      .
    
```

c1_ba_gen_N **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,505/1,510

tabulation: Freq.  Numeric  Label
              2         1  male
              3         3  female
            1,505      .
    
```

c1_bb_gen_N **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,508/1,510

tabulation: Freq.  Numeric  Label
              1         1  male
              1         3  female
            1,508      .
    
```

c1_bc_gen_N **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [3,3]
unique values: 1
units: 1
missing ..: 1,509/1,510

tabulation: Freq.  Numeric  Label
              1         3  female
            1,509         .
    
```

c2_code_N **N : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [7,9]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 1,502/1,510
missing *: 3/1,510

tabulation: Freq.  Numeric  Label
              4         7  once a day
              1         9  more than once a day
            1,502         .
              3         .c
    
```

c2_hr_N **N : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,2]
unique values: 2
units: 1
missing ..: 1,505/1,510

tabulation: Freq.  Value
              4     0
              1     2
            1,505   .
mean: .4
std. dev: .894427

percentiles: 10%    25%    50%    75%    90%
              0     0     0     0     2
    
```

c2_min_N **N : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,30]
unique values: 4
units: 1
missing ..: 1,505/1,510

tabulation: Freq.  Value
              1     0
              1    15
              2    20
              1    30
            1,505   .
mean: 17
std. dev: 10.9545

percentiles: 10%    25%    50%    75%    90%
              0    15    20    20    30
    
```

c2_aa_N **N :Monday-Friday How many times (Saturday - Sunday)**

type: string (**str30**), but longest is str3
 unique values: 2 missing "": 1,505/1,510
 tabulation: Freq. Value
 1,505 ""
 4 "1"
 1 "1.5"

c2_ab_N **N :Monday-Friday How many times per units (Saturday - Sunday)**

type: string (**str21**), but longest is str3
 unique values: 1 missing "": 1,505/1,510
 tabulation: Freq. Value
 1,505 ""
 5 "day"

c2_ac_N **N :Monday-Friday How many times per hours (Saturday - Sunday)**

type: numeric (**double**)
 range: [0,1] units: 1
 unique values: 2 missing .: 1,505/1,510
 tabulation: Freq. Value
 4 0
 1 1
 1,505 .
 mean: .2
 std. dev: .447214
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 1

c2_ad_N **N :Monday-Friday How many times per minutes (Saturday - Sunday)**

type: numeric (**double**)
 range: [0,10] units: .1
 unique values: 3 missing .: 1,505/1,510
 tabulation: Freq. Value
 1 0
 1 7.5
 3 10
 1,505 .
 mean: 7.5
 std. dev: 4.33013
 percentiles: 10% 25% 50% 75% 90%
 0 7.5 10 10 10

c2_ba_N **N : People doing activity with (person 1)**

type: numeric (**byte**)
 label: **c1_ba_A**

range: [3,5] units: 1
 unique values: 2 missing : 1,505/1,510

tabulation:	Freq.	Numeric	Label
	1	3	mother
	4	5	grandparents
	1,505	.	

c2_bb_N **N : People doing activity with (person 2)**

type: numeric (byte)
 label: **c1_ba_A**

range: [1,5] units: 1
 unique values: 2 missing : 1,508/1,510

tabulation:	Freq.	Numeric	Label
	1	1	father
	1	5	grandparents
	1,508	.	

c2_bc_N **N : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**

range: [3,3] units: 1
 unique values: 1 missing : 1,509/1,510

tabulation:	Freq.	Numeric	Label
	1	3	mother
	1,509	.	

c2_ba_gen_N **Gender code (person 1)**

type: numeric (byte)
 label: **c2_ba_gen**

range: [1,3] units: 1
 unique values: 2 missing : 1,505/1,510

tabulation:	Freq.	Numeric	Label
	2	1	male
	3	3	female
	1,505	.	

c2_bb_gen_N **Gender code (person 2)**

type: numeric (byte)
 label: **c2_bb_gen**

range: [1,3] units: 1
 unique values: 2 missing : 1,508/1,510

tabulation:	Freq.	Numeric	Label
	1	1	male
	1	3	female
	1,508	.	

c2_bc_gen_N **Gender code (person 3)**

```

type: numeric (byte)
label: c2_bc_gen

range: [3,3]
unique values: 1
units: 1
missing ..: 1,509/1,510

tabulation: Freq. Numeric Label
             1      3 female
             1,509 .
    
```

c3_code_N **N : Frequency (Monday - Sunday)**

```

type: numeric (byte)
label: c3_code

range: [1,5]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 1,502/1,510
missing *: 5/1,510

tabulation: Freq. Numeric Label
             1      1 less than once a month
             2      5 at least once a week
             1,502 .
             5      .b
    
```

c3_hr_N **N : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,0]
unique values: 1
units: 1
missing ..: 1,508/1,510

tabulation: Freq. Value
             2      0
             1,508 .
mean:      0
std. dev:  0

percentiles: 10% 25% 50% 75% 90%
              0   0   0   0   0
    
```

c3_min_N **N : Minutes per week (Monday - Sunday)**

```

type: numeric (float)

range: [8,10]
unique values: 2
units: 1
missing ..: 1,508/1,510

tabulation: Freq. Value
             1      8
             1     10
             1,508 .
mean:      9
std. dev:  1.41421

percentiles: 10% 25% 50% 75% 90%
              8   8   9   10  10
    
```

c3_aa_N **N : Monday-Friday How many times (Monday - Sunday)**

```

type: string (str6), but longest is str3
unique values: 2
missing "": 1,508/1,510
    
```

```

tabulation: Freq. Value
             1,508 ""
             1  "1"
             1  "1.5"
    
```

c3_ab_N **N :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str22), but longest is str4
unique values: 1 missing "": 1,508/1,510
tabulation: Freq. Value
             1,508 ""
             2  "week"
    
```

c3_ac_N **N :Monday-Friday How many times per hours (Monday - Sunday)**

```

type: numeric (double)
range: [0,0] units: 1
unique values: 1 missing .. 1,508/1,510
tabulation: Freq. Value
             2  0
             1,508 .
mean: 0
std. dev: 0
percentiles: 10% 25% 50% 75% 90%
              0  0  0  0  0
    
```

c3_ad_N **N :Monday-Friday How many times per minutes (Monday - Sunday)**

```

type: numeric (double)
range: [5,10] units: 1
unique values: 2 missing .. 1,508/1,510
tabulation: Freq. Value
             1  5
             1  10
             1,508 .
mean: 7.5
std. dev: 3.53553
percentiles: 10% 25% 50% 75% 90%
              5  5  7.5  10  10
    
```

c3_ba_N **N : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
range: [3,13] units: 1
unique values: 3 missing .. 1,507/1,510
tabulation: Freq. Numeric Label
             1  3  mother
             1  5  grandparents
             1  13  other household member
             1,507 .
    
```

c3_bb_N **N : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [9,13]
unique values: 2
units: 1
missing .. 1,508/1,510

tabulation: Freq.  Numeric  Label
              1         9  brother/sister/cousin
              1        13  other household member
            1,508      .
    
```

c3_bc_N **N : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [9,9]
unique values: 1
units: 1
missing .. 1,509/1,510

tabulation: Freq.  Numeric  Label
              1         9  brother/sister/cousin
            1,509      .
    
```

c3_ba_gen_N **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2
units: 1
missing .. 1,507/1,510

tabulation: Freq.  Numeric  Label
              1         1  male
              2         3  female
            1,507      .
    
```

c3_bb_gen_N **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [3,3]
unique values: 1
units: 1
missing .. 1,508/1,510

tabulation: Freq.  Numeric  Label
              2         3  female
            1,508      .
    
```

c3_bc_gen_N **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,1]
unique values: 1
units: 1
missing .. 1,509/1,510

tabulation: Freq.  Numeric  Label
              1         1  male
            1,509      .
    
```

activity_0 **Child plays computer, tablet, ipad, mobile phone (not display)**

type: string (**str147**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

detail_0 **O: detail**

type: string (**str238**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

c1_code_0 **O : Frequency (Monday - Friday)**

type: numeric (**byte**)
 label: **c1_code**
 range: [0,9] units: 1
 unique values: 4 missing .: 0/1,510
 unique missing codes: 2 missing *: 403/1,510
 tabulation: Freq. Numeric Label
 393 0 never
 3 5 at least once a week
 365 7 once a day
 346 9 more than once a day
 1 .a
 402 .c

c1_hr_0 **O : Hours per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,27] units: 1
 unique values: 18 missing .: 796/1,510
 unique missing codes: 2 missing *: 1/1,510
 tabulation: Freq. Value
 75 0
 54 1
 107 2
 23 3
 6 4
 210 5
 8 6
 58 7
 12 8
 72 10
 6 11
 32 12
 26 15
 8 17
 5 20
 5 22
 5 25
 1 27
 796 .
 1 .c

mean: 5.63675
 std. dev: 4.77719
 percentiles: 10% 25% 50% 75% 90%
 0 2 5 7 12

c1_min_0 O : Minutes per week (Monday - Friday)

type: numeric (float)
 range: [0,63] units: 1
 unique values: 26 missing .: 797/1,510
 unique missing codes: 2 missing *: 1/1,510

tabulation: Freq. Value
 311 0
 1 2
 2 3
 8 5
 3 8
 9 10
 6 13
 41 15
 4 18
 10 20
 1 23
 13 25
 201 30
 1 31
 3 34
 1 35
 5 38
 1 39
 23 40
 1 44
 24 45
 34 50
 1 53
 4 55
 3 56
 1 63
 797 .
 1 .c

mean: 17.0646
 std. dev: 17.3524

percentiles: 10% 25% 50% 75% 90%
 0 0 15 30 40

c1_aa_0 O :Monday-Friday How many times (Monday - Friday)

type: string (str27), but longest is str10
 unique values: 9 missing "": 796/1,510

tabulation: Freq. Value
 796 ""
 367 "1"
 31 "1.5"
 102 "2"
 40 "2.5"
 26 "3"
 20 "3.5"
 6 "4"
 4 "4.5"
 118 "many times"


```

195 30
  1 31
  5 35
  1 36
  1 37.5
  2 40
  8 45
  2 50
796 .
  1 .c
mean: 11.9593
std. dev: 13.8534

percentiles:    10%    25%    50%    75%    90%
                0      0      3.5    30     30
    
```

c1_ba_0 **O : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7       missing .: 796/1,510
unique missing codes: 2 missing *: 429/1,510
    
```

tabulation:	Freq.	Numeric	Label
	32	1	father
	48	3	mother
	28	5	grandparents
	13	7	uncle/aunt
	149	9	brother/sister/cousin
	12	11	outsider
	3	13	other household member
	796	.	.
	429	.b	.b

c1_bb_0 **O : People doing activity with (person 2)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]          units: 1
unique values: 7       missing .: 1,315/1,510
unique missing codes: 2 missing *: 20/1,510
    
```

tabulation:	Freq.	Numeric	Label
	12	1	father
	42	3	mother
	24	5	grandparents
	9	7	uncle/aunt
	69	9	brother/sister/cousin
	17	11	outsider
	2	13	other household member
	1,315	.	.
	20	.b	.b

c1_bc_0 **O : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,11]          units: 1
unique values: 6       missing .: 1,464/1,510
unique missing codes: 2 missing *: 5/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              3        1  father
              11       3  mother
              7        5  grandparents
              2        7  uncle/aunt
              9        9  brother/sister/cousin
              9       11  outsider
            1,464      .
              5        .b
    
```

c1_ba_gen_0 **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,225/1,510

tabulation:  Freq.  Numeric  Label
              115     1  male
              170     3  female
            1,225     .
    
```

c1_bb_gen_0 **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,335/1,510

tabulation:  Freq.  Numeric  Label
              70     1  male
              105    3  female
            1,335     .
    
```

c1_bc_gen_0 **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,469/1,510

tabulation:  Freq.  Numeric  Label
              13     1  male
              28     3  female
            1,469     .
    
```

c2_code_0 **0 : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 3
unique missing codes: 2
units: 1
missing ..: 0/1,510
missing *: 403/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              379      0      never
              311      7      once a day
              417      9      more than once a day
               1      .a
              402      .c
    
```

c2_hr_0

0 : Hours per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,21]
unique values: 16
unique missing codes: 2
units: 1
missing .: 782/1,510
missing *: 1/1,510
    
```

```

tabulation:  Freq.  Value
              123    0
              122    1
              191    2
               62    3
              100    4
               39    5
               41    6
               13    7
               13    8
                7    9
                8   10
                2   11
                1   12
                3   15
                1   17
                1   21
              782    .
                1   .c
    
```

```

mean: 2.73177
std. dev: 2.54348
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0         1         2         4         6
    
```

c2_min_0

0 : Minutes per week (Saturday - Sunday)

```

type: numeric (float)
range: [0,55]
unique values: 26
unique missing codes: 2
units: 1
missing .: 783/1,510
missing *: 1/1,510
    
```

```

tabulation:  Freq.  Value
              527    0
                1    2
                3    4
                7    5
                3    6
                3    7
                3    8
                1    9
               17   10
                1   12
                1   13
                1   14
               10   15
                2   18
               38   20
                1   22
                1   23
                5   25
                1   28
    
```



```

tabulation:  Freq.  Value
              323    0
              245    1
               20   1.5
               71    2
               16   2.5
               29    3
                4   3.5
                9    4
                2   4.5
                3    5
                2   5.5
                2    7
                1   10
              782    .
                1   .c
    mean:     .898212
    std. dev: 1.12293

percentiles:    10%    25%    50%    75%    90%
                0      0      1      1      2
    
```

c2_ad_0 **0 : Monday-Friday How many times per minutes (Saturday - Sunday)**

```

type: numeric (double)
range: [0,45]
unique values: 22
unique missing codes: 2
units: .1
missing .: 782/1,510
missing *: 1/1,510
    
```

```

tabulation:  Freq.  Value
              368    0
                2    1
                3    2
                9   2.5
                4    3
                6   3.5
                1    4
                2   4.5
               22    5
                1   5.5
               13   7.5
               31   10
                1  14.2
               21   15
               29   20
                9   25
              194   30
                2   35
                1   36
                1  37.5
                1   40
                6   45
              782    .
                1   .c
    mean:     11.014
    std. dev: 13.4896

percentiles:    10%    25%    50%    75%    90%
                0      0      0     30     30
    
```

c2_ba_0 **0 : People doing activity with (person 1)**

```

type: numeric (byte)
label: c1_ba_A
    
```

range: [1,13] units: 1
 unique values: 7 missing .: 782/1,510
 unique missing codes: 2 missing *: 433/1,510

tabulation:	Freq.	Numeric	Label
	33	1	father
	49	3	mother
	27	5	grandparents
	12	7	uncle/aunt
	156	9	brother/sister/cousin
	14	11	outsider
	4	13	other household member
	782	.	
	433	.b	

c2_bb_0 O : People doing activity with (person 2)

type: numeric (byte)
 label: c1_ba_A

range: [1,13] units: 1
 unique values: 7 missing .: 1,313/1,510
 unique missing codes: 2 missing *: 20/1,510

tabulation:	Freq.	Numeric	Label
	14	1	father
	41	3	mother
	24	5	grandparents
	9	7	uncle/aunt
	69	9	brother/sister/cousin
	18	11	outsider
	2	13	other household member
	1,313	.	
	20	.b	

c2_bc_0 O : People doing activity with (person 3)

type: numeric (byte)
 label: c1_ba_A

range: [1,11] units: 1
 unique values: 6 missing .: 1,464/1,510
 unique missing codes: 2 missing *: 5/1,510

tabulation:	Freq.	Numeric	Label
	3	1	father
	12	3	mother
	7	5	grandparents
	2	7	uncle/aunt
	8	9	brother/sister/cousin
	9	11	outsider
	1,464	.	
	5	.b	

c2_ba_gen_0 Gender code (person 1)

type: numeric (byte)
 label: c2_ba_gen

range: [1,3] units: 1
 unique values: 2 missing .: 1,215/1,510

```

tabulation:  Freq.  Numeric  Label
              123      1  male
              172      3  female
              1,215      .
    
```

c2_bb_gen_0 **Gender code (person 2)**

```

type:  numeric (byte)
label:  c2_bb_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,333/1,510

tabulation:  Freq.  Numeric  Label
              73      1  male
              104      3  female
              1,333      .
    
```

c2_bc_gen_0 **Gender code (person 3)**

```

type:  numeric (byte)
label:  c2_bc_gen

range:  [1,3]
unique values:  2

units:  1
missing .:  1,469/1,510

tabulation:  Freq.  Numeric  Label
              13      1  male
              28      3  female
              1,469      .
    
```

c3_code_0 **0 : Frequency (Monday - Sunday)**

```

type:  numeric (byte)
label:  c3_code

range:  [1,5]
unique values:  3
unique missing codes:  3

units:  1
missing .:  0/1,510
missing *:  1,110/1,510

tabulation:  Freq.  Numeric  Label
              1      1  less than once a month
              52      3  at least once a month
              347      5  at least once a week
              1      .a
              1,108    .b
              1      .c
    
```

c3_hr_0 **0 : Hours per week (Monday - Sunday)**

```

type:  numeric (float)

range:  [0,9]
unique values:  10

units:  1
missing .:  1,162/1,510
    
```

```

tabulation:  Freq.  Value
              142    0
              98    1
              45    2
              33    3
              17    4
               6    5
               3    6
               2    7
               1    8
               1    9
              1,162  .
    mean:     1.24713
    std. dev: 1.52477

percentiles:    10%    25%    50%    75%    90%
                0      0      1      2      3
    
```

c3_min_O O : Minutes per week (Monday - Sunday)

```

type: numeric (float)
range: [0,56]
unique values: 30
units: 1
missing .: 1,162/1,510
    
```

```

tabulation:  Freq.  Value
              109    0
               3    3
               2    4
               6    5
               1    6
               1    7
               4    8
               1    9
               9   10
               4   11
               6   13
               1   14
              25   15
               2   19
              14   20
               4   23
               5   25
               1   26
              93   30
               2   31
               1   33
               6   35
               2   38
              10   40
               1   44
              19   45
               1   49
               8   50
               6   53
               1   56
              1,162  .
    mean:     18.8391
    std. dev: 16.4002

percentiles:    10%    25%    50%    75%    90%
                0      0    19.5    30     45
    
```

c3_aa_O O :Monday-Friday How many times (Monday - Sunday)

type: string (str6), but longest is str3

unique values: 12 missing "": 1,162/1,510

tabulation:

Freq.	Value
1,162	""
70	"1"
2	"1.2"
37	"1.5"
1	"1.6"
61	"2"
48	"2.5"
60	"3"
25	"3.5"
23	"4"
9	"4.5"
11	"5"
1	"5.5"

c3_ab_O O :Monday-Friday How many times per units (Monday - Sunday)

type: string (str22), but longest is str4

unique values: 1 missing "": 1,162/1,510

tabulation:

Freq.	Value
1,162	""
348	"week"

c3_ac_O O :Monday-Friday How many times per hours (Monday - Sunday)

type: numeric (double)

range: [0,5] units: .1
 unique values: 8 missing .: 1,162/1,510

tabulation:

Freq.	Value
215	0
102	1
11	1.5
14	2
3	2.5
1	3
1	3.5
1	5
1,162	.

mean: .475575
 std. dev: .697964

percentiles:

	10%	25%	50%	75%	90%
	0	0	0	1	1

c3_ad_O O :Monday-Friday How many times per minutes (Monday - Sunday)

type: numeric (double)

range: [0,49] units: .1
 unique values: 19 missing .: 1,287/1,510

```

tabulation:  Freq.  Value
              4      0
              1      1
              2     1.5
              3      2
              3      3
              2     3.5
              4     4.5
             14      5
              8     7.5
             38     10
              5    12.5
             18     15
              2    17.5
             24     20
              2     25
             90     30
              1     35
              1     45
              1     49
            1,287  .
      mean:    19.1951
  std. dev:   10.7239

percentiles:      10%      25%      50%      75%      90%
                  5        10        20        30        30
    
```

c3_ba_0 **O : People doing activity with (person 1)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [1,13]
unique values: 7
unique missing codes: 2

                        units: 1
      missing .: 1,109/1,510
      missing *: 164/1,510

tabulation:  Freq.  Numeric  Label
              32      1  father
              48      3  mother
              24      5  grandparents
              14      7  uncle/aunt
             109      9  brother/sister/cousin
              9      11  outsider
              1      13  other household member
            1,109  .
             164  .b
    
```

c3_bb_0 **O : People doing activity with (person 2)**

```

      type: numeric (byte)
      label: c1_ba_A

      range: [1,13]
unique values: 7
unique missing codes: 2

                        units: 1
      missing .: 1,393/1,510
      missing *: 7/1,510

tabulation:  Freq.  Numeric  Label
              8      1  father
             25      3  mother
              5      5  grandparents
              1      7  uncle/aunt
             65      9  brother/sister/cousin
              5      11  outsider
              1      13  other household member
            1,393  .
              7      .b
    
```

c3_bc_0 **O : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,11]
unique values: 6
unique missing codes: 2

units: 1
missing ..: 1,494/1,510
missing *: 1/1,510
    
```

tabulation:	Freq.	Numeric	Label
	1	1	father
	4	3	mother
	1	5	grandparents
	1	7	uncle/aunt
	6	9	brother/sister/cousin
	2	11	outsider
	1,494	.	
	1	.b	

c3_ba_gen_0 **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,272/1,510
    
```

tabulation:	Freq.	Numeric	Label
	106	1	male
	132	3	female
	1,272	.	

c3_bb_gen_0 **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,399/1,510
    
```

tabulation:	Freq.	Numeric	Label
	38	1	male
	73	3	female
	1,399	.	

c3_bc_gen_0 **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2

units: 1
missing ..: 1,494/1,510
    
```

tabulation:	Freq.	Numeric	Label
	7	1	male
	9	3	female
	1,494	.	

activity_P **Child watches TV (not display)**

```

type: string (str147), but longest is str0
    
```

unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

detail_P Identify frequent activities (not display)

type: string (str238), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

c1_code_P P : Frequency (Monday - Friday)

type: numeric (byte)
 label: c1_code
 range: [0,9] units: 1
 unique values: 3 missing .: 0/1,510
 unique missing codes: 2 missing *: 115/1,510
 tabulation: Freq. Numeric Label
 152 0 never
 871 7 once a day
 372 9 more than once a day
 1 .a
 114 .c

c1_hr_P P : Hours per week (Monday - Friday)

type: numeric (double)
 range: [0,50] units: 1
 unique values: 25 missing .: 0/1,510
 tabulation: Freq. Value
 347 0
 45 1
 177 2
 24 3
 4 4
 454 5
 3 6
 80 7
 1 9
 216 10
 1 11
 26 12
 66 15
 2 16
 12 17
 3 18
 28 20
 8 22
 4 25
 1 27
 2 30
 2 32
 1 35
 2 37
 1 50
 mean: 5.46556
 std. dev: 5.47685

c1_ba_gen_P **Gender code (person 1)**

```

type: numeric (byte)
label: c1_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 364/1,510

tabulation: Freq.  Numeric  Label
              597      1  male
              549      3  female
              364      .
    
```

c1_bb_gen_P **Gender code (person 2)**

```

type: numeric (byte)
label: c1_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 504/1,510

tabulation: Freq.  Numeric  Label
              279      1  male
              727      3  female
              504      .
    
```

c1_bc_gen_P **Gender code (person 3)**

```

type: numeric (byte)
label: c1_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 962/1,510

tabulation: Freq.  Numeric  Label
              226      1  male
              322      3  female
              962      .
    
```

c2_code_P **P : Frequency (Saturday - Sunday)**

```

type: numeric (byte)
label: c2_code

range: [0,9]
unique values: 3
unique missing codes: 2
units: 1
missing ..: 0/1,510
missing *: 117/1,510

tabulation: Freq.  Numeric  Label
              119      0  never
              677      7  once a day
              597      9  more than once a day
               1      .a
              116      .c
    
```

c2_hr_P **P : Hours per week (Saturday - Sunday)**

```

type: numeric (double)

range: [0,28]
unique values: 22
units: 1
missing ..: 0/1,510
    
```

```

tabulation:  Freq.  Value
              354    0
              162    1
              357    2
               68    3
              255    4
               37    5
              103    6
               22    7
               64    8
               19    9
               20   10
                2   11
               18   12
                4   13
                6   14
                2   15
                4   16
                2   17
                4   18
                3   20
                3   22
                1   28
    mean:     3.09139
    std. dev: 3.32345

percentiles:  10%    25%    50%    75%    90%
              0      1      2      4      8
    
```

c2_min_P **P : Minutes per week (Saturday - Sunday)**

```

    type:  numeric (byte)
    range:  [0,55]
unique values:  20
    units:  1
missing .:  0/1,510

tabulation:  Freq.  Value
              1,334  0
                1    2
                2    3
                2    4
                5    5
                3    6
                2    7
                1    8
               24   10
                1   14
                7   15
               48   20
                1   23
                2   25
               37   30
               26   40
                3   45
                9   50
                1   52
                1   55
    mean:     2.85762
    std. dev:  9.00896

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0     10
    
```

c2_aa_P **P :Monday-Friday How many times (Saturday - Sunday)**

type: string (str30), but longest is str10

unique values: 10 missing "": 237/1,510

```

tabulation: Freq. Value
             237 ""
             679 "1"
             23 "1.5"
             390 "2"
             23 "2.5"
             32 "3"
              8 "3.5"
              3 "4"
              1 "4.5"
              1 "5.5"
             113 "many times"
    
```

warning: variable has embedded blanks

c2_ab_P P :Monday-Friday How many times per units (Saturday - Sunday)

type: string (str21), but longest is str3

unique values: 1 missing "": 237/1,510

```

tabulation: Freq. Value
             237 ""
            1,273 "day"
    
```

c2_ac_P P :Monday-Friday How many times per hours (Saturday - Sunday)

type: numeric (double)

range: [0,14] units: .1
 unique values: 18 missing .: 237/1,510

```

tabulation: Freq. Value
             361 0
             544 1
              29 1.5
             195 2
              11 2.5
              78 3
               4 3.5
              16 4
               4 4.5
              13 5
               4 6
               2 6.5
               2 7
               2 8
               3 9
               3 10
               1 11
               1 14
             237 .
    mean:    1.21681
    std. dev: 1.34488
    
```

percentiles: 10% 25% 50% 75% 90%
 0 0 1 2 3

c2_ad_P P :Monday-Friday How many times per minutes (Saturday - Sunday)

type: numeric (double)

range: [0,45] units: .1
 unique values: 23 missing .: 237/1,510

tabulation: Freq. Value
 793 0
 3 1
 1 1.5
 2 2
 3 2.5
 3 3
 3 3.5
 23 5
 10 7.5
 40 10
 37 15
 3 17.5
 34 20
 14 25
 262 30
 2 32.5
 2 35
 1 36
 1 37.5
 4 40
 1 42.5
 1 43
 30 45
 237 .
 mean: 9.36921
 std. dev: 13.706

percentiles: 10% 25% 50% 75% 90%
 0 0 0 20 30

c2_ba_P P : People doing activity with (person 1)

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 235/1,510
 unique missing codes: 2 missing *: 109/1,510

tabulation: Freq. Numeric Label
 182 1 father
 118 3 mother
 493 5 grandparents
 25 7 uncle/aunt
 289 9 brother/sister/cousin
 13 11 outsider
 46 13 other household member
 235 .
 109 .b

c2_bb_P P : People doing activity with (person 2)

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 481/1,510
 unique missing codes: 2 missing *: 14/1,510

tabulation:	Freq.	Numeric	Label
	59	1	father
	206	3	mother
	431	5	grandparents
	35	7	uncle/aunt
	223	9	brother/sister/cousin
	22	11	outsider
	39	13	other household member
	481	.	
	14	.b	

c2_bc_P **P : People doing activity with (person 3)**

type: numeric (byte)
 label: **c1_ba_A**
 range: [1,13] units: 1
 unique values: 7 missing .: 948/1,510
 unique missing codes: 2 missing *: 13/1,510

tabulation:	Freq.	Numeric	Label
	23	1	father
	71	3	mother
	118	5	grandparents
	46	7	uncle/aunt
	259	9	brother/sister/cousin
	9	11	outsider
	23	13	other household member
	948	.	
	13	.b	

c2_ba_gen_P **Gender code (person 1)**

type: numeric (byte)
 label: **c2_ba_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 344/1,510

tabulation:	Freq.	Numeric	Label
	607	1	male
	559	3	female
	344	.	

c2_bb_gen_P **Gender code (person 2)**

type: numeric (byte)
 label: **c2_bb_gen**
 range: [1,3] units: 1
 unique values: 2 missing .: 495/1,510

tabulation:	Freq.	Numeric	Label
	277	1	male
	738	3	female
	495	.	

c2_bc_gen_P **Gender code (person 3)**

type: numeric (byte)
 label: **c2_bc_gen**

range: [1,3] units: 1
 unique values: 2 missing .: 961/1,510

tabulation:	Freq.	Numeric	Label
	227	1	male
	322	3	female
	961	.	.

c3_code_P **P : Frequency (Monday - Sunday)**

type: numeric (byte)
 label: c3_code

range: [3,7] units: 1
 unique values: 3 missing .: 0/1,510
 unique missing codes: 3 missing *: 1,397/1,510

tabulation:	Freq.	Numeric	Label
	6	3	at least once a month
	106	5	at least once a week
	1	7	once a day
	1	.a	.
	1,395	.b	.
	1	.c	.

c3_hr_P **P : Hours per week (Monday - Sunday)**

type: numeric (double)

range: [0,7] units: 1
 unique values: 8 missing .: 0/1,510

tabulation:	Freq.	Value
	1,449	0
	28	1
	11	2
	12	3
	4	4
	2	5
	1	6
	3	7

mean: .092053
 std. dev: .554639

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

c3_min_P **P : Minutes per week (Monday - Sunday)**

type: numeric (byte)

range: [0,53] units: 1
 unique values: 17 missing .: 0/1,510

tabulation:	Freq.	Value
	1,434	0
	3	3
	2	4
	2	5
	1	6
	1	8
	5	10
	1	11
	1	15
	5	20
	1	23

```

          33 30
           2 38
           8 40
           7 45
           2 50
           2 53
    mean:   1.42185
    std. dev: 6.84546

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      0      0
    
```

c3_aa_P **P :Monday-Friday How many times (Monday - Sunday)**

```

    type: string (str6), but longest is str3
    unique values: 11          missing "": 1,403/1,510
    tabulation:
    Freq. Value
    1,403 ""
     16 "1"
     6 "1.5"
     1 "1.6"
    25 "2"
    12 "2.5"
    21 "3"
    10 "3.5"
     7 "4"
     3 "4.5"
     5 "5"
     1 "6"
    
```

c3_ab_P **P :Monday-Friday How many times per units (Monday - Sunday)**

```

    type: string (str22), but longest is str4
    unique values: 2          missing "": 1,403/1,510
    tabulation:
    Freq. Value
    1,403 ""
     1 "day"
    106 "week"
    
```

c3_ac_P **P :Monday-Friday How many times per hours (Monday - Sunday)**

```

    type: numeric(double)
    range: [0,2.5]          units: .1
    unique values: 5          missing .: 1,404/1,510
    tabulation:
    Freq. Value
     70 0
     30 1
     4 1.5
     1 2
     1 2.5
    1,404 .
    mean: .382075
    std. dev: .567165

    percentiles:    10%    25%    50%    75%    90%
                   0      0      0      1      1
    
```

c3_ad_P **P : Monday-Friday How many times per minutes (Monday - Sunday)**

type: numeric (double)
 range: [0,45] units: .1
 unique values: 13 missing .: 1,437/1,510

tabulation: Freq. Value
 3 0
 3 2
 2 2.5
 2 3
 1 4.5
 4 5
 1 7.5
 9 10
 5 15
 16 20
 3 25
 23 30
 1 45
 1,437 .
 mean: 18.411
 std. dev: 10.8651

percentiles: 10% 25% 50% 75% 90%
 2.5 10 20 30 30

c3_ba_P **P : People doing activity with (person 1)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 6 missing .: 1,397/1,510
 unique missing codes: 2 missing *: 10/1,510

tabulation: Freq. Numeric Label
 18 1 father
 21 3 mother
 32 5 grandparents
 26 9 brother/sister/cousin
 2 11 outsider
 4 13 other household member
 1,397 .
 10 .b

c3_bb_P **P : People doing activity with (person 2)**

type: numeric (byte)
 label: c1_ba_A
 range: [1,13] units: 1
 unique values: 7 missing .: 1,441/1,510
 unique missing codes: 2 missing *: 1/1,510

```

tabulation:  Freq.  Numeric  Label
              6       1  father
              18      3  mother
              24      5  grandparents
               2       7  uncle/aunt
              13      9  brother/sister/cousin
               3      11  outsider
               2      13  other household member
            1,441      .
               1       .b
    
```

c3_bc_P **P : People doing activity with (person 3)**

```

type: numeric (byte)
label: c1_ba_A

range: [1,13]
unique values: 7

units: 1
missing .: 1,471/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              2       1  father
              5       3  mother
             11      5  grandparents
               1       7  uncle/aunt
             15      9  brother/sister/cousin
               3      11  outsider
               2      13  other household member
            1,471      .
    
```

c3_ba_gen_P **Gender code (person 1)**

```

type: numeric (byte)
label: c3_ba_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,407/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              46      1  male
              57      3  female
            1,407      .
    
```

c3_bb_gen_P **Gender code (person 2)**

```

type: numeric (byte)
label: c3_bb_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,442/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              22      1  male
              46      3  female
            1,442      .
    
```

c3_bc_gen_P **Gender code (person 3)**

```

type: numeric (byte)
label: c3_bc_gen

range: [1,3]
unique values: 2

units: 1
missing .: 1,471/1,510
    
```

```

tabulation: Freq.  Numeric  Label
             12         1  male
             27         3  female
            1,471        .
    
```

activity_H **Go to temple, library, zoo and museum (not display)**

```

type: string (str97), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq.  Value
            1,510 ""
    
```

detail_H **H: detail**

```

type: string (str1), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq.  Value
            1,510 ""
    
```

clb_code_H **H : Frequency (Monday - Friday)**

```

type: numeric (byte)
label: clb_code

range: [0,7] units: 1
unique values: 2 missing .: 4/1,510
unique missing codes: 2 missing *: 1,160/1,510

tabulation: Freq.  Numeric  Label
             329         0  never
              17         7  once a day
               4         .
            1,160        .c
    
```

clb_hr_H **H : Hours per week (Monday - Friday)**

```

type: numeric (float)

range: [1,10] units: 1
unique values: 4 missing .: 1,493/1,510

tabulation: Freq.  Value
             1  1
             6  2
             9  5
             1 10
            1,493 .
mean: 4
std. dev: 2.20794

percentiles: 10% 25% 50% 75% 90%
              2  2  5  5  5
    
```

clb_min_H **H : Minutes per week (Monday - Friday)**

```

type: numeric (float)
    
```

```

    range: [0,30]                units: 1
unique values: 3                missing .: 1,493/1,510

  tabulation: Freq. Value
                10  0
                1  15
                6  30
            1,493 .
    mean:      11.4706
    std. dev:  14.5521

percentiles:      10%    25%    50%    75%    90%
                  0      0      0      30     30

```

clb_aa_H **H :Monday-Friday How many times (Monday - Friday)**

```

    type: string (str1)
unique values: 1                missing "": 1,493/1,510

  tabulation: Freq. Value
                1,493 ""
                17  "1"

```

clb_ab_H **H :Monday-Friday How many times per units (Monday - Friday)**

```

    type: string (str9), but longest is str3
unique values: 1                missing "": 1,493/1,510

  tabulation: Freq. Value
                1,493 ""
                17  "day"

```

clb_ac_H **H :Monday-Friday How many times per hours (Monday - Friday)**

```

    type: numeric (double)
    range: [0,2]                units: 1
unique values: 3                missing .: 1,493/1,510

  tabulation: Freq. Value
                7  0
                9  1
                1  2
            1,493 .
    mean:      .647059
    std. dev:  .606339

percentiles:      10%    25%    50%    75%    90%
                  0      0      1      1      1

```

clb_ad_H **H :Monday-Friday How many times per minutes (Monday - Friday)**

```

    type: numeric (byte)
    range: [0,30]                units: 1
unique values: 3                missing .: 1,493/1,510

```

```

tabulation:  Freq.  Value
              10    0
              1    15
              6    30
            1,493  .
    mean:    11.4706
    std. dev: 14.5521

percentiles:    10%    25%    50%    75%    90%
                0      0      0      30     30
    
```

clb_ba_H **H : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: clb_ba

    range: [3,13]
unique values: 4
                units: 1
                missing.: 1,493/1,510

    tabulation:  Freq.  Numeric  Label
                 3      3    mother
                 7      5  grandparents
                 1     11  outside-household-person
                 6     13  other household member
            1,493  .
    
```

clb_bb_H **H : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c2b_bb

    range: [5,9]
unique values: 2
                units: 1
                missing.: 1,506/1,510

    tabulation:  Freq.  Numeric  Label
                 1      5  grandparents
                 3      9  brother/sister/cousin
            1,506  .
    
```

clb_bc_H **H : People doing activity with (person 3)**

```

    type: numeric (byte)
    label: clb_bc

    range: [.,.]
unique values: 0
                units: .
                missing.: 1,510/1,510

    tabulation:  Freq.  Numeric  Label
            1,510  .
    
```

clb_ba_gen_H **Gender code (person 1)**

```

    type: numeric (byte)
    label: clb_ba_gen

    range: [1,3]
unique values: 2
                units: 1
                missing.: 1,493/1,510

    tabulation:  Freq.  Numeric  Label
                 4      1  male
                 13     3  female
            1,493  .
    
```

c1b_bb_gen_H **Gender code (person 2)**

```

type: numeric (byte)
label: c1b_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,506/1,510

tabulation: Freq.  Numeric  Label
              2         1  male
              2         3  female
            1,506         .
    
```

c1b_bc_gen_H **Gender code (person 3)**

```

type: numeric (byte)
label: c1b_bc_gen

range: [.,.]
unique values: 0
units: .
missing ..: 1,510/1,510

tabulation: Freq.  Numeric  Label
              1,510         .
    
```

c2b_code_H **H : Frequency (Saturday - Sunday)**

```

type: numeric (byte)

range: [0,9]
unique values: 5
unique missing codes: 2
units: 1
missing ..: 4/1,510
missing *: 1,160/1,510

tabulation: Freq.  Value
              296  0
              1   3
              4   5
              42  7
              3   9
              4   .
            1,160  .c
mean: .99422
std. dev: 2.4483

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         7
    
```

c2b_hr_H **H : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,8]
unique values: 7
units: 1
missing ..: 1,461/1,510
    
```

```

tabulation:  Freq.  Value
              3      0
              15     1
              27     2
               1     3
               1     4
               1     6
               1     8
            1,461 .
      mean:   1.83673
    std. dev: 1.31255

percentiles:      10%      25%      50%      75%      90%
                  1         1         2         2         2
    
```

c2b_min_H **H : Minutes per week (Saturday - Sunday)**

```

      type:  numeric (float)
      range: [0,30]
unique values: 4
                        units: 1
                        missing : 1,461/1,510

      tabulation:  Freq.  Value
                   45     0
                    1     7
                    1    20
                    2    30
            1,461 .
      mean:   1.77551
    std. dev: 6.60576

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

c2b_aa_H **H :Monday-Friday How many times (Saturday - Sunday)**

```

      type:  string (str6), but longest is str3
unique values: 3
                        missing "": 1,461/1,510

      tabulation:  Freq.  Value
                   1,461  ""
                    46   "1"
                     1  "1.5"
                     2   "2"
    
```

c2b_ab_H **H :Monday-Friday How many times per units (Saturday - Sunday)**

```

      type:  string (str21), but longest is str4
unique values: 2
                        missing "": 1,461/1,510

      tabulation:  Freq.  Value
                   1,461  ""
                    45   "day"
                     4   "week"
    
```

c2b_ac_H **H :Monday-Friday How many times per hours (Saturday - Sunday)**

```

      type:  numeric (double)
      range: [0,3]
unique values: 5
                        units: .1
                        missing : 1,461/1,510
    
```

c2b_bc_H **H : People doing activity with (person 3)**

```

type: numeric (byte)
label: c2b_bc

range: [3,9]
unique values: 2
units: 1
missing ..: 1,508/1,510

tabulation: Freq.   Numeric   Label
              1         3   mother
              1         9   brother/sister/cousin
            1,508         .
    
```

c2b_ba_gen_H **Gender code (person 1)**

```

type: numeric (byte)
label: c2b_ba_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,460/1,510

tabulation: Freq.   Numeric   Label
              6         1   male
             44         3   female
            1,460         .
    
```

c2b_bb_gen_H **Gender code (person 2)**

```

type: numeric (byte)
label: c2b_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 1,492/1,510

tabulation: Freq.   Numeric   Label
              3         1   male
             15         3   female
            1,492         .
    
```

c2b_bc_gen_H **Gender code (person 3)**

```

type: numeric (byte)
label: c2b_bc_gen

range: [3,3]
unique values: 1
units: 1
missing ..: 1,508/1,510

tabulation: Freq.   Numeric   Label
              2         3   female
            1,508         .
    
```

c3b_code_H **H : Frequency (Monday - Sunday)**

```

type: numeric (byte)

range: [1,5]
unique values: 3
unique missing codes: 2
units: 1
missing ..: 4/1,510
missing *: 344/1,510
    
```

```

tabulation:  Freq.  Value
              417  1
              496  3
              249  5
               4  .
              344  .b
    mean:    2.71084
    std. dev: 1.48691

percentiles:      10%      25%      50%      75%      90%
                  1         1         3         3         5
    
```

c3b_hr_H **H : Hours per week (Monday - Sunday)**

```

    type: numeric (float)
    range: [0,6]
    unique values: 8
    units: .1
    missing .: 1,261/1,510

    tabulation:  Freq.  Value
                  57  0
                  146  1
                   33  2
                    5  3
                    3  4
                    1  4.5999999
                    3  5
                    1  6
    mean:    1.06265
    std. dev: .946093

    percentiles:      10%      25%      50%      75%      90%
                      0         1         1         1         2
    
```

c3b_min_H **H : Minutes per week (Monday - Sunday)**

```

    type: numeric (float)
    range: [0,56]
    unique values: 13
    units: 1
    missing .: 1,261/1,510

    tabulation:  Freq.  Value
                  151  0
                   1  6
                   1  8
                   2  10
                   7  15
                   1  18
                   5  20
                   1  25
                  59  30
                   1  38
                  18  45
                   1  50
                   1  56
    mean:    12.0723
    std. dev: 16.2099

    percentiles:      10%      25%      50%      75%      90%
                      0         0         0        30        30
    
```

c3b_aa_H **H : Monday-Friday How many times (Monday - Sunday)**


```

tabulation:  Freq.  Value
              169    0
              1     6
              1    7.5
              5    10
              2    15
              1   17.5
              5    20
              1   22.5
              1    25
              60    30
              1    35
              1    45
              1    50
              1,261 .
    mean:      8.78916
  std. dev:   13.4696

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         30         30
    
```

c3b_ba_H **H : People doing activity with (person 1)**

```

    type: numeric (byte)
    label: c3b_ba

    range: [1,13]          units: 1
  unique values: 7        missing .: 348/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              185    1  father
              257    3  mother
              603    5  grandparents
              31     7  uncle/aunt
              39     9  brother/sister/cousin
              11    11  outside-household-person
              36    13  other household member
              348    .
    
```

c3b_bb_H **H : People doing activity with (person 2)**

```

    type: numeric (byte)
    label: c3b_bb

    range: [1,13]          units: 1
  unique values: 7        missing .: 839/1,510
  unique missing codes: 2  missing *: 1/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              52     1  father
              223    3  mother
              173    5  grandparents
              41     7  uncle/aunt
              157    9  brother/sister/cousin
              9     11  outside-household-person
              15    13  other household member
              839    .
              1     .b
    
```

c3b_bc_H **H : People doing activity with (person 3)**

```

    type: numeric (byte)
    label: c3b_bc
    
```

range: [1,13] units: 1
 unique values: 7 missing .: 1,213/1,510
 unique missing codes: 2 missing *: 1/1,510

tabulation:	Freq.	Numeric	Label
	10	1	father
	21	3	mother
	60	5	grandparents
	17	7	uncle/aunt
	180	9	brother/sister/cousin
	7	11	outside-household-person
	1	13	other household member
	1,213	.	
	1	.b	

c3b_ba_gen_H Gender code (person 1)

type: numeric (byte)
 label: c3b_ba_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 348/1,510

tabulation:	Freq.	Numeric	Label
	297	1	male
	865	3	female
	348	.	

c3b_bb_gen_H Gender code (person 2)

type: numeric (byte)
 label: c3b_bb_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 840/1,510

tabulation:	Freq.	Numeric	Label
	167	1	male
	503	3	female
	840	.	

c3b_bc_gen_H Gender code (person 3)

type: numeric (byte)
 label: c3b_bc_gen
 range: [1,3] units: 1
 unique values: 2 missing .: 1,213/1,510

tabulation:	Freq.	Numeric	Label
	120	1	male
	177	3	female
	1,213	.	

activity_I Go to department store (not display)

type: string (str97), but longest is str0
 unique values: 0 missing "": 1,510/1,510

tabulation:	Freq.	Value
	1,510	" "

detail_I **I: detail**

type: string (**str1**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

clb_code_I **I : Frequency (Monday - Friday)**

type: numeric (**byte**)
 label: **clb_code**
 range: [0,7] units: 1
 unique values: 2 missing .: 4/1,510
 unique missing codes: 2 missing *: 1,260/1,510
 tabulation: Freq. Numeric Label
 237 0 never
 9 7 once a day
 4 .
 1,260 .c

clb_hr_I **I : Hours per week (Monday - Friday)**

type: numeric (**float**)
 range: [2,12] units: 1
 unique values: 5 missing .: 1,501/1,510
 tabulation: Freq. Value
 1 2
 5 5
 1 7
 1 10
 1 12
 1,501 .
 mean: 6.22222
 std. dev: 3.03223
 percentiles: 10% 25% 50% 75% 90%
 2 5 5 7 12

clb_min_I **I : Minutes per week (Monday - Friday)**

type: numeric (**float**)
 range: [0,30] units: 10
 unique values: 2 missing .: 1,501/1,510
 tabulation: Freq. Value
 6 0
 3 30
 1,501 .
 mean: 10
 std. dev: 15
 percentiles: 10% 25% 50% 75% 90%
 0 0 0 30 30

clb_aa_I I :Monday-Friday How many times (Monday - Friday)

```

type: string (str1)
unique values: 1 missing "": 1,501/1,510
tabulation: Freq. Value
             1,501 ""
              9 "1"
    
```

clb_ab_I I :Monday-Friday How many times per units (Monday - Friday)

```

type: string (str9), but longest is str3
unique values: 1 missing "": 1,501/1,510
tabulation: Freq. Value
             1,501 ""
              9 "day"
    
```

clb_ac_I I :Monday-Friday How many times per hours (Monday - Friday)

```

type: numeric (double)
range: [0,5] units: .1
unique values: 5 missing .: 1,501/1,510
tabulation: Freq. Value
             1 0
             4 1
             1 1.5
             2 2
             1 5
             1,501 .
mean: 1.61111
std. dev: 1.40929
percentiles: 10% 25% 50% 75% 90%
              0 1 1 2 5
    
```

clb_ad_I I :Monday-Friday How many times per minutes (Monday - Friday)

```

type: numeric (byte)
range: [0,30] units: 10
unique values: 2 missing .: 1,501/1,510
tabulation: Freq. Value
             7 0
             2 30
             1,501 .
mean: 6.66667
std. dev: 13.2288
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 30
    
```

clb_ba_I I : People doing activity with (person 1)

```

type: numeric (byte)
label: clb_ba
    
```

```

range: [1,11] units: 1
unique values: 4 missing .: 1,501/1,510

tabulation: Freq. Numeric Label
              4          1 father
              2          3 mother
              2          5 grandparents
              1         11 outside-household-person
1,501          .
    
```

clb_bb_I I : People doing activity with (person 2)

```

type: numeric (byte)
label: c2b_bb

range: [3,5] units: 1
unique values: 2 missing .: 1,505/1,510

tabulation: Freq. Numeric Label
              3          3 mother
              2          5 grandparents
1,505          .
    
```

clb_bc_I I : People doing activity with (person 3)

```

type: numeric (byte)
label: clb_bc

range: [9,9] units: 1
unique values: 1 missing .: 1,509/1,510

tabulation: Freq. Numeric Label
              1          9 brother/sister/cousin
1,509          .
    
```

clb_ba_gen_I Gender code (person 1)

```

type: numeric (byte)
label: clb_ba_gen

range: [1,3] units: 1
unique values: 2 missing .: 1,501/1,510

tabulation: Freq. Numeric Label
              4          1 male
              5          3 female
1,501          .
    
```

clb_bb_gen_I Gender code (person 2)

```

type: numeric (byte)
label: clb_bb_gen

range: [1,3] units: 1
unique values: 2 missing .: 1,505/1,510

tabulation: Freq. Numeric Label
              2          1 male
              3          3 female
1,505          .
    
```

c1b_bc_gen_I **Gender code (person 3)**

```

type: numeric (byte)
label: c1b_bc_gen

range: [3,3]
unique values: 1
units: 1
missing .. 1,509/1,510

tabulation: Freq.   Numeric   Label
              1         3   female
              1,509       .
    
```

c2b_code_I **I : Frequency (Saturday - Sunday)**

```

type: numeric (byte)

range: [0,7]
unique values: 3
unique missing codes: 2
units: 1
missing .. 4/1,510
missing *: 1,260/1,510

tabulation: Freq.   Value
              233   0
              4    5
              9    7
              4    .
            1,260  .c
mean:       .337398
std. dev:   1.44702

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
    
```

c2b_hr_I **I : Hours per week (Saturday - Sunday)**

```

type: numeric (float)

range: [1,6]
unique values: 6
units: 1
missing .. 1,497/1,510

tabulation: Freq.   Value
              2    1
              5    2
              1    3
              2    4
              2    5
              1    6
            1,497  .
mean:       3
std. dev:   1.63299

percentiles:    10%    25%    50%    75%    90%
                1      2      2      4      5
    
```

c2b_min_I **I : Minutes per week (Saturday - Sunday)**

```

type: numeric (float)

range: [0,33]
unique values: 3
units: 1
missing .. 1,497/1,510
    
```

```

tabulation: Freq. Value
             11  0
             1  30
             1  33
            1,497 .
      mean:   4.84615
      std. dev: 11.8452

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         30
    
```

c2b_aa_I I :Monday-Friday How many times (Saturday - Sunday)

```

type: string (str6), but longest is str4
unique values: 2 missing "": 1,497/1,510

tabulation: Freq. Value
            1,497 ""
             1 "0.47"
             12 "1"
    
```

c2b_ab_I I :Monday-Friday How many times per units (Saturday - Sunday)

```

type: string (str21), but longest is str4
unique values: 2 missing "": 1,497/1,510

tabulation: Freq. Value
            1,497 ""
             9 "day"
             4 "week"
    
```

c2b_ac_I I :Monday-Friday How many times per hours (Saturday - Sunday)

```

type: numeric (double)
range: [0,5] units: .1
unique values: 7 missing .: 1,497/1,510

tabulation: Freq. Value
             1  0
             5  1
             1  1.5
             2  2
             1  3
             1  4
             2  5
            1,497 .
      mean:   2.11538
      std. dev: 1.63495

percentiles:      10%      25%      50%      75%      90%
                  1         1         1.5         3         5
    
```

c2b_ad_I I :Monday-Friday How many times per minutes (Saturday - Sunday)

```

type: numeric (double)
range: [0,30] units: 10
unique values: 2 missing .: 1,497/1,510
    
```

```

tabulation:  Freq.  Value
              9    0
              4   30
              1,497 .
mean:        9.23077
std. dev:    14.4115

percentiles: 10%    25%    50%    75%    90%
              0      0      0      30     30
    
```

c2b_ba_I **I : People doing activity with (person 1)**

```

type: numeric (byte)
label: c2b_ba

range: [1,11]          units: 1
unique values: 5      missing .. 1,497/1,510

tabulation:  Freq.  Numeric  Label
              4      1    father
              5      3    mother
              2      5  grandparents
              1      7  uncle/aunt
              1     11  outside-household-person
              1,497 .
    
```

c2b_bb_I **I : People doing activity with (person 2)**

```

type: numeric (byte)
label: c2b_bb

range: [3,7]          units: 1
unique values: 3      missing .. 1,502/1,510

tabulation:  Freq.  Numeric  Label
              4      3    mother
              3      5  grandparents
              1      7  uncle/aunt
              1,502 .
    
```

c2b_bc_I **I : People doing activity with (person 3)**

```

type: numeric (byte)
label: c2b_bc

range: [9,9]          units: 1
unique values: 1      missing .. 1,508/1,510

tabulation:  Freq.  Numeric  Label
              2      9  brother/sister/cousin
              1,508 .
    
```

c2b_ba_gen_I **Gender code (person 1)**

```

type: numeric (byte)
label: c2b_ba_gen

range: [1,3]          units: 1
unique values: 2      missing .. 1,497/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              4      1      male
              9      3      female
            1,497      .
    
```

c2b_bb_gen_I **Gender code (person 2)**

```

type: numeric (byte)
label: c2b_bb_gen

range: [1,3]          units: 1
unique values: 2      missing .: 1,502/1,510

tabulation:  Freq.  Numeric  Label
              2      1      male
              6      3      female
            1,502      .
    
```

c2b_bc_gen_I **Gender code (person 3)**

```

type: numeric (byte)
label: c2b_bc_gen

range: [3,3]          units: 1
unique values: 1      missing .: 1,508/1,510

tabulation:  Freq.  Numeric  Label
              2      3      female
            1,508      .
    
```

c3b_code_I **I : Frequency (Monday - Sunday)**

```

type: numeric (byte)

range: [1,5]          units: 1
unique values: 3      missing .: 4/1,510
unique missing codes: 2  missing *: 244/1,510

tabulation:  Freq.  Value
            433  1
            597  3
            232  5
             4   .
            244  .b
mean:      2.68146
std. dev:  1.417

percentiles:      10%      25%      50%      75%      90%
                  1        1        3        3        5
    
```

c3b_hr_I **I : Hours per week (Monday - Sunday)**

```

type: numeric (float)

range: [0,16]          units: 1
unique values: 14      missing .: 1,278/1,510
    
```

```

tabulation:  Freq.  Value
              21  0
              82  1
              66  2
              21  3
              10  4
              10  5
               7  6
               3  7
               4  8
               3  9
               1 10
               2 11
               1 12
               1 16
              1,278 .
    mean:     2.36638
    std. dev: 2.35934

percentiles:    10%    25%    50%    75%    90%
                1      1      2      3      5
    
```

c3b_min_I **I : Minutes per week (Monday - Sunday)**

```

    type: numeric (float)
    range: [0,45]
    unique values: 8
    units: 1
    missing .: 1,278/1,510

    tabulation:  Freq.  Value
                  136  0
                   1  2
                   2  5
                   3 10
                  12 15
                   1 24
                  72 30
                   5 45
                 1,278 .
    mean:     11.3405
    std. dev: 14.5224

percentiles:    10%    25%    50%    75%    90%
                0      0      0     30     30
    
```

c3b_aa_I **I :Monday-Friday How many times (Monday - Sunday)**

```

    type: string (str6), but longest is str3
    unique values: 10
    missing "": 1,278/1,510

    tabulation:  Freq.  Value
                  1,278 ""
                  146 "1"
                   14 "1.5"
                    1 "1.6"
                   26 "2"
                   12 "2.5"
                   16 "3"
                    8 "3.5"
                    5 "4"
                    2 "4.5"
                    2 "5"
    
```

c3b_ab_I **I :Monday-Friday How many times per units (Monday - Sunday)**

```

type: string (str21), but longest is str4
unique values: 1 missing "": 1,278/1,510
tabulation: Freq. Value
             1,278 ""
             232 "week"
    
```

c3b_ac_I I : Monday-Friday How many times per hours (Monday - Sunday)

```

type: numeric (double)
range: [0,8] units: .1
unique values: 11 missing .: 1,279/1,510
tabulation: Freq. Value
             28 0
             97 1
             15 1.5
             54 2
             11 2.5
             11 3
              3 3.5
              4 4
              4 4.5
              2 5
              2 8
             1,279 .
mean: 1.55195
std. dev: 1.17562
percentiles: 10% 25% 50% 75% 90%
              0 1 1 2 3
    
```

c3b_ad_I I : Monday-Friday How many times per minutes (Monday - Sunday)

```

type: numeric (double)
range: [0,30] units: 1
unique values: 5 missing .: 1,279/1,510
tabulation: Freq. Value
             174 0
              2 5
              4 10
              5 15
             46 30
             1,279 .
mean: 6.51515
std. dev: 12.009
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 30
    
```

c3b_ba_I I : People doing activity with (person 1)

```

type: numeric (byte)
label: c3b_ba
range: [1,13] units: 1
unique values: 7 missing .: 248/1,510
unique missing codes: 3 missing *: 2/1,510
    
```

tabulation:	Freq.	Numeric	Label
	525	1	father
	309	3	mother
	273	5	grandparents
	81	7	uncle/aunt
	44	9	brother/sister/cousin
	14	11	outside-household-person
	14	13	other household member
	248	.	
	1	.b	
	1	.d	

c3b_bb_I **I : People doing activity with (person 2)**

type: numeric (byte)
 label: **c3b_bb**

range: [1,13] units: 1
 unique values: 7 missing .: 407/1,510

tabulation:	Freq.	Numeric	Label
	104	1	father
	547	3	mother
	215	5	grandparents
	51	7	uncle/aunt
	157	9	brother/sister/cousin
	13	11	outside-household-person
	16	13	other household member
	407	.	

c3b_bc_I **I : People doing activity with (person 3)**

type: numeric (byte)
 label: **c3b_bc**

range: [1,13] units: 1
 unique values: 7 missing .: 926/1,510

tabulation:	Freq.	Numeric	Label
	22	1	father
	37	3	mother
	93	5	grandparents
	46	7	uncle/aunt
	371	9	brother/sister/cousin
	10	11	outside-household-person
	5	13	other household member
	926	.	

c3b_ba_gen_I **Gender code (person 1)**

type: numeric (byte)
 label: **c3b_ba_gen**

range: [1,3] units: 1
 unique values: 2 missing .: 250/1,510

tabulation:	Freq.	Numeric	Label
	697	1	male
	563	3	female
	250	.	

c3b_bb_gen_I **Gender code (person 2)**

```

type: numeric (byte)
label: c3b_bb_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 407/1,510

tabulation: Freq.  Numeric  Label
             253      1      male
             850      3      female
             407      .
    
```

c3b_bc_gen_I **Gender code (person 3)**

```

type: numeric (byte)
label: c3b_bc_gen

range: [1,3]
unique values: 2
units: 1
missing ..: 927/1,510

tabulation: Freq.  Numeric  Label
             234      1      male
             349      3      female
             927      .
    
```

note **Interviewer note (unavailable)**

```

type: string (str517), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.  Value
             1,510  ""
    
```

sleeptime_perday **Hours per day of a child's nighttime sleep**

```

type: numeric (float)
range: [6.5,14.5]
unique values: 33
units: 1.000e-06
missing ..: 0/1,510

tabulation: Freq.  Value
             1      6.5
             7      7
            15      7.5
            61      8
             1      8.333333
            89      8.5
             2      8.666667
             1      8.75
             2      8.833333
           249      9
             2      9.166667
             7      9.25
           269      9.5
             1      9.666667
             2      9.75
             3      9.833333
           420      10
             1      10.083333
             1      10.25
             1      10.333333
           182      10.5
             1      10.666667
             2      10.75
           138      11
             1      11.333333
    
```

```

          33  11.5
           1  11.666667
           1  11.75
          11  12
           1  12.5
           2  13
           1  14
           1  14.5
    mean:    9.74034
    std. dev: .897524

    percentiles:    10%    25%    50%    75%    90%
                   8.5     9     10    10.0833    11
    
```

sleeptime_perweek **Hours per week of a child's nighttime sleep**

```

    type: numeric (float)
    range: [45.5,101.5]
    unique values: 33
    units: 1.000e-06
    missing .: 0/1,510
    
```

```

    tabulation: Freq.  Value
                 1  45.5
                 7  49
                15  52.5
                61  56
                 1  58.333332
                89  59.5
                 2  60.666668
                 1  61.25
                 2  61.833332
                249  63
                 2  64.166664
                 7  64.75
                269  66.5
                 1  67.666664
                 2  68.25
                 3  68.833336
                420  70
                 1  70.583336
                 1  71.75
                 1  72.333336
                182  73.5
                 1  74.666664
                 2  75.25
                138  77
                 1  79.333336
                33  80.5
                 1  81.666664
                 1  82.25
                11  84
                 1  87.5
                 2  91
                 1  98
                 1  101.5
    
```

```

    mean:    68.1824
    std. dev: 6.28267

    percentiles:    10%    25%    50%    75%    90%
                   59.5    63     70    70.5833    77
    
```

schooltime_perweek **Hours per week of a child's going to school**

```

    type: numeric (float)
    range: [0,57.5]
    unique values: 50
    units: 1.000e-06
    missing .: 0/1,510
    
```

```

tabulation:  Freq.  Value
              147    0
               1    5
               3   20
               1  22.5
              10   25
              32  27.5
               1  28.75
               2 29.166666
               1 29.583334
             125   30
               4 30.833334
               3 31.25
               6 31.666666
            209 32.5
               2 33.333332
               3 33.75
               6 34.166668
               1 34.583332
            273 35
               4 35.833332
               6 36.25
              16 36.666668
            263 37.5
               7 38.333332
               5 38.75
              12 39.166668
            162 40
               1 40.833332
               1 41.25
              69 42.5
               7 43.333332
               3 43.75
               5 44.166668
              42 45
               1 45.416668
               2 46.25
               1 46.666668
              22 47.5
               2 48.333332
               1 49.166668
              18 50
               1 51.25
               1 51.666668
              18 52.5
               1 53.25
               1 53.333332
               1 53.75
               1 54.166668
               5 55
               1 57.5

```

```

mean: 33.0455
std. dev: 12.0052

```

```

percentiles:      10%      25%      50%      75%      90%
                  21.25    32.5    35     39.1667  42.5

```

naptime_athome_perweek **Hours per week of a child's nap time at home**

```

type: numeric (float)
range: [0,75.5]
unique values: 32
units: 1.000e-09
missing .: 3/1,510

```

```

tabulation:  Freq.  Value
              441    0
              1    .00833333
              10   .01666667
              1    .02222222
             218   .03333334
              1    .04444445
             99    .05
            363   .06666667
              1    .075
             53   .08333334
              1    .09444444
            124   .1
             17   .11666667
             22   .13333334
              6    .15000001
              3    .16666667
              1    2.5166667
             10    5.0333333
              8    7.5500002
             51   10.066667
              1   10.1
              1   11.325
             12   12.583333
             38   15.1
              1   15.133333
              5   17.616667
              1   20.066668
             12   20.133333
              2   22.65
              1   25.033333
              1   25.166666
              1   75.5
              3    .
    mean:      1.30638
    std. dev:  4.39918
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        .05     .066667  .15
    
```

activity_tv_dum **While a child watch TV, did the child participate in any activities**

```

    type: numeric (float)
    label: atctivity_tv_dum

    range: [0,1]
    unique values: 2
    units: 1
    missing .: 0/1,510

    tabulation:  Freq.  Numeric  Label
                 392    0  do not
                 1,118  1  do
    
```

activity_tv_des **While a child watch TV, what activities did the child do (not display)**

```

    type: string (str168), but longest is str0
    unique values: 0
    missing "": 1,510/1,510

    tabulation:  Freq.  Value
                 1,510  ""
    
```

reading_time **Hours per week of reading to children**

```

    type: numeric (float)
    
```

range: [0,17.5] units: 1.000e-09
 unique values: 56 missing .: 0/1,510

```

tabulation: Freq. Value
951 0
3 .03333334
14 .05
6 .06666667
20 .08333334
16 .1
8 .11666667
14 .13333334
5 .15000001
62 .16666667
7 .18333334
2 .2
15 .21666667
2 .23333333
36 .25
1 .26666668
1 .28333333
8 .30000001
3 .31666666
34 .33333334
1 .34999999
9 .38333333
29 .41666666
5 .43333334
44 .5
1 .55000001
1 .56666666
19 .58333331
5 .63333333
8 .66666669
2 .69999999
10 .75
25 .83333331
5 .88333333
1 .89999998
13 1
35 1.1666666
10 1.25
9 1.5
1 1.6666666
9 1.75
6 2
1 2.0833333
1 2.25
11 2.3333333
6 2.5
5 3
1 3.0999999
15 3.5
1 4
1 4.5
1 5
1 5.25
7 7
2 14
1 17.5
    
```

mean: .319128
 std. dev: 1.01118

percentiles: 10% 25% 50% 75% 90%
 0 0 0 .25 .833333

storytelling_time Hours per week of storytelling to children

type: numeric (float)

range: [0,17.5]
 unique values: 62

units: 1.000e-09
 missing .: 0/1,510

tabulation:	Freq.	Value
	845	0
	2	.01666667
	6	.03333334
	16	.05
	12	.06666667
	50	.08333334
	14	.1
	8	.11666667
	34	.13333334
	6	.15000001
	70	.16666667
	13	.18333334
	2	.2
	8	.21666667
	2	.23333333
	1	.23333335
	48	.25
	3	.26666668
	8	.30000001
	9	.31666666
	30	.33333334
	1	.34999999
	7	.38333333
	6	.41666666
	1	.41666669
	1	.43333334
	2	.46666667
	57	.5
	1	.51666665
	3	.53333333
	1	.55000001
	24	.58333331
	6	.63333333
	12	.66666669
	1	.73333335
	13	.75
	6	.83333331
	8	.88333333
	1	.93333334
	29	1
	3	1.05
	1	1.1333333
	32	1.1666666
	14	1.25
	4	1.3333334
	2	1.4666666
	15	1.5
	1	1.6666666
	8	1.75
	10	2
	1	2.25
	4	2.3333333
	3	2.5
	1	2.6333332
	4	2.9166665
	2	3
	21	3.5
	1	4
	12	7
	1	8.75
	2	10.5
	1	17.5

mean: .363675
 std. dev: 1.04478

percentiles: 10% 25% 50% 75% 90%
 0 0 0 .25 1

outdoorplaying_time **Hours per week of child's outdoor play**

```

type: numeric (float)
range: [0,49.5]           units: 1.000e-08
unique values: 170       missing .: 0/1,510

mean: 7.80684
std. dev: 7.59485

percentiles:      10%      25%      50%      75%      90%
                  0       1.83333  7        11       17.5
    
```

sport_time **Hours per week of child's playing sport, singing, dancing**

```

type: numeric (float)
range: [0,28]           units: 1.000e-09
unique values: 128       missing .: 0/1,510

mean: 2.28716
std. dev: 3.40725

percentiles:      10%      25%      50%      75%      90%
                  0       .233333  .883333  3.46667  7
    
```

roleplay_time **Hours per week of child's role play, selling play, playing with robot or car**

```

type: numeric (float)
range: [0,62.5]        units: 1.000e-09
unique values: 138       missing .: 0/1,510

mean: 5.21789
std. dev: 5.89534

percentiles:      10%      25%      50%      75%      90%
                  .333333  1.25     3.5      7        12.6667
    
```

learning_time **Hours per week of child's practice reading, writing alphabet, counting numbers**

```

type: numeric(float)
range: [0,24.5]        units: 1.000e-09
unique values: 97       missing .: 0/1,510

tabulation:  Freq.  Value
              437  0
                1  .01666667
                6  .03333334
                8  .05
                6  .06666667
               13  .08333334
                9  .1
                1  .11666667
               11  .13333334
                6  .15000001
               34  .16666667
               16  .18333334
                2  .2
                8  .21666667
                1  .23333333
    
```

4 .23333335
 35 .25
 5 .26666668
 9 .30000001
 7 .31666666
 37 .33333334
 4 .34999999
 9 .38333333
 21 .41666666
 7 .41666669
 5 .43333334
 2 .44999999
 3 .4666667
 66 .5
 7 .53333333
 2 .53333336
 45 .58333331
 9 .63333333
 14 .66666669
 1 .69999999
 3 .73333335
 19 .75
 1 .76666665
 1 .80000001
 1 .81666666
 19 .83333331
 21 .88333333
 1 .93333334
 1 .9333334
 46 1
 1 1.05
 1 1.15
 76 1.1666666
 19 1.25
 2 1.3166666
 3 1.3333334
 1 1.4333333
 2 1.4666666
 1 1.4666667
 37 1.5
 2 1.6166667
 1 1.6666666
 32 1.75
 2 1.8833333
 27 2
 1 2.0333333
 1 2.05
 1 2.0833333
 1 2.2
 1 2.2166667
 4 2.25
 60 2.3333333
 22 2.5
 1 2.6333332
 15 2.9166665
 5 3
 1 3.1666667
 1 3.3333333
 113 3.5
 2 3.6666665
 3 3.75
 1 3.9499998
 1 4
 1 4.166667
 2 4.5
 2 4.6666665
 7 5
 3 5.25
 1 5.833333
 2 6
 1 6.1333332
 64 7

```

                2  7.3000002
                1  7.8833332
                3  8.75
                3  9
                5  10.5
                1  12.25
                1  13.133333
                3  14
                2  17.5
                1  24.5
    mean:      1.35937
    std. dev:  2.14916

    percentiles:    10%    25%    50%    75%    90%
                   0      0      .5    1.75   3.5

```

drawing_time Hours per week of child's palying blocks, plasticine, drawing, coloring

```

    type: numeric (float)
    range: [0,42]
    unique values: 98
    units: 1.000e-09
    missing .: 0/1,510

```

```

    tabulation:
    Freq.  Value
    393    0
     4    .01666667
     8    .03333334
    10    .05
     3    .06666667
    34    .08333334
     9    .1
     2    .11666667
    12    .13333334
     6    .15000001
    47    .16666667
     9    .18333334
     2    .2
     7    .21666667
     1    .23333333
     3    .23333335
    43    .25
     7    .30000001
     6    .31666666
    58    .33333334
     4    .34999999
    10    .38333333
    12    .41666666
     4    .41666669
     6    .43333334
     1    .44999999
     1    .46666667
    67    .5
     1    .51666665
     9    .53333333
    28    .58333331
     8    .63333333
     2    .64999998
    23    .66666669
     1    .69999999
     1    .73333335
    19    .75
     4    .81666666
    12    .83333331
    16    .88333333
    79    1
     2    1.0333333
     7    1.05
     3    1.1333333
    72    1.1666666
    33    1.25

```

```

3 1.3166666
1 1.4499999
6 1.4666666
2 1.4666667
24 1.5
2 1.5166667
2 1.6666666
30 1.75
1 1.8333334
2 1.8833333
28 2
3 2.05
1 2.0833333
5 2.25
33 2.3333333
25 2.5
1 2.55
1 2.6333334
1 2.6666667
1 2.8333333
6 2.9166665
6 3
1 3.05
1 3.1666665
80 3.5
1 3.75
7 4
1 4.3833332
6 4.5
4 4.6666665
7 5
4 5.25
1 5.833333
1 6
75 7
2 7.1666665
4 7.5
1 8
2 8.75
1 9
6 10.5
1 11.5
1 11.666666
14 14
2 15
1 15.75
6 17.5
3 21
1 24.5
1 26
1 31
1 42

```

```

mean: 1.61868
std. dev: 3.12559

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      .5    1.75    4

```

fieldtrip_time **Hours per week of child's going to temples, libraries, zoo, museums**

```

type: numeric (float)
range: [0,18]
unique values: 32
units: 1.000e-08
missing .: 0/1,510

```

```

tabulation:  Freq.  Value
              1,211  0
                1  .1
                1  .11666667
                1  .13333334
                2  .16666667
                1  .30000001
                5  .33333334
                1  .41666666
               31  .5
               14  .75
                1  .83333331
                1  .93333334
              133  1
                5  1.25
               15  1.5
                5  1.75
               40  2
                2  2.25
                8  2.5
                1  2.6333334
                2  3
                1  3.3333333
                7  3.5
                3  4
                2  4.5
                1  4.5999999
                2  5
                2  5.5
                1  6
                8  7
                1  8.5
                1  18
    mean:      .316159
    std. dev:  .978015
  
```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1
  
```

shopping_time Hours per week of child's going to department store

```

type: numeric (float)
range: [0,17.5]
unique values: 34
units: 1.000e-09
missing .: 0/1,510
  
```

```

tabulation:  Freq.  Value
              1,264  0
                1  .03333334
                2  .08333334
                3  .16666667
                1  .40000001
               11  .5
                3  .75
               53  1
                2  1.25
               28  1.5
               40  2
                3  2.25
               23  2.5
                1  2.55
               14  3
                6  3.5
                2  3.75
                7  4
                4  4.5
                6  5
                5  5.25
                1  5.5
                7  6
  
```

```

          1  6.25
          7  7
          4  8
          3  9
          2 10.5
          1 11
          1 11.25
          1 12
          1 14
          1 16
          1 17.5
    mean:   .457219
  std. dev: 1.49567

  percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0      1.5
    
```

working_time **Hours per week of child's going to work with household members**

```

    type: numeric (float)
    range: [0,84]
  unique values: 117
    mean:   5.40377
  std. dev: 9.63947
    units: 1.000e-09
  missing .: 0/1,510

  percentiles:    10%    25%    50%    75%    90%
                  0      0    .883333    7    17.25
    
```

housework_time **Hours per week of child's doing housework**

```

    type: numeric (float)
    range: [0,10.5]
  unique values: 58
    units: 1.000e-09
  missing .: 0/1,510

  tabulation:
    Freq.  Value
    984    0
     2    .01666667
    13    .03333334
    32    .05
    14    .06666667
    38    .08333334
    12    .1
     6    .11666667
     1    .11666667
    23    .13333334
     6    .15000001
    47    .16666667
    13    .18333334
    10    .21666667
     2    .23333333
     4    .23333335
    28    .25
     1    .28333333
     8    .30000001
     4    .31666666
    32    .33333334
     2    .34999999
     9    .38333333
    14    .41666666
     3    .41666669
     1    .43333334
     3    .46666667
    21    .5
     1    .51666665
     2    .53333333
    
```

```

44 .58333331
5 .63333333
11 .66666669
2 .75
1 .80000001
4 .83333331
16 .88333333
1 .93333334
13 1
1 1.0333333
17 1.1666666
4 1.25
3 1.3166666
1 1.3333333
2 1.4666666
1 1.4666667
8 1.5
11 1.75
3 2
1 2.05
5 2.3333333
2 2.9166665
2 3
9 3.5
1 4.6666665
2 5.833333
3 7
1 10.5
mean: .212086
std. dev: .650159

percentiles:    10%    25%    50%    75%    90%
                  0      0      0    .166667    .583333

```

homework_time **Hours per week of child's doing homework**

```

type: numeric (float)
range: [0,25]
unique values: 93
units: 1.000e-09
missing .: 0/1,510

```

```

tabulation: Freq. Value
592 0
1 .03166667
1 .03333334
3 .05
8 .08333334
4 .1
2 .11666667
8 .13333334
1 .15000001
13 .16666667
4 .18333334
1 .2
10 .21666667
2 .23333333
2 .23333335
16 .25
1 .26666668
1 .28333333
6 .30000001
1 .31666666
12 .33333334
3 .34999999
4 .38333333
33 .41666666
5 .41666669
1 .44999999
6 .46666667
3 .4666667

```

```

30 .5
1 .58166665
30 .58333331
10 .63333333
8 .66666669
1 .69999999
5 .75
1 .755
1 .76666665
1 .78333336
74 .83333331
6 .88333333
1 .93333334
20 1
1 1.0333333
3 1.05
1 1.0833334
54 1.1666666
29 1.25
2 1.3333334
1 1.4499999
2 1.45
2 1.4666666
3 1.4666667
13 1.5
1 1.6
40 1.6666666
1 1.7
23 1.75
1 1.8333334
2 1.8833333
6 2
2 2.0833333
2 2.25
39 2.3333333
1 2.3499999
2 2.4000001
117 2.5
1 2.6333332
1 2.8333333
2 2.9166667
6 3
1 3.3333333
83 3.5
4 3.75
2 4
1 4.5
1 4.6666665
1 4.75
57 5
1 5.5
3 6
1 6.5
45 7
1 7.4000001
3 7.5
2 8
1 9.3833332
1 10.5
1 12.5
4 14
1 15
3 17.5
1 20
1 25

```

```

mean: 1.3804
std. dev: 2.20785

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        .5      2.33333  3.5

```

selfreading_time **Hours per week of child's reading**

type: numeric (**float**)
 range: [0,7] units: 1.000e-09
 unique values: 31 missing .: 0/1,510

tabulation:

Freq.	Value
1,441	0
1	.03333334
1	.05
2	.1
1	.11666667
1	.16666667
2	.18333334
1	.23333335
5	.33333334
1	.38333333
1	.40000001
2	.41666666
5	.5
1	.53333333
4	.58333331
3	.63333333
3	.75
1	.83333331
2	.88333333
3	1
5	1.1666666
3	1.4666666
3	1.6666666
2	2
1	2.2
4	2.3333333
2	2.5
1	3.2666667
4	3.5
1	5
3	7

mean: .065298
 std. dev: .450595

percentiles:

10%	25%	50%	75%	90%
0	0	0	0	0

screen_time **Hours per week of child's playing computer ,tablet, ipad and smart phone**

type: numeric (**float**)
 range: [0,35.5] units: 1.000e-09
 unique values: 140 missing .: 0/1,510

mean: 4.52488
 std. dev: 6.16294

percentiles:

10%	25%	50%	75%	90%
0	0	1.75	7	14

tv_time **Hours per week of child's watching tv**

type: numeric (**float**)
 range: [0,70] units: 1.000e-09
 unique values: 150 missing .: 0/1,510

mean: 8.88488
 std. dev: 8.05774
 percentiles: 10% 25% 50% 75% 90%
 .5 3.5 7 14 20

other_time **Hours per week of child's doing other activity**

type: numeric (**float**)
 range: [0,7] units: 1.000e-08
 unique values: 7 missing .: 0/1,510

tabulation: Freq. Value
 1,503 0
 1 .13333334
 1 .16666667
 1 .88333333
 2 1.1666666
 1 1.75
 1 7

mean: .008124
 std. dev: .191798

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

year_survey **year survey**

type: numeric (**float**)
 range: [2017,2017] units: 1
 unique values: 1 missing .: 0/1,510

tabulation: Freq. Value
 1,510 2017

mean: 2017
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%
 2017 2017 2017 2017 2017

survey_name **survey round**

type: string (**str12**)
 unique values: 1 missing "": 0/1,510

tabulation: Freq. Value
 1,510 "RESURVEY2017"

2 . log close
 name: <unnamed>
 log: R:\RIECE_RELEASE V3-2017-2018/codebook\2017\b11.scml
 log type: smcl
 closed on: 13 Feb 2026, 16:55:50
