



```

name: <unnamed>
log: R:\RIECE_RELEASE V3-2017-2018/codebook\2017\b1a1.smcl
log type: smcl
opened on: 13 Feb 2026, 16:35:09

```

```
1 . codebookr _all,all
```

```

Dataset: \RIECE_RELEASE V3-2017-2018/codebook\b1a1_run.dta
Last saved: 13 Feb 2026 16:35
DATA HAVE CHANGED SINCE LAST SAVED

```

```

Label: [none]
Number of variables: 33
Number of observations: 663
Size: 338,130 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

```

.a or -6 or RF: The subject explicitly refused to answer the question
when he or she should have.
.b or -7 or NA: The subject was never asked the question
for one reason or another. Usually this results
from "skip patterns" that occur.
.c or -8 or DK: The subject was unable to answer the question
either because he or she had no opinion or because
the required information was not available.
.d or -9 or MI: Items should be filled out but have no data entry found.
This is enumerator's own mistake. The circumstances
can be interviewers failing to ask a question
or forgetting to record a response

```

```

Numeric Missing*: .a or -6          String Missing*: RF
                  .b or -7          NA
                  .c or -8          DK
                  .d or -9          MI

```

```

_dta:
1. score = N/A คือครัวเรือนสถาบัน

```

```
cid children id
```

```

type: string (str18)
unique values: 424          missing "": 0/663
examples: "201591160604209H1"
           "201691131006008H1"
           "201691150812999H1"
           "201691161309042H1"

```

```
pid personal id
```

```

type: string (str18)
unique values: 553          missing "": 0/663
examples: "201591160604209H4"
           "201691131001079H7"
           "201691150812999H8"
           "201691161309042H10"

```

iyear **year**

type: string (**str9**), but longest is str4
 unique values: **2** missing "": **0/663**
 tabulation: Freq. Value
 253 "2015"
 410 "2016"

hhid **household id**

type: string (**str15**)
 unique values: **360** missing "": **0/663**
 examples: "201591160604209"
 "201691130216999"
 "201691150812999"
 "201691161309042"

prov **province**

type: string (**str2**)
 unique values: **2** missing "": **0/663**
 tabulation: Freq. Value
 604 "91"
 59 "93"

amp **amphoe**

type: string (**str2**)
 unique values: **8** missing "": **0/663**
 tabulation: Freq. Value
 3 "09"
 59 "12"
 107 "13"
 69 "14"
 53 "15"
 274 "16"
 15 "17"
 83 "18"

tam **tambon**

type: string (**str2**)
 unique values: **15** missing "": **0/663**

```

tabulation:  Freq.  Value
              35  "01"
              110  "02"
              49  "04"
              56  "05"
              34  "06"
              13  "07"
              25  "08"
              28  "09"
              57  "10"
              35  "11"
              77  "13"
              28  "14"
              48  "15"
              39  "17"
              29  "19"
    
```

moo

moo

```

type:  string (str2)
unique values:  21                missing "":  0/663
    
```

```

tabulation:  Freq.  Value
              66  "01"
              26  "02"
              71  "03"
              78  "04"
              46  "05"
              65  "06"
              39  "07"
              72  "08"
              55  "09"
              27  "10"
              16  "11"
              26  "12"
              21  "13"
               7  "14"
               5  "15"
              21  "16"
               4  "17"
               1  "18"
               9  "19"
               3  "20"
               5  "22"
    
```

strucid

structure ID

```

type:  string (str3)
unique values:  134                missing "":  0/663
examples:  "011"
           "031"
           "069"
           "201"
    
```

no

Item number

```

type:  numeric (byte)
range:  [1,11]                units:  1
unique values:  11                missing .:  2/663
    
```

```

tabulation:  Freq.  Value
              1      1
              36      2
              61      3
             128      4
             140      5
             120      6
              90      7
              42      8
              19      9
              14     10
              10     11
               2      .
    mean:     5.40847
    std. dev: 1.93599

percentiles:    10%    25%    50%    75%    90%
                3      4      5      7      8
    
```

blaa **member ID**

```

    type:  string (str3)
unique values:  11                missing "":  0/663

    tabulation:  Freq.  Value
                  1  "H1"
                  14 "H10"
                   10 "H11"
                   36 "H2"
                   62 "H3"
                  130 "H4"
                  140 "H5"
                  119 "H6"
                   90 "H7"
                   42 "H8"
                   19 "H9"
    
```

blab **Nickname (unavailable)**

```

    type:  string (str30), but longest is str0
unique values:  0                missing "":  663/663

    tabulation:  Freq.  Value
                  663  ""
    
```

blac **Date of birth (unavailable)**

```

    type:  numeric (byte)
    label:  blac

    range:  [.,.]                units:  .
unique values:  0                missing .:  663/663

    tabulation:  Freq.  Numeric  Label
                  663      .
    
```

blad **Month of birth (unavailable)**

```

    type:  numeric (byte)
    label:  blad
    
```

```

range: [,.]
unique values: 0
units: .
missing .: 663/663

tabulation: Freq. Numeric Label
             663 .
    
```

blae **Year of birth (unavailable)**

```

type: numeric (int)
label: blae

range: [,.]
unique values: 0
units: .
missing .: 663/663

tabulation: Freq. Numeric Label
             663 .
    
```

blaf **Gender**

```

type: numeric (byte)
label: blaf

range: [1,3]
unique values: 2
units: 1
missing .: 353/663

tabulation: Freq. Numeric Label
             167      1 Male
             143      3 Female
             353      .
    
```

blag **Nationality**

```

type: numeric (byte)
label: blag

range: [1,99]
unique values: 2
units: 1
missing .: 353/663

tabulation: Freq. Numeric Label
             309      1 Thai
              1      99 Other
             353      .
    
```

blag_other **Other nationality**

```

type: string (str9)
unique values: 1
missing "": 662/663

tabulation: Freq. Value
             662 ""
              1 "๓๓"
    
```

blah **Highest education/present (not display)**

```

type: string (str96), but longest is str0
unique values: 0
missing "": 663/663

tabulation: Freq. Value
             663 ""
    
```

blah_code **Highest education code**

```

type: numeric (byte)
label: blah_code

range: [1,99]
unique values: 19
unique missing codes: 2

units: 1
missing ..: 353/663
missing *: 2/663
    
```

tabulation:	Freq.	Numeric	Label
	80	1	No education
	2	3	Kindergarten 1
	2	5	Kindergarten 2
	3	9	Primary school 1
	5	11	Primary school 2
	41	15	Primary school 4
	1	17	Primary school 5
	32	19	Primary school 6
	1	23	Lower secondary 1
	3	25	Lower secondary 2
	36	27	Lower secondary 3
	2	31	Upper secondary 2
	44	33	Upper secondary 3
	4	45	Vocational school year 1
	2	47	Vocational school year 2
	1	51	High vocational school year 1
	22	53	High vocational school year 2
	16	67	Undergraduate school year 4
	11	99	Other
	353	.	.
	2	.c	.c

blaia **Move in (month) (unavailable)**

```

type: numeric (byte)
label: blaia

range: [.,.]
unique values: 0

units: .
missing ..: 663/663
    
```

tabulation:	Freq.	Numeric	Label
	663	.	.

blaib **Move in (year) (unavailable)**

```

type: numeric (int)
label: blaib

range: [.,.]
unique values: 0

units: .
missing ..: 663/663
    
```

tabulation:	Freq.	Numeric	Label
	663	.	.

blaj **Marital status**

```

type: numeric (byte)
label: blaj

range: [1,9]
unique values: 5

units: 1
missing ..: 353/663
    
```

```

tabulation: Freq.  Numeric  Label
             131      1      Single
             115      3      Married(Both registered and
                               non-registered)
             13       5      Divorce
             16       7      Widowed
             35       9      Leaving seperately
             353      .
    
```

blaka **Move out (month) (unavailable)**

```

type: numeric (byte)
label: blaka

range: [.,.]          units: .
unique values: 0      missing .: 663/663

tabulation: Freq.  Numeric  Label
             663      .
    
```

blakb **Move out (year) (unavailable)**

```

type: numeric (int)
label: blakb

range: [.,.]          units: .
unique values: 0      missing .: 663/663

tabulation: Freq.  Numeric  Label
             663      .
    
```

blal **Cause of move out (unavailable)**

```

type: numeric (byte)
label: blal

range: [.,.]          units: .
unique values: 0      missing .: 663/663

tabulation: Freq.  Numeric  Label
             663      .
    
```

blal_other **Other (specify) (unavailable)**

```

type: string (str117), but longest is str0
unique values: 0      missing "": 663/663

tabulation: Freq.  Value
             663  ""
    
```

blam **Adress now (unavailable)**

```

type: string (str136), but longest is str0
unique values: 0      missing "": 663/663

tabulation: Freq.  Value
             663  ""
    
```

age **Age**

```

type: numeric (double)
range: [.03,89.62]           units: .01
unique values: 235           missing .: 364/663

mean: 27.2179
std. dev: 22.3078

percentiles:      10%      25%      50%      75%      90%
                  .52      1.68      26.98      39.07      59.07
    
```

move_in **Move in**

```

type: numeric (float)
label: move_in

range: [0,1]           units: 1
unique values: 2       missing .: 0/663

tabulation:  Freq.  Numeric  Label
              353    0        no
              310    1        yes
    
```

move_out **Move out**

```

type: numeric (float)
label: move_out

range: [0,1]           units: 1
unique values: 2       missing .: 0/663

tabulation:  Freq.  Numeric  Label
              310    0        no
              353    1        yes
    
```

survey_name **survey name**

```

type: string (str12)

unique values: 1           missing "": 0/663

tabulation:  Freq.  Value
              663  "RESURVEY2017"
    
```

year_survey **year survey**

```

type: numeric (float)

range: [2017,2017]       units: 1
unique values: 1         missing .: 0/663

tabulation:  Freq.  Value
              663  2017
mean: 2017
std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  2017      2017      2017      2017      2017
    
```

2 . log close
name: <unnamed>
log: R:\RIECE_RELEASE V3-2017-2018/codebook\2017\b1a1.smcl
log type: smcl
closed on: 13 Feb 2026, 16:35:09
