



```

name: <unnamed>
log: R:\RIECE_RELEASE V3-2017-2018/codebook\2017\b2.scml
log type: smcl
opened on: 13 Feb 2026, 16:36:33

```

1 . codebookr _all,all

```

Dataset: \RIECE_RELEASE V3-2017-2018/codebook\b2_run.dta
Last saved: 13 Feb 2026 16:35
DATA HAVE CHANGED SINCE LAST SAVED

```

```

Label: [none]
Number of variables: 257
Number of observations: 1,510
Size: 8,255,170 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or -6 or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or -7 or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or -8 or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or -9 or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a or -6	String Missing*:	RF
	.b or -7		NA
	.c or -8		DK
	.d or -9		MI

pid **personal id**

```

type: string (str18)
unique values: 1,510 missing "": 0/1,510
examples: "201591160604209H1"
           "201691131001997H1"
           "201691160105067H1"
           "201691161708058H1"

```

iyear **year**

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/1,510
tabulation: Freq. Value
              553 "2015"
              957 "2016"

```

hhid **household id**

```

type: string (str15)

```

unique values: 1,286 missing "": 0/1,510
 examples: "201591160604209"
 "201691131001097"
 "201691160105068"
 "201691161708058"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,510
 tabulation: Freq. Value
 1,365 "91"
 145 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,510
 tabulation: Freq. Value
 1 "09"
 145 "12"
 266 "13"
 129 "14"
 148 "15"
 557 "16"
 40 "17"
 224 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,510
 tabulation: Freq. Value
 65 "01"
 229 "02"
 123 "04"
 63 "05"
 57 "06"
 66 "07"
 64 "08"
 97 "09"
 138 "10"
 93 "11"
 154 "13"
 47 "14"
 151 "15"
 106 "17"
 57 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,510

```

tabulation:  Freq.  Value
              158  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              157  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8  "17"
              12  "18"
              26  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,510
examples: "011"
          "035"
          "071"
          "149"
    
```

cid **children id**

```

type: string (str18)
unique values: 1,510       missing "": 0/1,510
examples: "201591160604209H1"
          "201691131001997H1"
          "201691160105067H1"
          "201691161708058H1"
    
```

ccla **In the past month, did you feed the child with breast milk? (Check the Roster,in**

```

type: numeric (byte)
label: ccla
range: [1,3]           units: 1
unique values: 2       missing .: 502/1,510
tabulation:  Freq.  Numeric  Label
              64     1  yes
              944    3  no
              502     .
    
```

cclal **How old was the child when you stopped breast feeding ?**

```

type: numeric (byte)
    
```

range: [0,45] units: 1
 unique values: 32 missing .: 566/1,510
 unique missing codes: 3 missing *: 27/1,510

tabulation: Freq. Value
 60 0
 88 1
 113 2
 193 3
 45 4
 19 5
 117 6
 27 7
 34 8
 30 9
 7 10
 7 11
 46 12
 6 13
 21 14
 8 15
 8 16
 5 17
 24 18
 4 19
 8 20
 1 21
 4 22
 25 24
 1 25
 1 27
 4 29
 4 30
 2 31
 1 35
 3 36
 1 45
 566 .
 2 .c
 25 .d
 mean: 6.45583
 std. dev: 6.65457

percentiles: 10% 25% 50% 75% 90%
 1 2 4 8 16

cc1b In the past month, did you feed the child with other milk?

type: numeric (byte)
 label: cc1b
 range: [1,3] units: 1
 unique values: 2 missing .: 502/1,510

tabulation: Freq. Numeric Label
 1,006 1 yes
 2 3 no
 502 .

cc1b1 How old was the child when you started to feed him/her with other milk?

type: numeric (byte)
 range: [1,38] units: 1
 unique values: 30 missing .: 504/1,510
 unique missing codes: 3 missing *: 8/1,510

```

tabulation:  Freq.  Value
              142    1
              111    2
              132    3
              121    4
               38    5
               68    6
               80    7
               42    8
               37    9
               22   10
                9   11
               39   12
               23   13
               13   14
               15   15
                9   16
               10   17
               21   18
               16   19
                6   20
                5   21
                2   22
                2   23
               16   24
                8   25
                2   26
                4   29
                2   30
                2   36
                1   38
              504   .
                4   .c
                4   .d
    mean:      6.81062
    std. dev:  6.19875

```

```

percentiles:      10%      25%      50%      75%      90%
                  1         2         4         9        16

```

cc3 Since previous interview, have child eaten vitamin or supplementary food?

```

    type: numeric (byte)
    label: cc3
    range: [1,3]
    unique values: 2
    unique missing codes: 1
    units: 1
    missing .: 0/1,510
    missing *: 1/1,510

```

```

tabulation:  Freq.  Numeric  Label
              651     1      yes
              858     3      no
               1     .d

```

cc3b Since the last interview, What vitamins did the child eat? (not display)

```

    type: string (str120), but longest is str0
    unique values: 0
    missing "": 1,510/1,510
    tabulation:  Freq.  Value
                  1,510  ""

```

cc3ca Since last interview, has the child had supplementary food e.g. chicken essence,

```

type: numeric (int)
range: [0,60]
unique values: 10
unique missing codes: 3
units: 1
missing .: 858/1,510
missing *: 4/1,510

tabulation: Freq. Value
             554  0
             43  1
             17  2
             15  3
              6  4
              4  5
              2  6
              5 10
              1 20
              1 60
            858 .
              3 .c
              1 .d
mean: .475309
std. dev: 2.74287

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         1
    
```

cc3cb How often do children have to consume food supplements such as instant real bird

```

type: string (str30), but longest is str9
unique values: 7
unique missing codes: 3
missing "": 1,412/1,510
missing *: 3/1,510

tabulation: Freq. Value
             1,412 ""
              1 "15 months"
              1 "DK"
              2 "MI"
             21 "daily"
             26 "monthly"
             22 "weekly"
             25 "yearly"

warning: variable has embedded blanks
    
```

cc3cc Frequency code : The child had supplementary food

```

type: numeric (byte)
label: cc3cc
range: [1,99]
unique values: 5
unique missing codes: 3
units: 1
missing .: 1,412/1,510
missing *: 3/1,510

tabulation: Freq. Numeric Label
             21         1 every day
             22         3 every week
             26         5 every month
             25         9 every year
              1         99 other
            1,412         .
              1         .c
              2         .d
    
```

cc4b Since previous interview, does child regularly drank water being boiled, filte

```

type: numeric (byte)
label: cc4b

range: [1,3]
unique values: 2
unique missing codes: 1

units: 1
missing .: 0/1,510
missing *: 2/1,510

```

tabulation:	Freq.	Numeric	Label
	1,252	1	yes
	256	3	no
	2	.d	

cc5a4 Since last interview, has your child eaten vegetable (including cooked, dried, g

```

type: numeric (byte)
label: cc5a4

range: [1,3]
unique values: 2
unique missing codes: 1

units: 1
missing .: 0/1,510
missing *: 1/1,510

```

tabulation:	Freq.	Numeric	Label
	1,167	1	yes
	342	3	no
	1	.c	

cc5b4 How many days per month did your child have vegetable (including cooked, dried,

```

type: numeric (byte)

range: [1,30]
unique values: 18
unique missing codes: 2

units: 1
missing .: 342/1,510
missing *: 1/1,510

```

tabulation:	Freq.	Value
	9	1
	14	2
	24	3
	84	4
	6	5
	56	6
	12	7
	130	9
	6	10
	82	11
	110	13
	47	15
	31	17
	8	19
	3	20
	28	22
	4	23
	513	30
	342	.
	1	.c

```

mean: 18.8509
std. dev: 10.5716

```

percentiles:	10%	25%	50%	75%	90%
	4	9	17	30	30

cc5a6 Since last interview, has your child eaten eggs, meat and meat products?

```

type: numeric (byte)
label: cc5a6

```

```

range: [1,3] units: 1
unique values: 2 missing .: 0/1,510
unique missing codes: 1 missing *: 1/1,510

tabulation: Freq. Numeric Label
             1,506      1 yes
              3       3 no
              1       .c
    
```

cc5b6 How many days per month did your child have eggs, meat and meat products?

```

type: numeric (byte)

range: [4,30] units: 1
unique values: 11 missing .: 3/1,510
unique missing codes: 2 missing *: 1/1,510

tabulation: Freq. Value
             7 4
             2 6
             9 9
            21 11
            17 13
            11 15
             3 17
             3 19
             1 20
             4 22
          1,428 30
             3 .
             1 .c
mean: 29.0797
std. dev: 4.0571

percentiles: 10% 25% 50% 75% 90%
              30 30 30 30 30
    
```

cc5a7 Have children ever eating seafood such as mackerel, squid

```

type: numeric (byte)
label: cc5a7

range: [1,3] units: 1
unique values: 2 missing .: 0/1,510
unique missing codes: 1 missing *: 1/1,510

tabulation: Freq. Numeric Label
             1,442      1 yes
              67       3 no
              1       .c
    
```

cc5b7 How many days per month did your child have seafood e.g. mackerel, squid?

```

type: numeric (int)

range: [1,30] units: 1
unique values: 22 missing .: 66/1,510
unique missing codes: 3 missing *: 36/1,510
    
```



```

                18 17
                13 19
                 1 20
                12 22
                 5 24
                 1 26
                296 30
                327 .
                 2 .c
    mean:      13.0449
    std. dev:  10.7522

    percentiles:    10%    25%    50%    75%    90%
                   2      4      9     30     30
    
```

cc10a1 Rank of reponsive freq : using praise to the child for satisfying behavior

```

    type: numeric (byte)
    label: cc10a1

    range: [1,3]
    unique values: 3
    units: 1
    missing .: 44/1,510

    tabulation: Freq.  Numeric  Label
                 789      1  most frequent response
                 629      2  fairly frequent response
                 48       3  least frequent response
                 44       .
    
```

cc10a2 Rank of reponsive freq : hug, kiss, head pad or applaud to the child for satisfy

```

    type: numeric (byte)
    label: cc10a2

    range: [1,3]
    unique values: 3
    units: 1
    missing .: 86/1,510

    tabulation: Freq.  Numeric  Label
                 678      1  most frequent response
                 692      2  fairly frequent response
                 54       3  least frequent response
                 86       .
    
```

cc10a3 Rank of reponsive freq : give reward to the child for satisfying behavior

```

    type: numeric (byte)
    label: cc10a3

    range: [1,3]
    unique values: 3
    units: 1
    missing .: 784/1,510

    tabulation: Freq.  Numeric  Label
                 39      1  most frequent response
                 103     2  fairly frequent response
                 584     3  least frequent response
                 784     .
    
```

cc10a4 Rank of reponsive freq : respond to the child with the other reponsive types

```

    type: numeric (byte)
    label: cc10a4
    
```

range: [1,3] units: 1
 unique values: 2 missing .: 1,505/1,510

tabulation:	Freq.	Numeric	Label
	4	1	most frequent response
	1	3	least frequent response
	1,505	.	

cc10a4_des Description of other reponsive types (not display)

type: string (str114), but longest is str0
 unique values: 0 missing "": 1,510/1,510

tabulation:	Freq.	Value
	1,510	" "

cc10b1 Rank of reponsive freq : assign time out to the child for unsatisfying behavior

type: numeric (byte)
 label: cc10b1

range: [1,3] units: 1
 unique values: 3 missing .: 1,497/1,510

tabulation:	Freq.	Numeric	Label
	5	1	most frequent response
	4	2	fairly frequent response
	4	3	least frequent response
	1,497	.	

cc10b2 Rank of reponsive freq : show offensive facial expression to the child for unsa

type: numeric (byte)
 label: cc10b2

range: [1,3] units: 1
 unique values: 3 missing .: 1,208/1,510

tabulation:	Freq.	Numeric	Label
	75	1	most frequent response
	98	2	fairly frequent response
	129	3	least frequent response
	1,208	.	

cc10b3 Rank of reponsive freq : use fierceful words, loud voice or shout to the child f

type: numeric (byte)
 label: cc10b3

range: [1,3] units: 1
 unique values: 3 missing .: 282/1,510

tabulation:	Freq.	Numeric	Label
	546	1	most frequent response
	522	2	fairly frequent response
	160	3	least frequent response
	282	.	

cc10b4 Rank of reponsive freq : give warning to the child for unsatisfying behavior

type: numeric (byte)
 label: **cc10b4**
 range: [1,3] units: 1
 unique values: 3 missing .. 214/1,510
 tabulation:

Freq.	Numeric	Label
661	1	most frequent response
458	2	fairly frequent response
177	3	least frequent response
214	.	

cc10b5 Rank of reponsive freq : hit or spank the child for unsatisfying behavior

type: numeric (byte)
 label: **cc10b5**
 range: [1,3] units: 1
 unique values: 3 missing .. 678/1,510
 tabulation:

Freq.	Numeric	Label
167	1	most frequent response
220	2	fairly frequent response
445	3	least frequent response
678	.	

cc10b6 Rank of reponsive freq : threaten to not love or leave the child for unsatisfyin

type: numeric (byte)
 label: **cc10b6**
 range: [1,3] units: 1
 unique values: 3 missing .. 1,354/1,510
 tabulation:

Freq.	Numeric	Label
28	1	most frequent response
63	2	fairly frequent response
65	3	least frequent response
1,354	.	

cc10b7 Rank of reponsive freq : negotiate with the child that if he/she stop unsatisfyi

type: numeric (byte)
 label: **cc10b7**
 range: [1,3] units: 1
 unique values: 3 missing .. 1,355/1,510
 tabulation:

Freq.	Numeric	Label
19	1	most frequent response
58	2	fairly frequent response
78	3	least frequent response
1,355	.	

cc10b8 Rank of reponsive freq : responding to the child with the other responsive types

```

type: numeric (byte)
label: cc10b8

range: [1,3]
unique values: 3
units: 1
missing ..: 1,492/1,510

tabulation: Freq. Numeric Label
              9         1 most frequent response
              6         2 fairly frequent response
              3         3 least frequent response
            1,492         .
    
```

cc10b8_des Description of the other reponsive types (not display)

```

type: string (str106), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq. Value
            1,510 ""
    
```

cc10c Since previous interview, have child ever wetting

```

type: numeric (byte)
label: cc10c

range: [1,5]
unique values: 3
unique missing codes: 2
units: 1
missing ..: 498/1,510
missing *: 1/1,510

tabulation: Freq. Numeric Label
              282         1 yes
              279         3 no
              450         5 never or still wearing diapers
              498         .
              1           .d
    
```

cc10c1 Rank of reponsive freq reponsive for the bedwetting:punishing of the child(chil

```

type: numeric (byte)
label: cc10c1

range: [1,3]
unique values: 3
units: 1
missing ..: 1,491/1,510

tabulation: Freq. Numeric Label
              3         1 most frequent response
              10        2 fairly frequent response
              6         3 least frequent response
            1,491         .
    
```

cc10c2 Rank of reponsive freq for the bedwetting : training the child to urinate before

```

type: numeric (byte)
label: cc10c2

range: [1,3]
unique values: 3
units: 1
missing ..: 1,249/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              239      1  most frequent response
              21      2  fairly frequent response
              1       3  least frequent response
            1,249      .
    
```

cc10c3

Rank of reponsive freq for the bedwetting : avoid giving milk and water to the c

```

type: numeric (byte)
label: cc10c3

range: [1,3]          units: 1
unique values: 3      missing .: 1,491/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              1      1  most frequent response
              13     2  fairly frequent response
              5      3  least frequent response
            1,491      .
    
```

cc10c4

Rank of reponsive freq reponsive for the bedwetting:waking the child up at night

```

type: numeric (byte)
label: cc10c4

range: [1,3]          units: 1
unique values: 3      missing .: 1,367/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              23     1  most frequent response
              112    2  fairly frequent response
              8      3  least frequent response
            1,367      .
    
```

cc10c6

Rank of reponsive freq for the bedwetting : do nothing

```

type: numeric (byte)
label: cc10c6

range: [1,2]          units: 1
unique values: 2      missing .: 1,492/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              14     1  most frequent response
              4      2  fairly frequent response
            1,492      .
    
```

cc10c5

Rank of reponsive freq reponsive for the bedwetting:the child : other rection ty

```

type: numeric (byte)
label: cc10c5

range: [1,2]          units: 1
unique values: 2      missing .: 1,508/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              1      1  most frequent response
              1      2  fairly frequent response
            1,508      .
    
```

cc10c5_des Description of other reaction types to the child for bedwetting (not display)

type: string (**str78**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

cc10d Since previous interview, has child ever get constipation

type: numeric (**byte**)
 label: **cc10d**
 range: [1,3] units: 1
 unique values: 2 missing .: 498/1,510
 unique missing codes: 2 missing *: 1/1,510
 tabulation: Freq. Numeric Label
 218 1 yes
 793 3 no (skip to cc10e1)
 498 .
 1 .d

cc10d1 Constipation problem solution : anus's been tucked by soap

type: numeric (**byte**)
 label: **cc10d1**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,292/1,510
 tabulation: Freq. Numeric Label
 45 1 yes
 173 3 no
 1,292 .

cc10d2 Use enema (for bottom injection)

type: numeric (**byte**)
 label: **cc10d2**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,292/1,510
 tabulation: Freq. Numeric Label
 36 1 yes
 182 3 no
 1,292 .

cc10d3 Training for scheduled defecation

type: numeric (**byte**)
 label: **cc10d3**
 range: [1,3] units: 1
 unique values: 2 missing .: 1,292/1,510

```

tabulation:  Freq.  Numeric  Label
              117      1  yes
              101      3  no
              1,292      .
    
```

cc10d4 **Use laxative (for eating)**

```

type:  numeric (byte)
label:  cc10d4

range:  [1,3]          units:  1
unique values:  2      missing .:  1,292/1,510

tabulation:  Freq.  Numeric  Label
              44      1  yes
              174      3  no
              1,292      .
    
```

cc10e1 **Take the child to restroom or manage child to sit on toilet or pot**

```

type:  numeric (byte)
label:  cc10e1

range:  [1,3]          units:  1
unique values:  2      missing .:  499/1,510
unique missing codes:  2      missing *:  1/1,510

tabulation:  Freq.  Numeric  Label
              512      1  yes
              498      3  no
              499      .
              1        .d
    
```

cc10e2 **Child go to restroom by himself**

```

type:  numeric (byte)
label:  cc10e2

range:  [1,3]          units:  1
unique values:  2      missing .:  499/1,510
unique missing codes:  2      missing *:  1/1,510

tabulation:  Freq.  Numeric  Label
              723      1  yes
              287      3  no
              499      .
              1        .d
    
```

cc10e3 **Take child to defecate under house or around the house, not in the toilet**

```

type:  numeric (byte)
label:  cc10e3

range:  [1,3]          units:  1
unique values:  2      missing .:  499/1,510
unique missing codes:  2      missing *:  1/1,510

tabulation:  Freq.  Numeric  Label
              229      1  yes
              781      3  no
              499      .
              1        .d
    
```

cc10e4 **Help child to clean after defecation**

```

type: numeric (byte)
label: cc10e4

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 499/1,510
missing *: 1/1,510

tabulation:  Freq.  Numeric  Label
              852      1      yes
              158      3      no
              499      .
              1        .d
    
```

cc10e5 **Let child manage him self after defecation**

```

type: numeric (byte)
label: cc10e5

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 499/1,510
missing *: 1/1,510

tabulation:  Freq.  Numeric  Label
              378      1      yes
              632      3      no
              499      .
              1        .d
    
```

cc10f1 **Electric plug installed with cover**

```

type: numeric (byte)
label: cc10f1

range: [1,3]
unique values: 2
unique missing codes: 1

units: 1
missing .: 0/1,510
missing *: 625/1,510

tabulation:  Freq.  Numeric  Label
              9       1      yes
              876     3      no
              625     .b
    
```

cc10f2 **Electric plug installed at high position (over child hight)**

```

type: numeric (byte)
label: cc10f2

range: [1,3]
unique values: 2
unique missing codes: 1

units: 1
missing .: 0/1,510
missing *: 627/1,510

tabulation:  Freq.  Numeric  Label
              260     1      yes
              623     3      no
              627     .b
    
```

cc10f3 **Keep sharp objects away from children**

type: numeric (byte)
 label: **cc10f3**
 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,510
 unique missing codes: 1 missing *: 821/1,510

tabulation:	Freq.	Numeric	Label
	59	1	yes
	630	3	no
	821	.b	

cc10f4 Keep medicine away from children

type: numeric (byte)
 label: **cc10f4**
 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,510
 unique missing codes: 1 missing *: 1,299/1,510

tabulation:	Freq.	Numeric	Label
	33	1	yes
	178	3	no
	1,299	.b	

cc10f5 Keep chemical substance away from children

type: numeric (byte)
 label: **cc10f5**
 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,510
 unique missing codes: 1 missing *: 1,113/1,510

tabulation:	Freq.	Numeric	Label
	27	1	yes
	370	3	no
	1,113	.b	

cc10g In the child's eating, Do you need to feed the baby now?

type: numeric (byte)
 label: **cc10g**
 range: [1,3] units: 1
 unique values: 2 missing .: 498/1,510
 unique missing codes: 2 missing *: 1/1,510

tabulation:	Freq.	Numeric	Label
	248	1	yes
	763	3	no
	498	.	
	1	.d	

cc11i Media exposure and influence of media on children: How often does the child watc

type: numeric (byte)
 label: **cc11i**
 range: [1,5] units: 1
 unique values: 3 missing .: 0/1,510

```

tabulation:  Freq.  Numeric  Label
              587      1  never
              596      3  sometimes
              327      5  often
    
```

cc11c Media exposure and influence of media on children: In the past week, did you res

```

type: numeric (byte)
label: cc11c

range: [1,5]          units: 1
unique values: 3      missing .: 0/1,510
unique missing codes: 1  missing *: 4/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              140      1  yes (restricted)
            1,271      3  no (the child can watch any
                          program.)
               95      5  the child did not watch
                          television.
                 4      .d
    
```

cc11e Media exposure and influence of media on children: Does your household connect t

```

type: numeric (byte)
label: cc11e

range: [1,3]          units: 1
unique values: 2      missing .: 0/1,510
unique missing codes: 2  missing *: 3/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              937      1  yes
              570      3  no
                 2      .c
                 1      .d
    
```

cc12 Since previous interview, have your household member wathching political news in

```

type: numeric (byte)
label: cc12

range: [1,3]          units: 1
unique values: 2      missing .: 3/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              54      1  yes
            1,453      3  no
                 3      .
    
```

cc12a The child join when watching political news (yes/no)

```

type: numeric (byte)
label: cc12a

range: [1,3]          units: 1
unique values: 2      missing .: 1,456/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              18      1  yes
              36      3  no
            1,456      .
    
```

cc13a The response of parents to the child : Since last interview, has the child's fat

```

type: numeric (byte)
label: cc13a

range: [1,5]
unique values: 3
units: 1
missing ..: 0/1,510

tabulation: Freq.  Numeric  Label
              402      1  never (skip to cc13b)
              582      3  sometimes
              526      5  often
    
```

cc13a_des The response of parents to the child : If yes, please specify (not display)

```

type: string (str236), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.  Value
              1,510  ""
    
```

cc13b The response of parents to the child : Since last interview, have you and your h

```

type: numeric (byte)
label: cc13b

range: [1,5]
unique values: 3
unique missing codes: 1
units: 1
missing ..: 0/1,510
missing *: 97/1,510

tabulation: Freq.  Numeric  Label
              798      1  never (skip to cc13h)
              484      3  sometimes
              131      5  often
              97      .b
    
```

cc13b_des The response of parents to the child : If yes, please specify (not display)

```

type: string (str407), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.  Value
              1,510  ""
    
```

cc13h Number of learning centers for children in the community

```

type: numeric (byte)
label: cc13h

range: [1,5]
unique values: 3
units: 1
missing ..: 4/1,510

tabulation: Freq.  Numeric  Label
              1,325      1  none
              171      3  some
              10      5  many
              4      .
    
```

cc13i The response of parents to the child : At present, how dangerous is the communit

type: numeric (**byte**)
 label: **cc13i**
 range: [1,5] units: 1
 unique values: 3 missing ..: 0/1,510
 tabulation:

Freq.	Numeric	Label
973	1	not at all
391	3	somewhat
146	5	much

cc14 Interviewer note (unavailable)

type: string (**str736**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation:

Freq.	Value
1,510	" "

cc2_1 Powdered milk (not display)

type: string (**str84**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation:

Freq.	Value
1,510	" "

cc2_1:
 1. subjected to a carryforward operation

cc2a_1 Powdered milk: Eat or not?

type: numeric (**byte**)
 label: **cc2a_1**
 range: [1,3] units: 1
 unique values: 2 missing ..: 2/1,510
 unique missing codes: 4 missing *: 501/1,510
 tabulation:

Freq.	Numeric	Label
177	1	yes
830	3	no
2	.	.
498	.b	.b
1	.c	.c
2	.d	.d

cc2b_1 Powdered milk: Average quantity per week

type: numeric (**int**)
 range: [10,840] units: 1
 unique values: 47 missing ..: 833/1,510
 unique missing codes: 4 missing *: 500/1,510

```

tabulation:  Freq.  Value
              1    10
              2    14
              1    28
              1    35
              2    42
              1    43
              9    56
              1    63
              1    68
              2    70
              1    72
              1    74
             12    84
              1    88
              5    98
              4   105
              1   108
             13   112
              2   123
              2   126
              1   137
             10   140
              2   147
              1   152
             28   168
              7   196
              1   200
              5   210
             12   224
              3   245
              3   252
              1   273
             13   280
              2   294
              2   308
              1   319
              1   320
              5   336
              4   364
              1   392
              1   400
              1   420
              2   448
              1   476
              4   560
              1   672
              1   840
             833   .
             498  .b
              1   .c
              1   .d
    mean:      191.712
  std. dev:   127.01

```

```

percentiles:      10%      25%      50%      75%      90%
                  63      105      168      245      336

```

cc2c_1

Powdered milk: Unit

```

    type:  string (str35), but longest is str15
unique values:  1                               missing "":  2/1,510
tabulation:  Freq.  Value
              2    ""
             1,508  "อบุน้"

```

cc2_2 **Bag milk/Pasteurized milk (not display)**

```

type: string (str84), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

cc2_2:
 1. subjected to a carryforward operation

cc2a_2 **Bag milk/Pasteurized milk: Eat or not?**

```

type: numeric (byte)
label: cc2a_2
range: [1,3] units: 1
unique values: 2 missing .: 2/1,510
unique missing codes: 2 missing *: 1/1,510
tabulation: Freq. Numeric Label
             1,107 1 yes
             400 3 no
             2 .
             1 .c
    
```

cc2b_2 **Bag milk/Pasteurized milk: Average quantity per week**

```

type: numeric (int)
range: [1,70] units: 1
unique values: 37 missing .: 403/1,510
unique missing codes: 2 missing *: 3/1,510
tabulation: Freq. Value
             12 1
             20 2
             26 3
             7 4
             678 5
             11 6
             54 7
             35 8
             8 9
             142 10
             10 11
             14 12
             5 13
             23 14
             8 15
             1 16
             2 17
             7 18
             3 19
             3 20
             9 21
             1 23
             2 25
             6 28
             3 30
             1 31
             1 32
             1 33
             2 35
             1 36
    
```

```

          1 37
          2 38
          1 39
          1 53
          1 56
          1 60
          1 70
        403 .
          3 .c
    mean:  7.20562
  std. dev: 5.72538

percentiles:    10%    25%    50%    75%    90%
                  5      5      5      8     11

```

cc2c_2 **Bag milk/Pasteurized milk: Unit**

```

    type: string (str35), but longest is str19
unique values: 1          missing "": 2/1,510

  tabulation: Freq. Value
                2 ""
            1,508 "ถุง/ขวด"

```

cc2_3 **UHT milk (sterilize) (not display)**

```

    type: string (str84), but longest is str0
unique values: 0          missing "": 1,510/1,510

  tabulation: Freq. Value
            1,510 ""

```

cc2_3:
 1. subjected to a carryforward operation

cc2a_3 **UHT milk (sterilize): Eat or not?**

```

    type: numeric (byte)
    label: cc2a_3

    range: [1,3]          units: 1
unique values: 2          missing .: 2/1,510
unique missing codes: 2  missing *: 1/1,510

  tabulation: Freq. Numeric Label
            1,128      1 yes
              379      3 no
                2      .
                1      .c

```

cc2b_3 **UHT milk (sterilize): Average quantity per week**

```

    type: numeric (int)

    range: [1,168]          units: 1
unique values: 52          missing .: 382/1,510
unique missing codes: 2  missing *: 1/1,510

```

```

tabulation:  Freq.  Value
              25    1
              61    2
              67    3
              40    4
              30    5
               6    6
             206    7
              11    8
              13    9
              11   10
              45   11
               7   12
               3   13
             150   14
               6   15
               4   16
              46   18
               1   19
               3   20
              73   21
               3   22
               2   23
              41   25
               5   26
               3   27
              78   28
               2   30
               1   31
              23   32
               1   34
              37   35
               5   36
               5   39
               1   40
               1   41
              52   42
              10   46
               2   47
               1   48
               8   49
               1   50
               3   52
              10   56
               1   57
               1   60
               2   63
               1   66
               8   70
               8   84
               1   88
               1   91
               1  168
             382  .
               1  .d
    mean:     17.5146
  std. dev:  15.8238

```

```

percentiles:      10%      25%      50%      75%      90%
                  3        7        14       25       40

```

cc2c_3

UHT milk (sterilize): Unit

type: string (str35), but longest is str15

unique values: 1

missing "": 2/1,510

```

tabulation: Freq. Value
              2 ""
              1,508 "no"
    
```

cc2_4 **Soy milk (not display)**

```

type: string (str84), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
              1,510 ""
    
```

cc2_4:
 1. subjected to a carryforward operation

cc2a_4 **Soy milk: Eat or not?**

```

type: numeric (byte)
label: cc2a_4
range: [1,3] units: 1
unique values: 2 missing .: 2/1,510
unique missing codes: 2 missing *: 1/1,510
    
```

```

tabulation: Freq. Numeric Label
              635      1 yes
              872      3 no
              2        .
              1        .c
    
```

cc2b_4 **Soy milk: Average quantity per week**

```

type: numeric (int)
range: [1,84] units: 1
unique values: 26 missing .: 875/1,510
unique missing codes: 2 missing *: 3/1,510
    
```

```

tabulation: Freq. Value
              113  1
              149  2
              106  3
              34   4
              12   5
              6    6
              114  7
              2    8
              1    9
              4   10
              15  11
              3   12
              31  14
              1   15
              6   18
              9   21
              5   25
              8   28
              2   32
              2   35
              1   39
              4   42
              1   46
              1   53
              1   56
              1   84
    
```

```

      875 .
      3 .c
    mean: 5.85443
    std. dev: 7.89256
  
```

```

percentiles:      10%      25%      50%      75%      90%
                  1         2         3         7         14
  
```

cc2c_4 **Soy milk: Unit**

```

    type: string (str35)
unique values: 1          missing "": 2/1,510
  tabulation: Freq. Value
                2  ""
                1,508 "๑๑/๗๗๓/๓๓'๑๑"
  
```

cc2_5 **Curd/Yacult (not display)**

```

    type: string (str84), but longest is str0
unique values: 0          missing "": 1,510/1,510
  tabulation: Freq. Value
                1,510 ""
  
```

cc2_5:
1. subjected to a carryforward operation

cc2a_5 **Curd/Yacult: Eat or not?**

```

    type: numeric (byte)
    label: cc2a_5
    range: [1,3]          units: 1
unique values: 2          missing .: 2/1,510
unique missing codes: 2  missing *: 1/1,510
  tabulation: Freq. Numeric Label
                1,244      1  yes
                263       3  no
                 2         .
                 1         .c
  
```

cc2b_5 **Curd/Yacult: Average quantity per week**

```

    type: numeric (int)
    range: [1,168]       units: 1
unique values: 27       missing .: 266/1,510
unique missing codes: 2  missing *: 2/1,510
  
```

```

tabulation:  Freq.  Value
              90    1
              202   2
              188   3
              101   4
               52   5
               22   6
              280   7
               5    8
               8    9
               6   10
               40  11
               11  12
              107  14
               1   16
               1   17
              35  18
               1   20
              38  21
              12  25
              13  28
              15  32
               3   35
               1   36
               4   39
               3   42
               2   56
               1  168
            266  .
               2  .c
    mean:     7.55556
    std. dev: 8.56405
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  2        3        5        7        18
    
```

cc2c_5 **Curd/Yacult: Unit**

```

    type: string (str35), but longest is str25
    unique values: 1          missing "": 2/1,510
    tabulation:  Freq.  Value
                  2    ""
                  1,508  "ค้ค้ค้/ค้ค้ค้"
    
```

cc2_6 **Sweet condensed milk (not display)**

```

    type: string (str84), but longest is str0
    unique values: 0          missing "": 1,510/1,510
    tabulation:  Freq.  Value
                  1,510  ""
    
```

cc2_6:
 1. subjected to a carryforward operation

cc2a_6 **Sweet condensed milk: Eat or not?**

```

    type: numeric (byte)
    label: cc2a_6
    
```

range: [1,3] units: 1
 unique values: 2 missing .: 2/1,510
 unique missing codes: 3 missing *: 499/1,510

tabulation:	Freq.	Numeric	Label
	2	1	yes
	1,007	3	no
	2	.	.
	498	.b	.b
	1	.c	.c

cc2b_6 Sweet condensed milk: Average quantity per week

type: numeric (int)

range: [3,3] units: 1
 unique values: 1 missing .: 1,009/1,510
 unique missing codes: 3 missing *: 500/1,510

tabulation:	Freq.	Value
	1	3
	1,009	.
	498	.b
	2	.c

mean: 3
 std. dev: .

percentiles:	10%	25%	50%	75%	90%
	3	3	3	3	3

cc2c_6 Sweet condensed milk: Unit

type: string (str35), but longest is str21

unique values: 1 missing "": 2/1,510

tabulation:	Freq.	Value
	2	" "
	1,508	"กข๑๑๑"

cc2_7 Condensed milk (not display)

type: string (str84), but longest is str0

unique values: 0 missing "": 1,510/1,510

tabulation:	Freq.	Value
	1,510	" "

cc2_7:
 1. subjected to a carryforward operation

cc2a_7 Condensed milk: Eat or not?

type: numeric (byte)
 label: cc2a_7

range: [1,3] units: 1
 unique values: 2 missing .: 2/1,510
 unique missing codes: 3 missing *: 499/1,510

```

tabulation: Freq.  Numeric  Label
              2          1  yes
            1,007      3  no
              2          .
            498       .b
              1          .c
    
```

cc2b_7 **Condensed milk: Average quantity per week**

```

type: numeric (int)
range: [2,84]
unique values: 2
unique missing codes: 3
units: 1
missing .: 1,009/1,510
missing *: 499/1,510
    
```

```

tabulation: Freq.  Value
              1  2
              1  84
            1,009  .
            498  .b
              1  .c
mean:         43
std. dev:    57.9828

percentiles: 10%    25%    50%    75%    90%
              2     2     43     84     84
    
```

cc2c_7 **Condensed milk: Unit**

```

type: string (str35), but longest is str21
unique values: 1
missing "": 2/1,510
    
```

```

tabulation: Freq.  Value
              2  ""
            1,508 "nrsif01"
    
```

cc2_8 **Yogurt (not display)**

```

type: string (str84), but longest is str0
unique values: 0
missing "": 1,510/1,510
    
```

```

tabulation: Freq.  Value
            1,510  ""
    
```

cc2_8:
 1. subjected to a carryforward operation

cc2a_8 **Yogurt: Eat or not?**

```

type: numeric (byte)
label: cc2a_8
range: [1,3]
unique values: 2
unique missing codes: 3
units: 1
missing .: 2/1,510
missing *: 3/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              810      1  yes
              695      3  no
               2       .
               1       .c
               2       .d
    
```

cc2b_8 **Yogurt: Average quantity per week**

```

type: numeric (int)
range: [1,28]
unique values: 12
unique missing codes: 2
units: 1
missing .: 700/1,510
missing *: 1/1,510
    
```

```

tabulation:  Freq.  Value
              253    1
              220    2
              152    3
               52    4
               20    5
                3    6
               93    7
                3   11
                8   14
                2   18
                2   21
                1   28
              700    .
                1   .c
mean: 2.9382
std. dev: 2.66971
    
```

```

percentiles:  10%    25%    50%    75%    90%
               1      1      2      3      7
    
```

cc2c_8 **Yogurt: Unit**

```

type: string (str35), but longest is str12
unique values: 1
missing "": 2/1,510
    
```

```

tabulation:  Freq.  Value
              2     ""
            1,508  "Yog"
    
```

cc2_9 **Other (not display)**

```

type: string (str84), but longest is str0
unique values: 0
missing "": 1,510/1,510
    
```

```

tabulation:  Freq.  Value
            1,510  ""
    
```

cc2a_9 **Other: Eat or not?**

```

type: numeric (byte)
label: cc2a
range: [1,1]
unique values: 1
units: 1
missing .: 1,482/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              28      1  yes
              1,482      .
    
```

cc2b_9

Other: Average quantity per week

```

type:  numeric (int)
range: [3,280]
unique values: 15
units: 1
missing .: 1,482/1,510
    
```

```

tabulation:  Freq.  Value
              3      3
              1      5
             10      7
              1     14
              2     15
              1     21
              1     24
              1     25
              1     56
              1     57
              1     84
              1    112
              1    208
              2    240
              1    280
             1,482      .
mean:      52.6786
std. dev:  83.4395
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  3         7      10.5     56.5     240
    
```

cc2c_9

Other: Unit

```

type:  string (str35), but longest is str15
unique values: 4
missing "": 1,482/1,510
    
```

```

tabulation:  Freq.  Value
             1,482  ""
              8     "๗๐๓"
              1     "๑๓"
              9     "๑๑๑๑"
              10    "๑๑๑"
    
```

cc7_1

Childcare center (not display)

```

type:  string (str127), but longest is str0
unique values: 0
missing "": 1,510/1,510
    
```

```

tabulation:  Freq.  Value
             1,510  ""
    
```

cc7_1:

1. subjected to a carryforward operation

cc7a_1

Childcare center: Is child receiving care from following person

```

type:  numeric (byte)
label: cc7a_1
    
```

range: [1,3] units: 1
 unique values: 2 missing .: 498/1,510

tabulation:	Freq.	Numeric	Label
	1	1	yes
	1,011	3	no
	498	.	.

cc7b_1 Childcare center: member id

type: string (str11), but longest is str2

unique values: 1 missing "": 1,505/1,510
 unique missing codes: 2 missing *: 5/1,510

tabulation:	Freq.	Value
	1,505	" "
	5	"NA"

cc7c_1 Childcare center: relationship with child (not display)

type: string (str68), but longest is str0

unique values: 0 missing "": 1,510/1,510

tabulation:	Freq.	Value
	1,510	" "

cc7c_code_1 Childcare center: relationship code

type: numeric (byte)
 label: cc7c_code_1

range: [.,.] units: .
 unique values: 0 missing .: 1,505/1,510
 unique missing codes: 2 missing *: 5/1,510

tabulation:	Freq.	Numeric	Label
	1,505	.	.
	5	.b	.b

cc7da_1 Childcare center: when did child started to receive care from that person (mont

type: numeric (byte)
 label: cc7da

range: [5,5] units: 1
 unique values: 1 missing .: 1,509/1,510

tabulation:	Freq.	Numeric	Label
	1	5	may
	1,509	.	.

cc7db_1 Childcare center: when did child started to receive care from that person (year

type: numeric (int)

range: [2017,2017] units: 1
 unique values: 1 missing .: 1,509/1,510

```

tabulation:  Freq.  Value
              1  2017
            1,509  .
      mean:   2017
    std. dev:  .

percentiles:  10%      25%      50%      75%      90%
              2017    2017    2017    2017    2017
    
```

cc7e_1 Childcare center: how many hour per week that child receive care from that perso

```

type: numeric (int)
range: [30,30] units: 10
unique values: 1 missing .: 1,509/1,510

tabulation:  Freq.  Value
              1  30
            1,509  .
      mean:   30
    std. dev:  .

percentiles:  10%      25%      50%      75%      90%
              30      30      30      30      30
    
```

cc7f_1 Childcare center: how much average expense per month of money that household mem

```

type: numeric (int)
range: [.,.] units: .
unique values: 0 missing .: 1,509/1,510
unique missing codes: 2 missing *: 1/1,510

tabulation:  Freq.  Value
            1,509  .
              1  .c
      mean:   .
    std. dev:  .

percentiles:  10%      25%      50%      75%      90%
              .        .        .        .        .
    
```

cc7g_1 Childcare center: is that expense include lunch meal

```

type: numeric (byte)
label: cc7g_1
range: [.,.] units: .
unique values: 0 missing .: 1,509/1,510
unique missing codes: 2 missing *: 1/1,510

tabulation:  Freq.  Numeric  Label
            1,509  .
              1  .c
    
```

cc7ha_1 Childcare center: indentify total number of child in classroom

```

type: numeric (byte)
    
```

```

        range: [.,.]
unique values: 0
unique missing codes: 2
        units: .
missing .: 1,509/1,510
missing *: 1/1,510

tabulation: Freq. Value
             1,509 .
             1 .c
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

cc7hb_1 Childcare center: identify number of teacher/caregiver in classroom

```

type: numeric (byte)

        range: [.,.]
unique values: 0
unique missing codes: 2
        units: .
missing .: 1,509/1,510
missing *: 1/1,510

tabulation: Freq. Value
             1,509 .
             1 .c
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

cc7_2 Babysitter (not display)

```

type: string (str127), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq. Value
             1,510 ""
    
```

cc7_2:
1. subjected to a carryforward operation

cc7a_2 Babysitter: Is child receiving care from following person

```

type: numeric (byte)
label: cc7a_2

        range: [3,3]
unique values: 1
        units: 1
missing .: 498/1,510

tabulation: Freq. Numeric Label
             1,012 3 no
             498 .
    
```

cc7b_2 Babysitter: member id

```

type: string (str11), but longest is str2
unique values: 1
unique missing codes: 2
        missing "": 1,506/1,510
        missing *: 4/1,510
    
```

```

tabulation: Freq. Value
             1,506 ""
             4   "NA"
    
```

cc7c_2 **Babysitter: relationship with child (not display)**

```

type: string (str68), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

cc7c_code_2 **Babysitter: relationship code**

```

type: numeric (byte)
label: cc7c_code_2
range: [..] units: .
unique values: 0 missing .: 1,506/1,510
unique missing codes: 2 missing *: 4/1,510
tabulation: Freq. Numeric Label
             1,506 .
             4 .b
    
```

cc7da_2 **Babysitter: when did child started to receive care from that person (month)**

```

type: numeric (byte)
label: cc7da
range: [..] units: .
unique values: 0 missing .: 1,510/1,510
tabulation: Freq. Numeric Label
             1,510 .
    
```

cc7db_2 **Babysitter: when did child started to receive care from that person (year)**

```

type: numeric (int)
range: [..] units: .
unique values: 0 missing .: 1,510/1,510
tabulation: Freq. Value
             1,510 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cc7e_2 **Babysitter: how many hour per week that child receive care from that person**

```

type: numeric (int)
range: [..] units: .
unique values: 0 missing .: 1,510/1,510
    
```



```

tabulation:  Freq.  Numeric  Label
              6       5  Father / Mother
              1       9  Brother / Sister
              6      13  Cousin
             19      15  Uncle and aunt: father side
             43      17  Uncle and aunt: mother side
             32      19  Grand parents: father side
             32      21  Grand parents: mother side
            120      35  Relatives of other kinds
              6      37  Non-relatives
           1,245      .
    
```

cc7da_3
Relatives outside household: when did child started to receive care from that p

```

type:  numeric (byte)
label:  cc7da

range:  [1,12]                units:  1
unique values:  12            missing .:  1,245/1,510
unique missing codes:  2      missing *:  5/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              23      1  january
              28      2  february
              26      3  march
              20      4  april
              27      5  may
              11      6  june
              18      7  july
              29      8  august
              18      9  september
              20     10  october
              22     11  november
              18     12  december
           1,245      .
              5       .c
    
```

cc7db_3
Relatives outside household: when did child started to receive care from that p

```

type:  numeric (int)

range:  [2011,2017]          units:  1
unique values:  7            missing .:  1,245/1,510
unique missing codes:  2      missing *:  3/1,510
    
```

```

tabulation:  Freq.  Value
              1  2011
             38  2012
             73  2013
             64  2014
             51  2015
             24  2016
             11  2017
           1,245  .
              3  .c

mean:  2013.92
std. dev:  1.35397
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  2012      2013      2014      2015      2016
    
```

cc7e_3
Relatives outside household: how many hour per week that child receive care from

```

type: numeric (int)
range: [1,102]
unique values: 43
unique missing codes: 2
units: 1
missing .: 1,245/1,510
missing *: 3/1,510

```

```

tabulation: Freq. Value
1 1
7 2
6 3
11 4
5 5
6 6
30 7
9 8
4 9
3 10
23 11
3 12
6 13
38 14
3 15
1 16
28 18
3 20
11 21
1 23
1 24
8 25
6 28
1 29
2 30
1 31
4 32
2 33
2 34
7 35
5 39
3 42
1 43
4 46
4 49
2 56
1 60
2 63
1 69
3 70
1 88
1 95
1 102
1,245 .
3 .c
mean: 18.6603
std. dev: 16.2123

```

```

percentiles:      10%      25%      50%      75%      90%
                  5        7        14       21       39

```

cc7f_3

Relatives outside household: how much average expense per month of money that ho

```

type: numeric (int)
range: [0,3000]
unique values: 6
unique missing codes: 3
units: 1
missing .: 1,245/1,510
missing *: 9/1,510

```

```

tabulation:  Freq.  Value
              248    0
              3    125
              1    200
              1   1000
              2   2000
              1   3000
            1,245  .
              2  .c
              7  .d
    mean:     33.4961
    std. dev: 264.202

percentiles:  10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

cc7g_3 **Relatives outside household: is that expense include lunch meal**

```

    type: numeric (byte)
    label: cc7g_3

    range: [3,3]
    unique values: 1
    unique missing codes: 3

    units: 1
    missing .: 1,493/1,510
    missing *: 13/1,510

    tabulation:  Freq.  Numeric  Label
                 4      3      no
            1,493  .
                 2      .c
                 11     .d
    
```

cc7ha_3 **Relatives outside household: indentify total number of child in classroom**

```

    type: numeric (byte)

    range: [.,.]
    unique values: 0
    unique missing codes: 2

    units: .
    missing .: 1,245/1,510
    missing *: 265/1,510

    tabulation:  Freq.  Value
                 1,245  .
                 265  .b
    mean:       .
    std. dev:   .

    percentiles:  10%    25%    50%    75%    90%
                  .      .      .      .      .
    
```

cc7hb_3 **Relatives outside household: identify number of teacher/caregiver in classroom**

```

    type: numeric (byte)

    range: [.,.]
    unique values: 0
    unique missing codes: 2

    units: .
    missing .: 1,245/1,510
    missing *: 265/1,510

    tabulation:  Freq.  Value
                 1,245  .
                 265  .b
    mean:       .
    std. dev:   .

    percentiles:  10%    25%    50%    75%    90%
                  .      .      .      .      .
    
```

cc7_4 **Relatives inside household (not display)**

```

type: string (str127), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

cc7_4:
 1. subjected to a carryforward operation

cc7a_4 **Relatives inside household: Is child receiving care from following person**

```

type: numeric (byte)
label: cc7a_4
range: [1,3] units: 1
unique values: 2 missing .: 498/1,510
tabulation: Freq. Numeric Label
             782 1 yes
             230 3 no
             498 .
    
```

cc7b_4 **Relatives inside household: member id**

```

type: string (str11), but longest is str2
unique values: 7 missing "": 728/1,510
tabulation: Freq. Value
             728 ""
             407 "H2"
             237 "H3"
              86 "H4"
              29 "H5"
              14 "H6"
               6 "H7"
               3 "H8"
    
```

cc7c_4 **Relatives inside household: relationship with child (not display)**

```

type: string (str68), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

cc7c_code_4 **Relatives inside household: relationship code**

```

type: numeric (byte)
label: cc7c_code_3
range: [9,37] units: 1
unique values: 9 missing .: 728/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              32      9  Brother / Sister
              11     13  Cousin
               9     15  Uncle and aunt: father side
              34     17  Uncle and aunt: mother side
             144     19  Grand parents: father side
             452     21  Grand parents: mother side
               1     29  Sister/brother-in-law
              97     35  Relatives of other kinds
               2     37  Non-relatives
             728      .
    
```

cc7da_4

Relatives inside household: when did child started to receive care from that pe

```

type:  numeric (byte)
label:  cc7da

range:  [1,12]          units:  1
unique values:  12      missing .:  728/1,510
unique missing codes:  3  missing *:  3/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              66      1  january
              60      2  february
              61      3  march
              64      4  april
              51      5  may
              50      6  june
              70      7  july
              78      8  august
              84      9  september
              66     10  october
              64     11  november
              65     12  december
             728      .
               2      .c
               1      .d
    
```

cc7db_4

Relatives inside household: when did child started to receive care from that pe

```

type:  numeric (int)

range:  [2011,2017]    units:  1
unique values:  7      missing .:  728/1,510
unique missing codes:  2  missing *:  1/1,510
    
```

```

tabulation:  Freq.  Value
              2  2011
             136  2012
             263  2013
             224  2014
             133  2015
              20  2016
               3  2017
             728  .
               1  .d
    
```

```

mean:  2013.54
std. dev:  1.07416
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  2012      2013      2013      2014      2015
    
```

cc7e_4

Relatives inside household: how many hour per week that child receive care from

type: numeric (int)
 range: [1,112] units: 1
 unique values: 77 missing .: 728/1,510

tabulation:	Freq.	Value
	2	1
	3	2
	1	3
	27	4
	1	5
	5	6
	92	7
	1	8
	60	11
	1	12
	1	13
	81	14
	2	15
	61	18
	2	20
	68	21
	3	23
	2	24
	35	25
	3	26
	4	27
	36	28
	1	29
	1	30
	20	32
	4	33
	33	35
	1	36
	3	37
	13	39
	2	40
	14	42
	2	43
	3	44
	3	45
	10	46
	1	47
	9	49
	2	50
	3	51
	2	52
	9	53
	4	54
	7	55
	8	56
	5	57
	5	58
	7	59
	9	60
	4	61
	11	62
	11	63
	5	64
	4	65
	4	66
	2	67
	7	68
	4	69
	7	70
	3	71
	5	72

```

                2  73
                2  74
                2  75
                3  76
                6  77
                1  78
                1  79
                1  80
                1  82
                1  84
                2  91
                4  98
               10 102
                4 105
                1 109
                2 112
              728 .
    mean:      30.3363
    std. dev:  23.7194

    percentiles:    10%    25%    50%    75%    90%
                   7      14      21      44      65
    
```

cc7f_4 **Relatives inside household: how much average expense per month of money that hou**

```

    type: numeric (int)

    range: [.,.]
    unique values: 0
    unique missing codes: 2

    units: .
    missing .: 728/1,510
    missing *: 782/1,510

    tabulation:  Freq.  Value
                 728    .
                 782    .b
    mean:      .
    std. dev:  .

    percentiles:    10%    25%    50%    75%    90%
                   .      .      .      .      .
    
```

cc7g_4 **Relatives inside household: is that expense include lunch meal**

```

    type: numeric (byte)
    label: cc7g_4

    range: [.,.]
    unique values: 0
    unique missing codes: 2

    units: .
    missing .: 728/1,510
    missing *: 782/1,510

    tabulation:  Freq.  Numeric  Label
                 728    .
                 782    .b
    
```

cc7ha_4 **Relatives inside household: indentify total number of child in classroom**

```

    type: numeric (byte)

    range: [.,.]
    unique values: 0
    unique missing codes: 2

    units: .
    missing .: 728/1,510
    missing *: 782/1,510
    
```

```

tabulation:  Freq.  Value
              728    .
              782    .b
    mean:      .
    std. dev:  .

percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cc7hb_4 Relatives inside household: identify number of teacher/caregiver in classroom

```

    type: numeric (byte)

    range:  [,.]          units: .
    unique values: 0      missing .: 732/1,510
    unique missing codes: 2  missing *: 778/1,510

    tabulation:  Freq.  Value
                  732    .
                  778    .b
    mean:        .
    std. dev:    .

    percentiles:  10%    25%    50%    75%    90%
                  .      .      .      .      .
    
```

cc7_5 Other (not display)

```

    type: string (str127), but longest is str0
    unique values: 0      missing "": 1,510/1,510

    tabulation:  Freq.  Value
                  1,510  ""
    
```

cc7a_5 Other: Is child receiving care from following person

```

    type: numeric (byte)
    label: cc7a_5

    range:  [1,1]          units: 1
    unique values: 1      missing .: 1,148/1,510

    tabulation:  Freq.  Numeric  Label
                  362     1      yes
                  1,148    .
    
```

cc7b_5 Other: member id

```

    type: string (str11), but longest is str3

    unique values: 10      missing "": 1,148/1,510
    unique missing codes: 2  missing *: 54/1,510
    
```

```

tabulation:  Freq.  Value
              1,148  ""
              2    "H11"
              33    "H2"
              83    "H3"
              81    "H4"
              52    "H5"
              37    "H6"
              15    "H7"
              4     "H8"
              1     "H9"
              54    "NA"
    
```

cc7c_5 **Other: relationship with child (not display)**

```

type:  string (str68), but longest is str0
unique values:  0                               missing "":  1,510/1,510
tabulation:  Freq.  Value
              1,510  ""
    
```

cc7c_code_5 **Other: relationship code**

```

type:  numeric (byte)
label:  cc7c_code_3
range:  [5,37]
unique values:  9                               units:  1
                                                missing .:  1,148/1,510
tabulation:  Freq.  Numeric  Label
              11     5    Father / Mother
              27     9    Brother / Sister
              14    13    Cousin
              23    15    Uncle and aunt: father side
              60    17    Uncle and aunt: mother side
              44    19    Grand parents: father side
              109   21    Grand parents: mother side
              73    35    Relatives of other kinds
              1     37    Non-relatives
              1,148  .
    
```

cc7da_5 **Other: when did child started to receive care from that person (month)**

```

type:  numeric (byte)
label:  cc7da
range:  [1,12]
unique values:  12                               units:  1
unique missing codes:  3                       missing .:  1,148/1,510
                                                missing *:  7/1,510
tabulation:  Freq.  Numeric  Label
              20     1    january
              24     2    february
              32     3    march
              36     4    april
              26     5    may
              25     6    june
              32     7    july
              39     8    august
              36     9    september
              22    10    october
              33    11    november
              30    12    december
              1,148  .
              6     .c
    
```

1 .d

cc7db_5 Other: when did child started to receive care from that person (year)

type: numeric (**int**)
 range: [2012,2017] units: 1
 unique values: 6 missing .: 1,148/1,510
 unique missing codes: 3 missing *: 2/1,510

tabulation: Freq. Value
 67 2012
 114 2013
 103 2014
 59 2015
 11 2016
 6 2017
 1,148 .
 1 .c
 1 .d
 mean: 2013.59
 std. dev: 1.15309

percentiles: 10% 25% 50% 75% 90%
 2012 2013 2013 2014 2015

cc7e_5 Other: how many hour per week that child receive care from that person

type: numeric (**int**)
 range: [1,102] units: 1
 unique values: 60 missing .: 1,148/1,510
 unique missing codes: 2 missing *: 1/1,510

tabulation: Freq. Value
 2 1
 1 3
 13 4
 3 5
 1 6
 58 7
 1 8
 2 9
 3 10
 30 11
 2 12
 2 13
 51 14
 1 17
 22 18
 1 19
 4 20
 31 21
 1 23
 24 25
 2 27
 17 28
 2 29
 2 30
 1 31
 8 32
 1 33
 1 34
 10 35
 1 36
 4 39
 8 42
 2 44

```

1 45
6 46
1 47
1 49
1 51
2 53
1 54
3 55
4 56
1 57
2 58
2 59
4 60
1 61
1 62
3 63
1 64
1 67
1 68
3 70
1 71
2 73
1 75
2 77
1 81
1 95
1 102
1,148 .
1 .c
mean: 23.2161
std. dev: 18.1973

```

```

percentiles:    10%    25%    50%    75%    90%
                7      11     18     28     54

```

cc7f_5 Other: how much average expense per month of money that household member pay

```

type: numeric (int)
range: [0,0] units: 1
unique values: 1 missing .: 1,148/1,510
unique missing codes: 3 missing *: 311/1,510

```

```

tabulation: Freq. Value
             51 0
             1,148 .
             308 .b
             3 .d

```

```

mean: 0
std. dev: 0

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

cc7g_5 Other: is that expense include lunch meal

```

type: numeric (byte)
label: cc7g_5
range: [.,.] units: .
unique values: 0 missing .: 1,148/1,510
unique missing codes: 3 missing *: 362/1,510

```

```

tabulation: Freq. Numeric Label
             1,148 .
             308 .b
             54 .d

```

cc7ha_5 **Other: indentify total number of child in classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,148/1,510
missing *: 362/1,510

tabulation: Freq. Value
             1,148 .
             362  .b
mean:      .
std. dev:  .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

cc7hb_5 **Other: identify number of teacher/caregiver in classroom**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,150/1,510
missing *: 360/1,510

tabulation: Freq. Value
             1,150 .
             360  .b
mean:      .
std. dev:  .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

cc7_6 **Other (not display)**

```

type: string (str127), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq. Value
             1,510 ""
    
```

cc7a_6 **Other: Is child receiving care from following person**

```

type: numeric (byte)
label: cc7a_6
range: [1,1]
unique values: 1
units: 1
missing .: 1,425/1,510

tabulation: Freq. Numeric Label
             85      1  yes
             1,425 .
    
```

cc7b_6 **Other: member id**

```

type: string (str11), but longest is str2
unique values: 9
unique missing codes: 2
missing "": 1,425/1,510
missing *: 15/1,510
    
```

```

tabulation:  Freq.  Value
              1,425  ""
              2    "H2"
              3    "H3"
              5    "H4"
              26   "H5"
              17   "H6"
              9    "H7"
              4    "H8"
              4    "H9"
              15   "NA"
    
```

cc7c_6 **Other: relationship with child (not display)**

```

type: string (str68), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation:  Freq.  Value
              1,510  ""
    
```

cc7c_code_6 **Other: relationship code**

```

type: numeric (byte)
label: cc7c_code_3
range: [5,37] units: 1
unique values: 9 missing .: 1,425/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              8         5  Father / Mother
              10        9  Brother / Sister
              9         13  Cousin
              5         15  Uncle and aunt: father side
              14        17  Uncle and aunt: mother side
              6         19  Grand parents: father side
              8         21  Grand parents: mother side
              24        35  Relatives of other kinds
              1         37  Non-relatives
              1,425      .
    
```

cc7da_6 **Other: when did child started to receive care from that person (month)**

```

type: numeric (byte)
label: cc7da
range: [1,12] units: 1
unique values: 12 missing .: 1,425/1,510
unique missing codes: 2 missing *: 2/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              5         1  january
              5         2  february
              11        3  march
              12        4  april
              5         5  may
              7         6  june
              7         7  july
              4         8  august
              8         9  september
              4        10  october
              11       11  november
              4        12  december
              1,425      .
              2         .c
    
```

cc7db_6 Other: when did child started to receive care from that person (year)

```

type: numeric (int)
range: [2012,2017]
unique values: 6
unique missing codes: 2
units: 1
missing .: 1,425/1,510
missing *: 1/1,510

tabulation: Freq. Value
              6 2012
              26 2013
              23 2014
              16 2015
              10 2016
               3 2017
            1,425 .
               1 .d
mean: 2014.08
std. dev: 1.26308

percentiles: 10% 25% 50% 75% 90%
              2013 2013 2014 2015 2016

```

cc7e_6 Other: how many hour per week that child receive care from that person

```

type: numeric (int)
range: [2,70]
unique values: 30
units: 1
missing .: 1,425/1,510

tabulation: Freq. Value
              1 2
              2 3
              1 4
              1 5
              1 6
             20 7
              9 11
              1 12
              2 13
             14 14
              2 18
              6 21
              1 24
              5 25
              3 28
              1 29
              1 32
              1 33
              1 34
              2 35
              1 36
              1 46
              1 47
              1 52
              1 53
              1 59
              1 64
              1 66
              1 68
              1 70
            1,425 .
mean: 19.4118
std. dev: 16.1329

percentiles: 10% 25% 50% 75% 90%
              7 7 14 25 46

```

cc7f_6 Other: how much average expense per month of money that household member pay

```

type: numeric (int)
range: [0,0]
unique values: 1
unique missing codes: 3
units: 1
missing .: 1,425/1,510
missing *: 72/1,510

tabulation: Freq. Value
             13 0
             1,425 .
             70 .b
             2 .d
mean: 0
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
             0 0 0 0 0
    
```

cc7g_6 Other: is that expense include lunch meal

```

type: numeric (byte)
label: cc7g_6
range: [.,.]
unique values: 0
unique missing codes: 3
units: .
missing .: 1,438/1,510
missing *: 72/1,510

tabulation: Freq. Numeric Label
             1,438 .
             70 .b
             2 .d
    
```

cc7ha_6 Other: indentify total number of child in classroom

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,425/1,510
missing *: 85/1,510

tabulation: Freq. Value
             1,425 .
             85 .b
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
             . . . . .
    
```

cc7hb_6 Other: identify number of teacher/caregiver in classroom

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,427/1,510
missing *: 83/1,510

tabulation: Freq. Value
             1,427 .
             83 .b
mean: .
std. dev: .
    
```



```

tabulation:  Freq.  Numeric  Label
              2         5  Father / Mother
              1        13  Cousin
              1        17  Uncle and aunt: mother side
              3        21  Grand parents: mother side
              5        35  Relatives of other kinds
1,498      .
    
```

cc7da_7 Other: when did child started to receive care from that person (month)

```

type: numeric (byte)
label: cc7da

range: [3,11]          units: 1
unique values: 6      missing .. 1,498/1,510

tabulation:  Freq.  Numeric  Label
              3         3  march
              3         4  april
              2         6  june
              1         7  july
              1         9  september
              2        11  november
1,498      .
    
```

cc7db_7 Other: when did child started to receive care from that person (year)

```

type: numeric (int)

range: [2012,2016]    units: 1
unique values: 5      missing .. 1,498/1,510
unique missing codes: 2  missing *: 1/1,510

tabulation:  Freq.  Value
              1    2012
              4    2013
              3    2014
              2    2015
              1    2016
1,498      .
              1    .c
mean:      2013.82
std. dev:  1.16775

percentiles:      10%      25%      50%      75%      90%
                  2013    2013    2014    2015    2015
    
```

cc7e_7 Other: how many hour per week that child receive care from that person

```

type: numeric (int)

range: [4,46]          units: 1
unique values: 10      missing .. 1,498/1,510

tabulation:  Freq.  Value
              1     4
              2     7
              2    11
              1    13
              1    14
              1    21
              1    26
              1    29
              1    32
              1    46
1,498      .
    
```

mean: 18.4167
 std. dev: 12.6092
 percentiles: 10% 25% 50% 75% 90%
 7 9 13.5 27.5 32

cc7f_7 Other: how much average expense per month of money that household member pay

type: numeric (int)
 range: [0,0] units: 1
 unique values: 1 missing .: 1,498/1,510
 unique missing codes: 2 missing *: 8/1,510

tabulation:	Freq.	Value
	4	0
	1,498	.
	8	.b

mean: 0
 std. dev: 0

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

cc7g_7 Other: is that expense include lunch meal

type: numeric (byte)
 label: cc7g_7
 range: [.,.] units: .
 unique values: 0 missing .: 1,502/1,510
 unique missing codes: 2 missing *: 8/1,510

tabulation:	Freq.	Numeric	Label
	1,502	.	.
	8	.	.b

cc7ha_7 Other: indentify total number of child in classroom

type: numeric (byte)
 range: [.,.] units: .
 unique values: 0 missing .: 1,498/1,510
 unique missing codes: 2 missing *: 12/1,510

tabulation:	Freq.	Value
	1,498	.
	12	.b

mean: .
 std. dev: .

percentiles: 10% 25% 50% 75% 90%

cc7hb_7 Other: identify number of teacher/caregiver in classroom

type: numeric (byte)
 range: [.,.] units: .
 unique values: 0 missing .: 1,498/1,510
 unique missing codes: 2 missing *: 12/1,510

```

tabulation: Freq. Value
             1,498 .
             12  .b
mean:       .
std. dev:   .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cc7_8 **Other (not display)**

```

type: string (str127), but longest is str0
unique values: 0 missing "": 1,510/1,510

tabulation: Freq. Value
             1,510 ""
    
```

cc7a_8 **Other: Is child receiving care from following person**

```

type: numeric (byte)
label: cc7a_8

range: [1,1] units: 1
unique values: 1 missing .: 1,508/1,510

tabulation: Freq. Numeric Label
             2         1 yes
             1,508      .
    
```

cc7b_8 **Other: member id**

```

type: string (str11), but longest is str2
unique values: 2 missing "": 1,508/1,510
unique missing codes: 2 missing *: 1/1,510

tabulation: Freq. Value
             1,508 ""
             1  "H8"
             1  "NA"
    
```

cc7c_8 **Other: relationship with child (not display)**

```

type: string (str68), but longest is str0
unique values: 0 missing "": 1,510/1,510

tabulation: Freq. Value
             1,510 ""
    
```

cc7c_code_8 **Other: relationship code**

```

type: numeric (byte)
label: cc7c_code_3

range: [15,17] units: 1
unique values: 2 missing .: 1,508/1,510
    
```

```

tabulation: Freq.  Numeric  Label
              1         15  Uncle and aunt: father side
              1         17  Uncle and aunt: mother side
            1,508      .
    
```

cc7da_8 Other: when did child started to receive care from that person (month)

```

type: numeric (byte)
label: cc7da

range: [6,11]          units: 1
unique values: 2      missing .: 1,508/1,510

tabulation: Freq.  Numeric  Label
              1         6   june
              1        11  november
            1,508      .
    
```

cc7db_8 Other: when did child started to receive care from that person (year)

```

type: numeric (int)

range: [2013,2014]    units: 1
unique values: 2      missing .: 1,508/1,510

tabulation: Freq.  Value
              1    2013
              1    2014
            1,508      .
mean:      2013.5
std. dev:  .707107

percentiles:      10%      25%      50%      75%      90%
                  2013      2013      2013.5    2014      2014
    
```

cc7e_8 Other: how many hour per week that child receive care from that person

```

type: numeric (int)

range: [8,49]         units: 1
unique values: 2      missing .: 1,508/1,510

tabulation: Freq.  Value
              1     8
              1    49
            1,508      .
mean:      28.5
std. dev:  28.9914

percentiles:      10%      25%      50%      75%      90%
                  8         8        28.5     49        49
    
```

cc7f_8 Other: how much average expense per month of money that household member pay

```

type: numeric (int)

range: [.,.]         units: .
unique values: 1      missing .: 1,508/1,510
unique missing codes: 2  missing *: 1/1,510
    
```

```

tabulation: Freq. Value
              1 0
            1,508 .
              1 .b
    mean:      0
    std. dev:  .
percentiles: 10%    25%    50%    75%    90%
              0      0      0      0      0
    
```

cc7g_8 **Other: is that expense include lunch meal**

```

    type: numeric (byte)
    label: cc7g_8
    range: [.,.]
    unique values: 0
    unique missing codes: 3
    units: .
    missing .: 1,508/1,510
    missing *: 2/1,510
    tabulation: Freq. Numeric Label
                  1,508 .
                  1 .b
                  1 .d
    
```

cc7ha_8 **Other: indentify total number of child in classroom**

```

    type: numeric (byte)
    range: [.,.]
    unique values: 0
    unique missing codes: 2
    units: .
    missing .: 1,508/1,510
    missing *: 2/1,510
    tabulation: Freq. Value
                  1,508 .
                  2 .b
    mean:      .
    std. dev:  .
percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cc7hb_8 **Other: identify number of teacher/caregiver in classroom**

```

    type: numeric (byte)
    range: [.,.]
    unique values: 0
    unique missing codes: 2
    units: .
    missing .: 1,508/1,510
    missing *: 2/1,510
    tabulation: Freq. Value
                  1,508 .
                  2 .b
    mean:      .
    std. dev:  .
percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

round **round**

```

    type: string (str1)
    unique values: 1
    missing "": 1,506/1,510
    
```

```

tabulation: Freq. Value
            1,506 ""
            4   "0"
    
```

cc15 **Do you think the child currently develops malnutrition?**

```

type: numeric (byte)
range: [.,.]
unique values: 0
unique missing codes: 2
units: .
missing .: 1,506/1,510
missing *: 4/1,510

tabulation: Freq. Value
            1,506 .
            4   .d
mean:      .
std. dev:  .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

cc15a **What action do you take if the child is malnourished? (not display)**

```

type: string (str148), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq. Value
            1,510 ""
    
```

cc3a **cc3a**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,510/1,510

tabulation: Freq. Value
            1,510 .
mean:      .
std. dev:  .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

cc5a1 **cc5a1**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,510/1,510

tabulation: Freq. Value
            1,510 .
mean:      .
std. dev:  .

percentiles: 10% 25% 50% 75% 90%
              .   .   .   .   .
    
```

cc5a2 **cc5a2**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,510/1,510

tabulation: Freq. Value
1,510 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

cc5a3

cc5a3

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,510/1,510

tabulation: Freq. Value
1,510 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

cc5a5

cc5a5

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,510/1,510

tabulation: Freq. Value
1,510 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

cc5b1

cc5b1

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 1,510/1,510

tabulation: Freq. Value
1,510 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

cc5b2

cc5b2

```

type: numeric (byte)

```

```

    range: [.,.]
unique values: 0
    units: .
missing ..: 1,510/1,510

    tabulation: Freq. Value
                1,510 .
    mean: .
    std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .

```

cc5b3

cc5b3

```

    type: numeric (byte)

    range: [.,.]
unique values: 0
    units: .
missing ..: 1,510/1,510

    tabulation: Freq. Value
                1,510 .
    mean: .
    std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .

```

cc5b5

cc5b5

```

    type: numeric (byte)

    range: [.,.]
unique values: 0
    units: .
missing ..: 1,510/1,510

    tabulation: Freq. Value
                1,510 .
    mean: .
    std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .

```

cc10e

(unlabeled)

```

    type: numeric (float)

    range: [.,.]
unique values: 0
unique missing codes: 2
    units: .
missing ..: 1,509/1,510
missing *: 1/1,510

    tabulation: Freq. Value
                1,509 .
                1 .d
    mean: .
    std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .

```

cc6a

How many hours per week does the father take care of this child?

type: numeric (double)

```

range: [0,112]
unique values: 155
unique missing codes: 3
mean: 40.8451
std. dev: 20.9387
units: 1.000e-07
missing .: 4/1,510
missing *: 927/1,510

percentiles:      10%      25%      50%      75%      90%
                  14      24.5    41      56.1667  66.5
    
```

cc6aa Starting time of caring time of this child by father : Before going to school on

```

type: string (str6)
unique values: 17
missing "": 1,133/1,510
    
```

```

tabulation: Freq. Value
1,133 ""
1 "04.00"
22 "05.00"
25 "05.30"
2 "05.30 "
1 "05.45"
167 "06.00"
2 "06.00 "
1 "06.15"
68 "06.30"
2 "06.40"
52 "07.00"
2 "07.15"
24 "07.30"
1 "07.30 "
2 "07.40"
4 "08.00"
1 "09.00"
    
```

warning: variable has trailing blanks

cc6ab Finishing time of caring time of this child by father : Before going to school o

```

type: string (str5)
unique values: 23
missing "": 1,133/1,510
    
```

```

tabulation: Freq. Value
1,133 ""
2 "06.00"
23 "06.30"
1 "06.40"
1 "06.50"
67 "07.00"
3 "07.10"
1 "07.15"
4 "07.20"
135 "07.30"
7 "07.40"
2 "07.50"
88 "08.00"
21 "08.30"
3 "09.00"
2 "10.00"
1 "15.00"
1 "19.00"
1 "19.30"
8 "20.00"
2 "20.30"
2 "21.00"
1 "22.00"
    
```

1 "22.30"

cc6ac Starting time of caring time of this child by father : After school (until going

type: string (str6)
 unique values: 23 missing "": 1,055/1,510

tabulation:	Freq.	Value
	1,055	" "
	1	"13.00"
	22	"14.00"
	2	"14.00 "
	44	"14.30"
	1	"14.45"
	43	"15.00"
	20	"15.30"
	1	"15.30 "
	34	"16.00"
	20	"16.30"
	1	"16.40"
	138	"17.00"
	3	"17.00 "
	27	"17.30"
	60	"18.00"
	1	"18.00 "
	1	"18.30"
	25	"19.00"
	2	"19.30"
	6	"20.00"
	1	"20.30"
	1	"21.30"
	1	"22.00"

warning: variable has trailing blanks

cc6ad Finishing time of caring time of this child by father : After school (until goin

type: string (str5)
 unique values: 17 missing "": 1,055/1,510

tabulation:	Freq.	Value
	1,055	" "
	1	"14.50"
	1	"15.30"
	3	"16.00"
	4	"17.00"
	1	"17.30"
	6	"18.00"
	1	"18.30"
	12	"19.00"
	18	"19.30"
	1	"19.45"
	146	"20.00"
	80	"20.30"
	122	"21.00"
	23	"21.30"
	30	"22.00"
	5	"22.30"
	1	"23.00"

cc6ae Since previous interview, how many hours child's father spend time to taking car

type: string (str101), but longest is str97

unique values: 295 missing "": 965/1,510

warning: variable has leading and embedded blanks

cc6ae_1
Starting time of caring time of the child by father : before go to work Weekends

type: string (str6)

unique values: 22 missing "": 1,090/1,510

tabulation:	Freq.	Value
	1,090	" "
	1	"04.00 "
	15	"05.00"
	3	"05.00 "
	21	"05.30"
	5	"05.30 "
	1	"05.45"
	126	"06.00"
	24	"06.00 "
	1	"06.15"
	50	"06.30"
	8	"06.30 "
	2	"06.40"
	73	"07.00"
	11	"07.00 "
	1	"07.20"
	25	"07.30"
	13	"07.30 "
	17	"08.00"
	9	"08.00 "
	6	"08.30"
	7	"09.00"
	1	"11.00"

warning: variable has trailing blanks

cc6ae_2
Finishing time of caring time of the child by father : before go to work Weekend

type: string (str5)

unique values: 27 missing "": 1,090/1,510

tabulation:	Freq.	Value
	1,090	" "
	1	"06.30"
	13	"07.00"
	1	"07.10"
	1	"07.20"
	21	"07.30"
	1	"07.40"
	33	"08.00"
	4	"08.30"
	5	"09.00"
	1	"09.30"
	2	"10.00"
	1	"11.00"
	3	"12.00"
	1	"13.00"
	4	"15.00"
	2	"16.00"
	2	"18.00"
	6	"19.00"
	16	"19.30"
	1	"19.45"

```

104 "20.00"
62  "20.30"
83  "21.00"
18  "21.30"
31  "22.00"
2   "22.30"
1   "23.00"

```

cc6ae_3
Starting time of caring time of the child by father : after go to work Weekends

```

type: string (str6)
unique values: 22          missing "": 1,347/1,510

```

```

tabulation: Freq. Value
1,347      ""
3          "12.00"
1          "13.00"
1          "13.30"
7          "14.00"
2          "14.00 "
3          "14.30"
6          "15.00"
1          "15.00 "
2          "15.30"
1          "15.30 "
8          "16.00"
1          "16.00 "
2          "16.30"
56         "17.00"
9          "17.00 "
9          "17.30"
33         "18.00"
2          "18.00 "
1          "18.30"
12         "19.00"
1          "19.30"
2          "20.00"

```

warning: variable has trailing blanks

cc6ae_4
Finishing time of caring time of the child by father : after go to work Weekends

```

type: string (str6)
unique values: 14          missing "": 1,347/1,510

```

```

tabulation: Freq. Value
1,347      ""
1          "20.00"
2          "20.30"
1          "15.00"
1          "16.00"
4          "17.00"
3          "18.00"
7          "19.00"
8          "19.30"
49         "20.00"
28         "20.30"
48         "21.00"
6          "21.30"
4          "22.00"
1          "22.30"

```

warning: variable has leading blanks

cc6ae_5
Hours per day on weekends or holidays caring time of the child by father (undefi

```

type: numeric (double)
range: [1,5.5] units: .1
unique values: 10 missing .: 1,470/1,510

tabulation: Freq. Value
              5 1
              1 1.5
              6 2
              6 2.5
              6 3
              3 3.5
              7 4
              3 4.5
              1 5
              2 5.5
            1,470 .
mean: 2.9875
std. dev: 1.24801

percentiles: 10% 25% 50% 75% 90%
              1 2 3 4 4.5
    
```

cc6b **How many hours per week does the mother take care of this child?**

```

type: numeric (double)
range: [2,115.5] units: 1.000e-07
unique values: 182 missing .: 739/1,510

mean: 56.3492
std. dev: 19.7051

percentiles: 10% 25% 50% 75% 90%
              28 47 58.5 65.5 75.5
    
```

cc6ba **Starting time of caring time of this child by mother : Before going to school on**

```

type: string (str5)
unique values: 18 missing "": 894/1,510

tabulation: Freq. Value
            894 ""
              1 "04.00"
              1 "04.30"
              40 "05.00"
              41 "05.30"
              1 "05.40"
              3 "05.45"
              2 "05.50"
             260 "06.00"
              2 "06.15"
             113 "06.30"
              2 "06.40"
              2 "06.50"
             102 "07.00"
              2 "07.15"
              1 "07.20"
              31 "07.30"
              2 "07.40"
              10 "08.00"
    
```

cc6bb Finishing time of caring time of this child by mother : Before going to school

```

type: string (str5)
unique values: 20                               missing "": 894/1,510
tabulation: Freq. Value
             894 ""
               1 "05.30"
               5 "06.00"
               2 "06.20"
              34 "06.30"
               3 "06.40"
               2 "06.45"
               1 "06.50"
              93 "07.00"
               5 "07.10"
               3 "07.15"
               7 "07.20"
             249 "07.30"
              17 "07.40"
               4 "07.45"
               5 "07.50"
             124 "08.00"
              52 "08.30"
               1 "08.45"
               7 "09.00"
               1 "10.00"
    
```

cc6bc Starting time of caring time of this child by mother : After school (until going

```

type: string (str11)
unique values: 26                               missing "": 874/1,510
tabulation: Freq. Value
             874 ""
               2 "12.00"
               2 "13.00"
               2 "13.30"
              68 "14.00"
               1 "14.15"
               2 "14.20"
             111 "14.30"
               1 "14.30-16.00"
               1 "14.40"
               3 "14.50"
             133 "15.00"
              64 "15.30"
               1 "15.45"
              44 "16.00"
               1 "16.20"
              27 "16.30"
               1 "16.40"
             103 "17.00"
               2 "17.20"
              15 "17.30"
              32 "18.00"
              10 "19.00"
               6 "20.00"
               1 "21.00"
               2 "21.30"
               1 "22.00"
    
```

cc6bd Finishing time of caring time of this child by mother : After school (until going

type: string (str11)
 unique values: 17 missing "": 874/1,510

tabulation:	Freq.	Value
	874	" "
	1	"13.00"
	1	"15.00"
	1	"15.30"
	2	"17.00"
	8	"18.00"
	15	"19.00"
	32	"19.30"
	1	"19.45"
	194	"20.00"
	123	"20.30"
	1	"20.30-22.00"
	1	"20.45"
	175	"21.00"
	32	"21.30"
	41	"22.00"
	6	"22.30"
	2	"23.00"

cc6be Since previous interview, how many hours child's mother spend time to taking car

type: string (str145)
 unique values: 286 missing "": 750/1,510

warning: variable has embedded blanks

cc6be_1 Starting time of caring time of the child by mother : before go to work Weekends

type: string (str5)
 unique values: 20 missing "": 802/1,510

tabulation:	Freq.	Value
	802	" "
	1	"04.00"
	1	"04.30"
	41	"05.00"
	39	"05.30"
	3	"05.45"
	245	"06.00"
	1	"06.15"
	99	"06.30"
	2	"06.40"
	143	"07.00"
	1	"07.20"
	57	"07.30"
	2	"07.40"
	43	"08.00"
	1	"08.10"
	12	"08.30"
	11	"09.00"
	3	"09.30"
	2	"10.00"
	1	"11.30"

cc6be_2 Finishing time of caring time of the child by mother : before go to work Weekend

```

tabulation: Freq. Value
            1,442 ""
            1 "03.00"
            1 "18.30"
            2 "19.00"
            21 "20.00"
            22 "20.30"
            14 "21.00"
            1 "21.30"
            4 "22.00"
            1 "22.30"
            1 "23.00"
    
```

cc6be_5
Hours per day on weekends or holidays caring time of the child by mother (undefi

```

type: numeric (double)
range: [1,5] units: .1
unique values: 8 missing .: 1,487/1,510

tabulation: Freq. Value
            2 1
            2 2
            4 2.5
            6 3
            2 3.5
            4 4
            1 4.5
            2 5
            1,487 .
mean: 3.1087
std. dev: 1.07615

percentiles: 10% 25% 50% 75% 90%
              2 2.5 3 4 4.5
    
```

cc6c **How many hours per week does the primary caregiver take care of this child?**

```

type: numeric (double)
range: [12.5,119] units: 1.000e-06
unique values: 171 missing .: 494/1,510

mean: 64.1858
std. dev: 13.978

percentiles: 10% 25% 50% 75% 90%
              51.5 57 63 69 78.5
    
```

cc6ca **Starting time of caring time this child by primary caregiver : Before going to s**

```

type: string (str5)
unique values: 17 missing "": 598/1,510
    
```

```

tabulation:  Freq.  Value
              598  ""
              9   "04.00"
              6   "04.30"
              76  "05.00"
              71  "05.30"
              1   "05.40"
              3   "05.45"
              1   "05.50"
             386  "06.00"
              1   "06.15"
              1   "06.20"
             158  "06.30"
              1   "06.40"
             142  "07.00"
              2   "07.15"
              2   "07.20"
              42  "07.30"
              10  "08.00"
    
```

cc6cb Finishing time of caring time of the child by primary caregiver : Before going t

```

type: string (str5)
unique values: 19          missing "": 598/1,510
    
```

```

tabulation:  Freq.  Value
              598  ""
              6   "06.00"
              1   "06.15"
              1   "06.21"
             33   "06.30"
              1   "06.40"
             124  "07.00"
              6   "07.10"
              6   "07.15"
              4   "07.20"
              1   "07.25"
             397  "07.30"
             11   "07.40"
              3   "07.45"
              1   "07.50"
             222  "08.00"
              2   "08.10"
              1   "08.15"
             85   "08.30"
              7   "09.00"
    
```

cc6cc Starting time of caring time of this child by primary caregiver : After school (

```

type: string (str5)
unique values: 23          missing "": 588/1,510
    
```

```

tabulation:  Freq.  Value
              588  ""
              2   "11.00"
              1   "12.00"
              2   "13.00"
              4   "13.30"
              1   "13.40"
             130  "14.00"
              1   "14.15"
              3   "14.20"
              1   "14.25"
             253  "14.30"
              2   "14.40"
             242  "15.00"
    
```

```

      2 "15.15"
      4 "15.20"
    127 "15.30"
      4 "15.40"
     64 "16.00"
      2 "16.10"
     28 "16.30"
     27 "17.00"
     10 "17.30"
     11 "18.00"
      1 "19.00"
  
```

cc6cd Finishing time of caring time of this child by primary caregiver : After school

```

      type: string (str5)
unique values: 14           missing "": 588/1,510
  
```

```

tabulation: Freq. Value
           588 ""
              7 "17.00"
              2 "17.30"
              9 "18.00"
             34 "19.00"
             56 "19.30"
              2 "19.45"
            330 "20.00"
              1 "20.15"
            173 "20.30"
              1 "20.50"
            208 "21.00"
             54 "21.30"
             37 "22.00"
              8 "22.30"
  
```

cc6ce Since previous interview, how many hours you spend time to taking care this chil

```

      type: string (str55)
unique values: 210          missing "": 503/1,510
  
```

```

warning: variable has embedded blanks
  
```

cc6ce_1 Starting time of caring time of the child by primary caretaker : before go to wo

```

      type: string (str5)
unique values: 17           missing "": 507/1,510
  
```

```

tabulation: Freq. Value
           507 ""
              1 "03.00"
              8 "04.00"
              7 "04.30"
             81 "05.00"
             50 "05.30"
              1 "05.45"
            359 "06.00"
            123 "06.30"
              2 "06.40"
            178 "07.00"
             60 "07.30"
             90 "08.00"
              1 "08.10"
  
```

23 "08.30"
 16 "09.00"
 1 "09.30"
 2 "10.00"

cc6ce_2
 Finishing time of caring time of the child by primary caretaker : before go to w

type: string (str5)
 unique values: 22 missing "": 507/1,510

tabulation:	Freq.	Value
	507	"
	1	"07.00"
	1	"07.30"
	2	"08.00"
	1	"08.30"
	1	"10.00"
	6	"17.00"
	3	"17.30"
	8	"18.00"
	1	"18.30"
	36	"19.00"
	58	"19.30"
	3	"19.45"
	346	"20.00"
	1	"20.15"
	194	"20.30"
	1	"20.50"
	237	"21.00"
	44	"21.30"
	45	"22.00"
	11	"22.30"
	2	"23.00"
	1	"23.30"

cc6ce_3
 Starting time of caring time of the child by primary caretaker : after go to wor

type: string (str5)
 unique values: 3 missing "": 1,504/1,510

tabulation:	Freq.	Value
	1,504	"
	1	"14.00"
	2	"15.00"
	3	"17.00"

cc6ce_4
 Finishing time of caring time of the child by primary caretaker : after go to wo

type: string (str5)
 unique values: 5 missing "": 1,504/1,510

tabulation:	Freq.	Value
	1,504	"
	1	"17.00"
	2	"20.00"
	1	"20.30"
	1	"21.00"
	1	"21.30"

cc6ce_5 Hours per day on weekends or holidays Hours per day on weekends or holidays

```

      type: numeric (double)
      range: [2,2]
unique values: 1
      units: 1
      missing .: 1,509/1,510

      tabulation: Freq. Value
                   1 2
                   1,509 .
      mean: 2
      std. dev: .

      percentiles: 10% 25% 50% 75% 90%
                   2 2 2 2 2
    
```

survey_name survey round

```

      type: string (str12)
unique values: 1
      missing "": 0/1,510

      tabulation: Freq. Value
                   1,510 "RESURVEY2017"
    
```

year_survey year survey

```

      type: numeric (float)
      range: [2017,2017]
unique values: 1
      units: 1
      missing .: 0/1,510

      tabulation: Freq. Value
                   1,510 2017
      mean: 2017
      std. dev: 0

      percentiles: 10% 25% 50% 75% 90%
                   2017 2017 2017 2017 2017
    
```

```

2 . log close
   name: <unnamed>
   log: R:\RIECE_RELEASE V3-2017-2018/codebook\2017\b2.scml
   log type: smcl
   closed on: 13 Feb 2026, 16:37:06
    
```
