



```

name: <unnamed>
log: R:\RIECE_RELEASE V3-2017-2018/codebook\2017\b3.smcl
log type: smcl
opened on: 13 Feb 2026, 16:38:18
    
```

1 . codebookr _all,all

```

Dataset: \RIECE_RELEASE V3-2017-2018/codebook\b3_run.dta
Last saved: 13 Feb 2026 16:38
DATA HAVE CHANGED SINCE LAST SAVED
    
```

```

Label: [none]
Number of variables: 43
Number of observations: 1,510
Size: 1,978,100 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values
    
```

- .a or -6 or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or -7 or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or -8 or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or -9 or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a or -6	String Missing*:	RF
	.b or -7		NA
	.c or -8		DK
	.d or -9		MI

pid **personal id**

```

type: string (str18)
unique values: 1,510 missing "": 0/1,510
examples: "201591160604209H1"
           "201691131001997H1"
           "201691160105067H1"
           "201691161708058H1"
    
```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,510
tabulation: Freq. Value
             553 "2015"
             957 "2016"
    
```

hhid **household id**

```

type: string (str15)
    
```

unique values: 1,286 missing "": 0/1,510
 examples: "201591160604209"
 "201691131001097"
 "201691160105068"
 "201691161708058"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,510
 tabulation: Freq. Value
 1,365 "91"
 145 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,510
 tabulation: Freq. Value
 1 "09"
 145 "12"
 266 "13"
 129 "14"
 148 "15"
 557 "16"
 40 "17"
 224 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,510
 tabulation: Freq. Value
 65 "01"
 229 "02"
 123 "04"
 63 "05"
 57 "06"
 66 "07"
 64 "08"
 97 "09"
 138 "10"
 93 "11"
 154 "13"
 47 "14"
 151 "15"
 106 "17"
 57 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,510

```

tabulation:  Freq.  Value
              158  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              157  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8   "17"
              12  "18"
              26  "19"
              1   "20"
              21  "22"
              7   "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,510
examples: "011"
          "035"
          "071"
          "149"
    
```

cid **children id**

```

type: string (str18)
unique values: 1,510       missing "": 0/1,510
examples: "201591160604209H1"
          "201691131001997H1"
          "201691160105067H1"
          "201691161708058H1"
    
```

ch1 **How is the child's health now?**

```

type: numeric (byte)
label: ch1
range: [1,7]           units: 1
unique values: 4       missing .: 0/1,510

tabulation:  Freq.  Numeric  Label
              243    1  very good
              1,003  3  good
              251    5  quite good
              13     7  somewhat bad
    
```

ch2 **Since previous interview : Did the child ever visit a dentist to take care of hi**

```

type: numeric (byte)
label: ch2

range: [1,3]                units: 1
unique values: 2            missing ..: 0/1,510

tabulation: Freq.  Numeric  Label
              414      1     yes
              1,096    3     no
    
```

ch2a **Number of times**

```

type: numeric (byte)
label: ch2a, but label does not exist

range: [1,7]                units: 1
unique values: 6            missing ..: 1,096/1,510
unique missing codes: 3     missing *: 4/1,510

tabulation: Freq.  Value
              260   1
              104   2
               34   3
               8    4
               3    5
               1    7
            1,096  .
               3   .c
               1   .d
mean:        1.52195
std. dev:    .833736

percentiles: 10%    25%    50%    75%    90%
              1     1     1     2     3
    
```

ch10 **ch10**

```

type: numeric (byte)

range: [.,.]                units: .
unique values: 0            missing ..: 1,506/1,510
unique missing codes: 2     missing *: 4/1,510

tabulation: Freq.  Value
              1,506  .
               4   .d
mean:        .
std. dev:    .

percentiles: 10%    25%    50%    75%    90%
              .     .     .     .     .
    
```

ch4 **Since the last interview How many times do children receive health checkups that**

```

type: numeric (byte)
label: ch4, but label does not exist

range: [0,12]              units: 1
unique values: 8            missing ..: 0/1,510
unique missing codes: 1     missing *: 3/1,510
    
```

```

tabulation: Freq. Value
             1,302 0
             142  1
             43  2
              7  3
              7  4
              2  6
              2 11
              2 12
              3  .c
mean:       .222296
std. dev:   .821576

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
    
```

ch4_des **Name of place for the health check-ups (unavailable)**

```

type: string (str114), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

ch4b **Code of the most place for the health check-ups**

```

type: numeric (byte)
label: ch4b
range: [1,99] units: 1
unique values: 7 missing .: 1,302/1,510

tabulation: Freq. Numeric Label
             137      1 Health promoting hospital
             29      3 District hospital
             17      5 Center hospital / provincial
                   hospital
              3      7 University hospital
              3     15 Private hospital
             17     17 Medical clinic
              2     99 other (Specify in ch4ba)
             1,302      .
    
```

ch4ba **Detail : place for the health check-ups (not display)**

```

type: string (str48), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

ch4aa_des **Sub-district (unavailable)**

```

type: string (str36), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

ch4aa **Sub-district code (unavailable)**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ch4ab_des **District (unavailable)**

type: string (**str42**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ch4ab **District code (unavailable)**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ch4ac_des **Province (unavailable)**

type: string (**str39**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ch4ac **Province code (unavailable)**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ch5 Ever since the child was 2 years old until now, Has the child ever go to the doc

type: numeric (**byte**)
 label: **ch5**
 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,510
 tabulation: Freq. Numeric Label
 162 1 yes
 1,348 3 no

ch5a **How many times?**

```

type: numeric (byte)
label: ch5a, but label does not exist

range: [1,10]                units: 1
unique values: 6              missing .. 1,348/1,510

tabulation: Freq. Value
             147  1
             11  2
              1  3
              1  5
              1  8
              1 10
            1,348 .
mean:       1.2037
std. dev:   .978901

percentiles:    10%    25%    50%    75%    90%
                1      1      1      1      1
    
```

ch5b **What was the most severe injury?**

```

type: numeric (byte)
label: ch5b

range: [1,99]                units: 1
unique values: 10             missing .. 1,348/1,510

tabulation: Freq. Numeric Label
             9           1 Cut or pierced by sharp object
                    (open wounds, bleeding)
            78           3 Crash/Fall (with open wounds,
                    broken bones, unconscious)
              2           5 Burn (until skin blister)
              2           7 Swallow, take or put things in
                    the ear or nose
              5          11 Bitten or stung by poisonous
                    animals
            16           13 Hurt by non
              1           15 Car accident (the child in the
                    car)
            19           23 Bicycle injury
            10           25 Motercycle injury
            20           99 Other (Specify in ch5ba)
            1,348          .
    
```

ch5ba **Detail of the most severe injury (not display)**

```

type: string (str154), but longest is str0
unique values: 0              missing "": 1,510/1,510

tabulation: Freq. Value
            1,510 ""
    
```

ch5c **Where did the accident happen?**

```

type: numeric (byte)
label: ch5c
    
```

range: [1,99] units: 1
 unique values: 6 missing.: 1,348/1,510
 unique missing codes: 2 missing *: 2/1,510

tabulation:	Freq.	Numeric	Label
	65	1	home
	27	3	house of others
	24	5	school / child center
	2	7	playing field / playground
	19	9	alley / road
	23	99	other
	1,348	.	
	2	.d	

ch5ca Detail : place of accident (unavailable)

type: string (**str69**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ch5e How many days did the child miss school as a result of this injury?

type: numeric (**byte**)
 label: **ch5e**, but label does not exist
 range: [0,61] units: 1
 unique values: 18 missing.: 1,348/1,510
 unique missing codes: 3 missing *: 2/1,510

tabulation:	Freq.	Value
	76	0
	12	1
	16	2
	9	3
	2	4
	15	5
	11	7
	2	8
	1	10
	1	11
	3	14
	2	15
	1	20
	4	22
	2	30
	1	33
	1	44
	1	61
	1,348	.
	1	.c
	1	.d

mean: 4.0375
 std. dev: 8.2278

percentiles:	10%	25%	50%	75%	90%
	0	0	1	5	10.5

ch5f How many days was the child hospitalized because of this injury?

type: numeric (**byte**)
 label: **ch5f**, but label does not exist

range: [0,30] units: 1
 unique values: 11 missing .: 1,348/1,510
 unique missing codes: 2 missing *: 1/1,510

tabulation: Freq. Value
 132 0
 8 1
 5 2
 8 3
 1 4
 1 5
 2 7
 1 8
 1 11
 1 26
 1 30
 1,348 .
 1 .d
 mean: .869565
 std. dev: 3.42624

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 2

ch9 Since the last interview, Did the child is once sick and had to be admitted to t

type: numeric (byte)
 label: ch9
 range: [1,3] units: 1
 unique values: 2 missing .: 0/1,510
 unique missing codes: 1 missing *: 1/1,510

tabulation: Freq. Numeric Label
 122 1 yes
 1,387 3 no
 1 .d

ch9a How many times?

type: numeric (byte)
 label: ch9a, but label does not exist
 range: [1,4] units: 1
 unique values: 4 missing .: 1,387/1,510
 unique missing codes: 3 missing *: 2/1,510

tabulation: Freq. Value
 97 1
 18 2
 5 3
 1 4
 1,387 .
 1 .c
 1 .d
 mean: 1.2562
 std. dev: .57051

percentiles: 10% 25% 50% 75% 90%
 1 1 1 1 2

ch9b What was the most severe disease?

type: numeric (byte)
 label: ch9b

range: [1,99] units: 1
 unique values: 9 missing .: 1,387/1,510
 unique missing codes: 2 missing *: 1/1,510

tabulation:	Freq.	Numeric	Label
	13	1	Respiratory (cough /cold/ runny nose/gasp)
	16	3	Diarrhea / dysentery
	5	5	Stomachache / flatulence / indigestion / gastritis
	1	11	Dermatitis / eczema / rash
	1	15	Oral diseases / caries / gum disease / mouth ulcers
	65	17	Fever
	9	19	Lung and bronchial diseases (pneumonia / bronchitis)
	3	21	Diseases of the gastrointestinal tract and liver (intestinal / liver / appendicitis / bile ducts / gallbladder / excluding gastritis)
	9	99	other (Specify in ch9ba)
	1,387	.	
	1	.d	

ch9ba **Detail : the most severe disease (not display)**

type: string (**str144**), but longest is str0
 unique values: 0 missing "": 1,510/1,510

tabulation:	Freq.	Value
	1,510	" "

ch9c **How many days did the child miss school as a result of this acute disease?**

type: numeric (**byte**)
 label: **ch9c**, but label does not exist
 range: [0,44] units: 1
 unique values: 12 missing .: 1,387/1,510
 unique missing codes: 2 missing *: 1/1,510

tabulation:	Freq.	Value
	50	0
	1	1
	11	2
	10	3
	6	4
	17	5
	22	7
	1	10
	1	11
	1	15
	1	30
	1	44
	1,387	.
	1	.d
mean:	3.4918	
std. dev:	5.4001	

percentiles:	10%	25%	50%	75%	90%
	0	0	2	5	7

ch9d **How many days was the child hospitalized because of this acute disease?**

```

type: numeric (byte)
label: ch9d, but label does not exist

range: [0,11]
unique values: 11
unique missing codes: 2

units: 1
missing .: 1,387/1,510
missing *: 1/1,510
    
```

```

tabulation: Freq. Value
             2 0
             10 1
             37 2
             44 3
              8 4
              6 5
              2 6
             10 7
              1 9
              1 10
              1 11
            1,387 .
              1 .d
mean: 3.19672
std. dev: 1.92693

percentiles:      10%      25%      50%      75%      90%
                  2         2         3         3         7
    
```

ch6 Does the child have health insurance with insurance company? (e.g. AIA, Krungtha

```

type: numeric (byte)
label: ch6

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 0/1,510
missing *: 23/1,510
    
```

```

tabulation: Freq. Numeric Label
             146      1 yes
            1,341      3 no
              4       .b
              19       .c
    
```

ch7 Since the last interview, have there been cases where the child need medical ser

```

type: numeric (byte)
label: ch7

range: [1,3]
unique values: 2

units: 1
missing .: 0/1,510
    
```

```

tabulation: Freq. Numeric Label
             43      1 yes
            1,467      3 no
    
```

ch8 Interviewer note (unavailable)

```

type: string (str417), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq. Value
            1,510 ""
    
```

note_cleaner **Data cleaner note (not display)**

type: string (**str142**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

year_survey **year survey**

type: numeric (**int**)
 range: [2017,2017] units: 1
 unique values: 1 missing .: 0/1,510
 tabulation: Freq. Value
 1,510 2017
 mean: 2017
 std. dev: 0
 percentiles: 10% 25% 50% 75% 90%
 2017 2017 2017 2017 2017

survey_name **survey round**

type: string (**str12**)
 unique values: 1 missing "": 0/1,510
 tabulation: Freq. Value
 1,510 "RESURVEY2017"

2 . log close
 name: <unnamed>
 log: R:\RIECE_RELEASE V3-2017-2018/codebook\2017\b3.scml
 log type: smcl
 closed on: 13 Feb 2026, 16:38:19
