



```

name: <unnamed>
log: R:\RIECE_RELEASE V3-2017-2018/codebook\2017\b4.scml
log type: smcl
opened on: 13 Feb 2026, 16:38:55

```

1 . codebookr _all,all

```

Dataset: \RIECE_RELEASE V3-2017-2018/codebook\b4_run.dta
Last saved: 13 Feb 2026 16:38
DATA HAVE CHANGED SINCE LAST SAVED

```

```

Label: [none]
Number of variables: 92
Number of observations: 1,510
Size: 6,574,540 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or -6 or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or -7 or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or -8 or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or -9 or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a or -6	String Missing*:	RF
	.b or -7		NA
	.c or -8		DK
	.d or -9		MI

pid **personal id**

```

type: string (str18)
unique values: 1,510 missing "": 0/1,510
examples: "201591160604209H1"
           "201691131001997H1"
           "201691160105067H1"
           "201691161708058H1"

```

iyear **year**

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/1,510
tabulation: Freq. Value
             553 "2015"
             957 "2016"

```

hhid **household id**

```

type: string (str15)

```

unique values: 1,286 missing "": 0/1,510
 examples: "201591160604209"
 "201691131001097"
 "201691160105068"
 "201691161708058"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,510
 tabulation: Freq. Value
 1,365 "91"
 145 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,510
 tabulation: Freq. Value
 1 "09"
 145 "12"
 266 "13"
 129 "14"
 148 "15"
 557 "16"
 40 "17"
 224 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,510
 tabulation: Freq. Value
 65 "01"
 229 "02"
 123 "04"
 63 "05"
 57 "06"
 66 "07"
 64 "08"
 97 "09"
 138 "10"
 93 "11"
 154 "13"
 47 "14"
 151 "15"
 106 "17"
 57 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,510

```

tabulation:  Freq.  Value
              158  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              157  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8  "17"
              12  "18"
              26  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,510
examples: "011"
          "035"
          "071"
          "149"
    
```

cid **children id**

```

type: string (str18)
unique values: 1,510       missing "": 0/1,510
examples: "201591160604209H1"
          "201691131001997H1"
          "201691160105067H1"
          "201691161708058H1"
    
```

chd1_1 **Open Roster and Identify childhood underlying disease since previous interview**

```

type: numeric (byte)
label: chd1_1, but label does not exist
range: [0,3]           units: 1
unique values: 4       missing .: 0/1,510

tabulation:  Freq.  Value
              1,343  0
              156  1
               9  2
               2  3
mean: .119205
std. dev: .353477

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         1
    
```

chd1_2 Since previous interview, Have you ever been told by a doctor, nurse or speciali

```

type: numeric (byte)
label: chd1_2, but label does not exist

range: [0,2] units: 1
unique values: 3 missing.: 0/1,510

tabulation: Freq. Value
             1,447 0
             61 1
             2 2
mean: .043046
std. dev: .209455

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

chd1a_1 Underlying disease 1 (not display)

```

type: string (str96), but longest is str0
unique values: 0 missing "": 1,510/1,510

tabulation: Freq. Value
             1,510 ""
    
```

chd1aa_1 Underlying disease code 1

```

type: numeric (float)
label: chd1aa_1

range: [7,99] units: 1
unique values: 12 missing.: 1,294/1,510

tabulation: Freq. Numeric Label
             2 7 Heart disease
             2 13 Cancer
             1 17 Depression/psychosis/neurosis
             7 21 Seizures/epilepsy
            115 27 Asthma/emphysema
             20 31 Allergy
             1 35 Kidney failure/damage
             11 55 Thalassemia
             2 57 Down's syndrome
             21 77 G6PD
             12 79 Anemia
             22 99 Other
            1,294 .
    
```

chd1b_1 What kind of treatment did child receive

```

type: string (str6), but longest is str5
unique values: 13 missing "": 1,294/1,510
unique missing codes: 3 missing *: 15/1,510
    
```

```

tabulation:  Freq.  Value
              1,294  ""
              60   "B"
              1   "B,C,G"
              2   "B;C"
              7   "B;D"
              9   "C"
              1   "C,E"
              2   "C,G"
              29  "D"
              1   "D;G"
              74  "F"
              15  "G"
              14  "MI"
              1   "RF"
    
```

chdlba_1 **Other categories of treatment 1 (not display)**

```

type: string (str250), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation:  Freq.  Value
              1,510  ""
    
```

chdlc_1 **Taking the child to an emergency room at least for one night 1**

```

type: numeric (byte)
label: chdlc

range: [1,3] units: 1
unique values: 2 missing .: 1,294/1,510
unique missing codes: 3 missing *: 18/1,510

tabulation:  Freq.  Numeric  Label
              40     1  yes
              158     3  no
              1,294    .
              1       .a
              17      .d
    
```

chdlca_1 **Number of days : the child stayed in hospital at the longest period because of u**

```

type: numeric (int)
label: chdlca, but label does not exist

range: [1,220] units: 1
unique values: 11 missing .: 1,470/1,510

tabulation:  Freq.  Value
              4     1
              9     2
             10     3
              7     4
              1     5
              4     7
              1    10
              1    11
              1    12
              1    30
              1   220
            1,470    .
mean:          9.9
std. dev:     34.4211
    
```



```

tabulation: Freq. Value
            1,491 ""
            1 "A;D"
            6 "B"
            1 "C"
            1 "C;D"
            1 "D"
            1 "D;G"
            1 "E"
            4 "F"
            2 "G"
            1 "MI"
    
```

chdlba_2 **Other category of treatment 2 (not display)**

```

type: string (str250), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
            1,510 ""
    
```

chdlc_2 **Taking the child to an emergency room at least for one night 2**

```

type: numeric (byte)
label: chdlc
range: [1,3] units: 1
unique values: 2 missing .: 1,491/1,510
unique missing codes: 2 missing *: 1/1,510
tabulation: Freq. Numeric Label
            3 1 yes
            15 3 no
            1,491 .
            1 .d
    
```

chdlca_2 **Number of days : the child stayed in hospitalized at the longest period because**

```

type: numeric (int)
label: chdlca, but label does not exist
range: [2,7] units: 1
unique values: 3 missing .: 1,507/1,510
tabulation: Freq. Value
            1 2
            1 3
            1 7
            1,507 .
mean: 4
std. dev: 2.64575
percentiles: 10% 25% 50% 75% 90%
              2 2 3 7 7
    
```

chdlid_2 **At present, Does the child have an underlying medical condition**

```

type: numeric (byte)
label: chdlid
    
```

```

range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing .: 1,491/1,510
missing *: 1/1,510

tabulation: Freq. Numeric Label
              17         1 yes
              1         3 no
            1,491         .
              1         .d
    
```

chd1a_3 **Underlying disease 3 (not display)**

```

type: string (str96), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq. Value
            1,510 ""
    
```

chd1aa_3 **Underlying disease code 3**

```

type: numeric (float)
label: chd1aa_3
range: [3,79]
unique values: 4
units: 1
missing .: 1,506/1,510

tabulation: Freq. Numeric Label
              1         3 Thyroid/Goiter
              1        27 Asthma/emphysema
              1         57 Down's syndrome
              1         79 Anemia
            1,506         .
    
```

chd1b_3 **What kind of treatment did child receive**

```

type: string (str6), but longest is str1
unique values: 3
missing "": 1,506/1,510

tabulation: Freq. Value
            1,506 ""
              1 "B"
              2 "F"
              1 "G"
    
```

chd1ba_3 **Other category of treatment 3 (not display)**

```

type: string (str250), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq. Value
            1,510 ""
    
```

chd1c_3 **Taking the child to an emergency room at least for one night 3**

```

type: numeric (byte)
label: chd1c
    
```

range: [3,3] units: 1
 unique values: 1 missing .: 1,506/1,510

tabulation:	Freq.	Numeric	Label
	4	3	no
	1,506	.	

chdlca_3 **Number of days : the child stayed in hospitalized at the longest period because**

type: numeric (int)
 label: **chdlca**, but label does not exist

range: [.,.] units: .
 unique values: 0 missing .: 1,510/1,510

tabulation:	Freq.	Value
	1,510	.
mean:	.	
std. dev:	.	

percentiles: 10% 25% 50% 75% 90%

chdlid_3 **At present, Does the child have an underlying medical condition**

type: numeric (byte)
 label: **chdlid**

range: [1,1] units: 1
 unique values: 1 missing .: 1,506/1,510

tabulation:	Freq.	Numeric	Label
	4	1	yes
	1,506	.	

chdla_4 **Underlying disease 4**

type: string (str96), but longest is str0
 unique values: 0 missing "": 1,510/1,510

tabulation:	Freq.	Value
	1,510	""

chdlaa_4 **Underlying disease code 4**

type: numeric (float)
 label: **chdlaa_4**

range: [3,27] units: 1
 unique values: 2 missing .: 1,508/1,510

tabulation:	Freq.	Numeric	Label
	1	3	Thyroid/Goiter
	1	27	Asthma/emphysema
	1,508	.	

chdlb_4 **Treatment 4**

type: string (str6), but longest is str1

unique values: 2 missing "": 1,508/1,510

```

tabulation: Freq. Value
             1,508 ""
             1 "B"
             1 "C"
    
```

chdlb_des_4 Detail of treatment method

type: string (str58)

unique values: 2 missing "": 1,508/1,510

```

tabulation: Freq. Value
             1,508 ""
             1 "antibiotics (take continuously until
             the dose is finished)"
             1 "bronchodilators"
    
```

warning: variable has embedded blanks

chdlba_4 Other category of treatment 4

type: string (str250), but longest is str0

unique values: 0 missing "": 1,510/1,510

```

tabulation: Freq. Value
             1,510 ""
    
```

chdlc_4 Taking the child to an emergency room at least for one night 4

type: numeric (byte)
label: chdlc

range: [3,3] units: 1
unique values: 1 missing .: 1,508/1,510

```

tabulation: Freq. Numeric Label
             2         3 no
             1,508      .
    
```

chdlca_4 No. of days : hospitalized at the longest period because of underlying disease 4

type: numeric (int)
label: chdlca, but label does not exist

range: [.,.] units: .
unique values: 0 missing .: 1,510/1,510

```

tabulation: Freq. Value
             1,510 .
             mean: .
             std. dev: .
    
```

percentiles: 10% 25% 50% 75% 90%

.

chdlld_4 Having an underlying medical condition (underlying disease 4)

```

type: numeric (byte)
label: chd1d
range: [1,1]
unique values: 1
units: 1
missing ..: 1,508/1,510

tabulation: Freq.  Numeric  Label
              2          1  yes
            1,508          .
    
```

chd2 Since the last interview Has the child ever had their ear pierced

```

type: numeric (byte)
label: chd2
range: [1,3]
unique values: 2
units: 1
missing ..: 0/1,510

tabulation: Freq.  Numeric  Label
              5          1  yes
            1,505          3  no
    
```

chd3 Code of the reason for the child ever had an ear drainage puncture

```

type: numeric (byte)
label: chd3
range: [1,7]
unique values: 2
units: 1
missing ..: 1,505/1,510

tabulation: Freq.  Numeric  Label
              1          1  fluid in the ears
              4          7  other CHD3A
            1,505          .
    
```

chd3a Other category of the reason for the child ever had an ear drainage puncture (no

```

type: string (str90), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.  Value
            1,510  ""
    
```

chd4_1 Open Roster and identify the number of defects of child since previous interview

```

type: numeric (byte)
label: chd4_1, but label does not exist
range: [0,2]
unique values: 3
units: 1
missing ..: 0/1,510

tabulation: Freq.  Value
            1,497  0
              11   1
               2   2
mean:      .009934
std. dev:  .111769

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
    
```

chd4_2 Since previous interview, Have you ever been told by a doctor how many defects o

```

type: numeric (byte)
label: chd4_2, but label does not exist

range: [0,2] units: 1
unique values: 3 missing .: 0/1,510

tabulation: Freq. Value
             1,506 0
             3 1
             1 2
mean: .003311
std. dev: .068028

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

chd4a_1 Disability 1 (not display)

```

type: string (str108), but longest is str0
unique values: 0 missing "": 1,510/1,510

tabulation: Freq. Value
             1,510 ""
    
```

chd4aa_1 Disability code 1

```

type: numeric (byte)
label: chd4aa_1

range: [1,99] units: 1
unique values: 5 missing .: 1,494/1,510

tabulation: Freq. Numeric Label
             1 1 Problems with mobility due to
             5 3 Problems with learning
             1 7 Problems with limb movement
             5 9 Problems with communication
             4 99 other
            1,494 .
    
```

chd4b_1 What kind of treatment did child receive

```

type: string (str11)

unique values: 11 missing "": 1,494/1,510
unique missing codes: 3 missing *: 3/1,510
    
```

```

tabulation: Freq. Value
1,494 ""
1 "A"
1 "A;C;D;G;I;J"
1 "A;G;L"
1 "B"
1 "B;C"
3 "C"
1 "C;I"
2 "I"
2 "L"
1 "MI"
2 "NA"
    
```

chd4ba_1 **Other category of treatment 1 (not display)**

```

type: string (str144), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
1,510 ""
    
```

chd4c_1 **Has the child ever been diagnosed by a medical professional**

```

type: numeric (byte)
label: chd4c
range: [1,3] units: 1
unique values: 2 missing .: 1,494/1,510
unique missing codes: 2 missing *: 1/1,510
tabulation: Freq. Numeric Label
9 1 yes
6 3 no
1,494 .
1 .d
    
```

chd4d_1 **At present: Is this still a problem**

```

type: numeric (byte)
label: chd4d
range: [1,3] units: 1
unique values: 2 missing .: 1,494/1,510
tabulation: Freq. Numeric Label
15 1 yes
1 3 no
1,494 .
    
```

chd4a_2 **Disability 2 (not display)**

```

type: string (str108), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
1,510 ""
    
```

chd4aa_2 **Disability code 2**

```

type: numeric (byte)
label: chd4aa_1

range: [1,9]
unique values: 2
units: 1
missing ..: 1,507/1,510

tabulation: Freq.  Numeric  Label
              1          1  Problems with mobility due to
              2          9  Problems with communication
              1,507        .  development
    
```

chd4b_2 **What kind of treatment did child receive**

```

type: string (str11), but longest is str3
unique values: 3
missing "": 1,507/1,510

tabulation: Freq.  Value
              1,507  ""
              1      "B"
              1      "C;I"
              1      "H"
    
```

chd4ba_2 **Other category of treatment 2 (not display)**

```

type: string (str144), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.  Value
              1,510  ""
    
```

chd4c_2 **Has the child ever been diagnosed by a medical professional**

```

type: numeric (byte)
label: chd4c

range: [1,3]
unique values: 2
units: 1
missing ..: 1,507/1,510

tabulation: Freq.  Numeric  Label
              2          1  yes
              1          3  no
              1,507        .
    
```

chd4d_2 **At present: Is this still a problem**

```

type: numeric (byte)
label: chd4d

range: [1,1]
unique values: 1
units: 1
missing ..: 1,507/1,510

tabulation: Freq.  Numeric  Label
              3          1  yes
              1,507        .
    
```

chd4a_3 **Disability 3**

```

type: string (str108), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

chd4aa_3 **Disability code 3**

```

type: numeric (byte)
label: chd4aa_1
range: [9,9] units: 1
unique values: 1 missing .: 1,509/1,510
tabulation: Freq. Numeric Label
             1          9 Problems with communication
             1,509      . development
    
```

chd4b_3 **Treatment_3**

```

type: string (str11), but longest is str3
unique values: 1 missing "": 1,509/1,510
tabulation: Freq. Value
             1,509 ""
             1 "C;I"
    
```

chd4b_des_3 **Description of disability treatment 3**

```

type: string (str45)
unique values: 1 missing "": 1,509/1,510
tabulation: Freq. Value
             1,509 ""
             1 "physical therapy;parental support or
             training"
warning: variable has embedded blanks
    
```

chd4ba_3 **Other category of treatment 3**

```

type: string (str144), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

chd4c_3 **Be diagnosed or treated by a doctor or a specialist 3**

```

type: numeric (byte)
label: chd4c
range: [3,3] units: 1
unique values: 1 missing .: 1,509/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              1      3      no
              1,509      .
    
```

chd4d_3 **At present: having this problem 3**

```

type: numeric (byte)
label: chd4d

range: [1,1]
unique values: 1
units: 1
missing ..: 1,509/1,510

tabulation:  Freq.  Numeric  Label
              1      1      yes
              1,509      .
    
```

chd5 **Since the last interview, Does the child have hearing disability problem**

```

type: numeric (byte)
label: chd5

range: [1,3]
unique values: 2
unique missing codes: 1
units: 1
missing ..: 0/1,510
missing *: 1/1,510

tabulation:  Freq.  Numeric  Label
              4      1      yes
              1,505      3      no
              1      .c
    
```

chd6 **Ear side of hearing disability**

```

type: numeric (byte)
label: chd6

range: [1,5]
unique values: 2
unique missing codes: 2
units: 1
missing ..: 1,505/1,510
missing *: 1/1,510

tabulation:  Freq.  Numeric  Label
              2      1      left
              2      5      both
              1,505      .
              1      .c
    
```

chd7 **Since the last interview, Does the child have vision disability problem**

```

type: numeric (byte)
label: chd7

range: [1,3]
unique values: 2
units: 1
missing ..: 0/1,510

tabulation:  Freq.  Numeric  Label
              1      1      yes
              1,509      3      no
    
```

chd8 **Does the child need to use assistive devices such as canes, wheelchairs, hearing**

```

type: numeric (byte)
label: chd8
    
```

range: [1,3] units: 1
 unique values: 2 missing .: 0/1,510

tabulation:	Freq.	Numeric	Label
	4	1	yes
	1,506	3	no

chd9 Does the child currently wear glasses

type: numeric (byte)
 label: **chd9**

range: [3,3] units: 1
 unique values: 1 missing .: 0/1,510

tabulation:	Freq.	Numeric	Label
	1,510	3	no

chd10 Is the child currently receiving special education

type: numeric (byte)
 label: **chd10**

range: [1,3] units: 1
 unique values: 2 missing .: 0/1,510

tabulation:	Freq.	Numeric	Label
	1	1	yes
	1,509	3	no

chd10a1_des Location where the child receiving special education services (unavailable)

type: string (str126), but longest is str0

unique values: 0 missing "": 1,510/1,510

tabulation:	Freq.	Value
	1,510	" "

chd10a1 Location code (unavailable)

type: string (str6), but longest is str0

unique values: 0 missing "": 1,510/1,510

tabulation:	Freq.	Value
	1,510	" "

chd10a2_des Sub-district where the child receiving special education services (unavailable)

type: string (str21), but longest is str0

unique values: 0 missing "": 1,510/1,510

tabulation:	Freq.	Value
	1,510	" "

chd10a2 **Sub-district code (unavailable)**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

chd10a3_des **District where the child receiving special education services (unavailable)**

type: string (**str42**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

chd10a3 **District code (unavailable)**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

chd10a4_des **Province where the child receiving special education services (unavailable)**

type: string (**str27**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

chd10a4 **Province code (unavailable)**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

chd11 **Interviewer note (unavailable)**

type: string (**str620**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

```

type: string (str2), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

chd9b **chd9b**

```

type: string (str40), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

chd9c **chd9c**

```

type: string (str54), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

note_cleaner **data cleaner note (not display)**

```

type: string (str291), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

year_survey **year survey**

```

type: numeric (float)
range: [2017,2017] units: 1
unique values: 1 missing .: 0/1,510
tabulation: Freq. Value
             1,510 2017
mean:      2017
std. dev:  0
percentiles: 10% 25% 50% 75% 90%
              2017 2017 2017 2017 2017
    
```

survey_name **survey round**

```

type: string (str12)
unique values: 1 missing "": 0/1,510
tabulation: Freq. Value
             1,510 "RESURVEY2017"
    
```

chdl_number
How many underlying disease does the child currently have that are incurable?

```

type: numeric (float)
range: [0,3] units: 1
unique values: 4 missing .: 0/1,510

tabulation: Freq. Value
             1,326 0
             167 1
             14 2
             3 3
mean: .135099
std. dev: .383938

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 1
    
```

chdlb_des_1 **Detail of treatment method**

```

type: string (str74)
unique values: 8 missing "": 1,322/1,510

tabulation: Freq. Value
             1,322 ""
             9 "antibiotics (take continuously until
             the dose is finished)"
             58 "bronchodilators"
             2 "bronchodilators;antibiotics (take
             continuously until the dose is
             finished)"
             7 "bronchodilators;drug (unknown type)"
             28 "drug (unknown type)"
             1 "drug (unknown type);other"
             70 "no treatment just observe symptoms"
             13 "other"

warning: variable has embedded blanks
    
```

chdlb_des_2 **Detail of treatment method**

```

type: string (str78)
unique values: 9 missing "": 1,493/1,510

tabulation: Freq. Value
             1,493 ""
             1 "antibiotics (take continuously until
             the dose is finished)"
             1 "antibiotics (take continuously until
             the dose is finished);drug (unknown
             type)"
             5 "bronchodilators"
             1 "drug (unknown type)"
             1 "drug (unknown type);other"
             4 "no treatment just observe symptoms"
             2 "other"
             1 "respirator/pacemaker;drug (unknown
             type)"
             1 "steroids"

warning: variable has embedded blanks
    
```

chd1b_des_3 **Detail of treatment method**

```

type: string (str34)
unique values: 3 missing "": 1,506/1,510
tabulation: Freq. Value
              1,506 ""
              1 "bronchodilators"
              2 "no treatment just observe symptoms"
              1 "other"
warning: variable has embedded blanks
    
```

chd4_number **How many disability does the child currently have that are incurable?**

```

type: numeric (float)
range: [0,3] units: 1
unique values: 4 missing .: 0/1,510
tabulation: Freq. Value
              1,495 0
              12 1
              2 2
              1 3
mean: .012583
std. dev: .138056
percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0
    
```

chd4b_des_1 **Detail of how to help**

```

type: string (str299)
unique values: 10 missing "": 1,496/1,510
tabulation: Freq. Value
              1,496 ""
              1 "home visit"
              1 "occupational therapy"
              1 "occupational therapy;physical therapy"
              2 "other"
              2 "parental support or training"
              3 "physical therapy"
              1 "physical therapy;parental support or
                training"
              1 "speech or language therapy"
              1 "speech or language therapy;Hearing
                service (this does not include a
                temporary loss of hearing due to a cold
                or congestion.);other"
              1 "speech or language therapy;physical
                therapy;help group (among families with
                the same problem);Hearing service (this
                does not include a temporary loss of
                hearing due to a cold or
                congestion.);parental support or
                training;special classes with other
                children, some or all of whom also had
                special needs"
warning: variable has embedded blanks
    
```

chd4b_des_2

Detail of how to help

type: string (**str96**), but longest is str45

unique values: **2** missing "": **1,508/1,510**

tabulation: Freq. Value
1,508 ""
1 "occupational therapy"
1 "physical therapy;parental support or
training"

warning: variable has embedded blanks

2 . log close
name: <unnamed>
log: **R:\RIECE_RELEASE V3-2017-2018/codebook\2017\b4.scml**
log type: **smcl**
closed on: **13 Feb 2026, 16:38:58**
