



```

name: <unnamed>
log: R:\RIECE_RELEASE V3-2017-2018/codebook\2017\b5.scml
log type: smcl
opened on: 13 Feb 2026, 16:40:03

```

```
1 . codebookr _all,all
```

```

Dataset: \RIECE_RELEASE V3-2017-2018/codebook\b5_run.dta
Last saved: 13 Feb 2026 16:39
DATA HAVE CHANGED SINCE LAST SAVED

```

```

Label: [none]
Number of variables: 192
Number of observations: 1,510
Size: 8,144,940 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

```

.a or -6 or RF: The subject explicitly refused to answer the question
when he or she should have.
.b or -7 or NA: The subject was never asked the question
for one reason or another. Usually this results
from "skip patterns" that occur.
.c or -8 or DK: The subject was unable to answer the question
either because he or she had no opinion or because
the required information was not available.
.d or -9 or MI: Items should be filled out but have no data entry found.
This is enumerator's own mistake. The circumstances
can be interviewers failing to ask a question
or forgetting to record a response

```

```

Numeric Missing*: .a or -6
                  .b or -7
                  .c or -8
                  .d or -9
String Missing*:  RF
                  NA
                  DK
                  MI

```

```
pid personal id
```

```

type: string (str18)
unique values: 1,510 missing "": 0/1,510
examples: "201591160604209H1"
          "201691131001997H1"
          "201691160105067H1"
          "201691161708058H1"

```

```
iyear year
```

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/1,510
tabulation: Freq. Value
            553 "2015"
            957 "2016"

```

```
hhid household id
```

```
type: string (str15)
```

unique values: 1,286 missing "": 0/1,510
 examples: "201591160604209"
 "201691131001097"
 "201691160105068"
 "201691161708058"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,510
 tabulation: Freq. Value
 1,365 "91"
 145 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,510
 tabulation: Freq. Value
 1 "09"
 145 "12"
 266 "13"
 129 "14"
 148 "15"
 557 "16"
 40 "17"
 224 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,510
 tabulation: Freq. Value
 65 "01"
 229 "02"
 123 "04"
 63 "05"
 57 "06"
 66 "07"
 64 "08"
 97 "09"
 138 "10"
 93 "11"
 154 "13"
 47 "14"
 151 "15"
 106 "17"
 57 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,510

```

tabulation:  Freq.  Value
              158  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              157  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8  "17"
              12  "18"
              26  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,510
examples: "011"
          "035"
          "071"
          "149"
    
```

cid **children id**

```

type: string (str18)
unique values: 1,510       missing "": 0/1,510
examples: "201591160604209H1"
          "201691131001997H1"
          "201691160105067H1"
          "201691161708058H1"
    
```

ce0 **Since last interview, has this child attended school?**

```

type: numeric (byte)
label: ce0
range: [1,3]           units: 1
unique values: 2       missing .: 0/1,510
tabulation:  Freq.  Numeric  Label
              1,369    1      yes
              141     3      no
    
```

ce3a **When do you expect the child to go to school (e.g. Jan)?**

```

type: numeric (byte)
label: ce3a
    
```

```

        range: [5,11]                units: 1
    unique values: 3                missing .: 1,369/1,510
    unique missing codes: 2        missing *: 9/1,510

    tabulation:  Freq.  Numeric  Label
                 122      5      May
                 2       9      September
                 8       11     November
    1,369        .
                 9       .c
    
```

ce3b **When do you expect the child to go to school (year)?**

```

        type: numeric (int)

        range: [2017,2019]          units: 1
    unique values: 3                missing .: 1,369/1,510
    unique missing codes: 2        missing *: 5/1,510

    tabulation:  Freq.  Value
                 14     2017
                 113    2018
                 9      2019
    1,369        .
                 5      .c
    mean:        2017.96
    std. dev:    .411107

    percentiles:  10%      25%      50%      75%      90%
                  2017    2018    2018    2018    2018
    
```

tce4a **CEC/school**

```

        type: string (str26), but longest is str7

    unique values: 3                missing "": 1,369/1,510
    unique missing codes: 2        missing *: 10/1,510

    tabulation:  Freq.  Value
    1,369        ""
                 102    "CDC"
                 10     "DK"
                 29     "??."
    
```

ce4a **CEC name (unavailable)**

```

        type: string (str110), but longest is str0

    unique values: 0                missing "": 1,510/1,510

    tabulation:  Freq.  Value
    1,510        ""
    
```

ce4b3 **Province of school address (unavailable)**

```

        type: string (str30), but longest is str0

    unique values: 0                missing "": 1,510/1,510

    tabulation:  Freq.  Value
    1,510        ""
    
```

ce4b2 **District of school address (unavailable)**

type: string (**str30**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ce4b1 **Sub-district of school address (unavailable)**

type: string (**str36**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ce4c **Expected school code (unavailable)**

type: string (**str10**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ce16m_1 **Since May 2016, which grade level was the child in? 1**

type: string (**str24**), but longest is str1
 unique values: 6 missing "": 141/1,510
 tabulation: Freq. Value
 141 ""
 315 "A"
 135 "B"
 11 "C"
 1 "D"
 865 "G"
 42 "H"

tce16a_1 **School/CDC. 1**

type: string (**str10**), but longest is str6
 unique values: 3 missing "": 141/1,510
 unique missing codes: 2 missing *: 2/1,510
 tabulation: Freq. Value
 141 ""
 941 "CEC"
 2 "DK"
 426 "School"

ce16a_1 **School name 1 (unavailable)**

type: string (**str148**), but longest is str0

unique values: 0 missing "": 1,510/1,510

tabulation: Freq. Value
1,510 ""

cel6n_1 **CDC/School Code 1 (unavailable)**

type: string (**str11**), but longest is str0

unique values: 0 missing "": 1,510/1,510

tabulation: Freq. Value
1,510 ""

cel6o_1 **The type of school/CDC. 1**

type: numeric (**byte**)
label: **cel7ba_1**

range: [1,99] units: 1
unique values: 3 missing .: 141/1,510
unique missing codes: 2 missing *: 1/1,510

| tabulation: | Freq. | Numeric | Label |
|-------------|-------|---------|--|
| | 1,273 | 1 | Study at school: organized by the school |
| | 94 | 5 | Study at the teacher's home |
| | 1 | 99 | Others |
| | 141 | . | . |
| | 1 | .c | .c |

cel6p_1 **Province 1 (unavailable)**

type: string (**str45**), but longest is str0

unique values: 0 missing "": 1,510/1,510

tabulation: Freq. Value
1,510 ""

cel6q_1 **Amphoe 1 (unavailable)**

type: string (**str48**), but longest is str0

unique values: 0 missing "": 1,510/1,510

tabulation: Freq. Value
1,510 ""

cel6r_1 **Tambon 1 (unavailable)**

type: string (**str48**), but longest is str0

unique values: 0 missing "": 1,510/1,510

tabulation: Freq. Value
1,510 ""

cel6s_1 **How many class teachers are there in the classroom 1**

```

type: numeric (byte)
range: [1,5]
unique values: 5
unique missing codes: 2
units: 1
missing .: 141/1,510
missing *: 94/1,510

```

```

tabulation: Freq. Value
             608 1
             422 2
             198 3
              35 4
              12 5
             141 .
              94 .c
mean: 1.76157
std. dev: .877737

percentiles:      10%      25%      50%      75%      90%
                  1         1         2         2         3

```

celb1_1 **The 1st teacher's name 1 (unavailable)**

```

type: string (str67), but longest is str0
unique values: 0
missing "": 1,510/1,510
tabulation: Freq. Value
            1,510 ""

```

celc1_1 **The 1st teacher's code 1 (unavailable)**

```

type: string (str12), but longest is str0
unique values: 0
missing "": 1,510/1,510
tabulation: Freq. Value
            1,510 ""

```

celb2_1 **The 2nd teacher's name 1 (unavailable)**

```

type: string (str67), but longest is str0
unique values: 0
missing "": 1,510/1,510
tabulation: Freq. Value
            1,510 ""

```

celc2_1 **The 2nd teacher's code 1 (unavailable)**

```

type: string (str18), but longest is str0
unique values: 0
missing "": 1,510/1,510
tabulation: Freq. Value
            1,510 ""

```

celb3_1 **The 3rd teacher's name 1 (unavailable)**

```

type: string (str58), but longest is str0
unique values: 0
missing "": 1,510/1,510

```

tabulation: Freq. Value
 1,510 ""

celc3_1 **The 3rd teacher's code 1 (unavailable)**

type: string (**str10**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

cel6t_1 **How many students are there in the classroom? 1**

type: numeric (**byte**)
 range: [3,90] units: 1
 unique values: 53 missing .: 141/1,510
 unique missing codes: 2 missing *: 844/1,510

tabulation: Freq. Value

| | |
|----|----|
| 1 | 3 |
| 2 | 4 |
| 1 | 5 |
| 5 | 6 |
| 9 | 7 |
| 13 | 8 |
| 3 | 9 |
| 33 | 10 |
| 11 | 11 |
| 33 | 12 |
| 24 | 13 |
| 8 | 14 |
| 40 | 15 |
| 15 | 16 |
| 14 | 17 |
| 19 | 18 |
| 9 | 19 |
| 66 | 20 |
| 7 | 21 |
| 17 | 22 |
| 15 | 23 |
| 7 | 24 |
| 21 | 25 |
| 6 | 26 |
| 4 | 27 |
| 12 | 28 |
| 43 | 30 |
| 1 | 31 |
| 15 | 32 |
| 2 | 33 |
| 1 | 34 |
| 11 | 35 |
| 6 | 36 |
| 6 | 38 |
| 2 | 39 |
| 16 | 40 |
| 2 | 41 |
| 3 | 42 |
| 2 | 43 |
| 1 | 44 |
| 2 | 45 |
| 2 | 46 |
| 1 | 47 |
| 1 | 48 |
| 4 | 50 |
| 1 | 52 |
| 1 | 53 |

```

          1 55
          1 56
          1 62
          1 65
          1 70
          2 90
        141 .
        844 .c
    mean: 21.7848
    std. dev: 11.3861

    percentiles:    10%    25%    50%    75%    90%
                   10     13     20     28     36
    
```

cel6ba_1 **Start month 1 (unavailable)**

```

    type: numeric (byte)
    label: cel6ba

    range: [.,.]
    unique values: 0
    units: .
    missing ..: 1,510/1,510

    tabulation: Freq.  Numeric  Label
                1,510      .
    
```

cel6bb_1 **Start year 1 (unavailable)**

```

    type: numeric (int)

    range: [.,.]
    unique values: 0
    units: .
    missing ..: 1,510/1,510

    tabulation: Freq.  Value
                1,510  .
    mean: .
    std. dev: .

    percentiles:    10%    25%    50%    75%    90%
                   .      .      .      .      .
    
```

cel6ca_1 **End month 1 (unavailable)**

```

    type: numeric (byte)
    label: cel6ca

    range: [.,.]
    unique values: 0
    units: .
    missing ..: 1,510/1,510

    tabulation: Freq.  Numeric  Label
                1,510      .
    
```

cel6cb_1 **End year 1 (unavailable)**

```

    type: numeric (int)

    range: [.,.]
    unique values: 0
    units: .
    missing ..: 1,510/1,510

    tabulation: Freq.  Value
                1,510  .
    mean: .
    std. dev: .
    
```

cel6g_1 **Borrowed books : Number of times 1**

```

type: numeric (byte)
range: [1,10]
unique values: 7
unique missing codes: 2
units: 1
missing .: 903/1,510
missing *: 4/1,510

tabulation: Freq. Value
             117  1
             68  2
             62  3
             17  4
            337  5
              1  8
              1 10
            903  .
              4  .c
mean: 3.66501
std. dev: 1.68457

percentiles:      10%      25%      50%      75%      90%
                  1         2         5         5         5
    
```

cel6h_1 **Frequency 1 (not display)**

```

type: string (str45), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq. Value
            1,510 ""
    
```

cel6ha_1 **Borrowed books code : frequency 1**

```

type: numeric (byte)
label: cel6ha_1
range: [1,9]
unique values: 4
unique missing codes: 3
units: 1
missing .: 903/1,510
missing *: 6/1,510

tabulation: Freq. Numeric Label
             1         1 per day
            558         3 per week
             19         5 per month
             23         9 per academic year
            903         .
              5         .c
              1         .d
    
```

cel6i_1 **Has the school sent you the child's development monitoring record (apart from th**

```

type: numeric (byte)
label: cel6i
range: [1,3]
unique values: 2
unique missing codes: 3
units: 1
missing .: 141/1,510
missing *: 5/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              296      1  yes
              1,068    3  no
              141      .
              4        .c
              1        .d
    
```

cel6j_1
the school sent you the child's development monitoring record : Number of times

```

type: numeric (byte)
range: [1,4]
unique values: 4
unique missing codes: 3
units: 1
missing .: 1,209/1,510
missing *: 9/1,510
    
```

```

tabulation:  Freq.  Value
              169    1
              118    2
               1    3
               4    4
            1,209    .
               8    .c
               1    .d
    
```

```

mean: 1.45205
std. dev: .581291
    
```

```

percentiles:      10%      25%      50%      75%      90%
                  1        1        1        2        2
    
```

cel6k_1 **Frequency 1 (not display)**

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,510/1,510
    
```

```

tabulation:  Freq.  Value
            1,510  ""
    
```

cel6ka_1
The school sent you the child's development monitoring record code : Frequency 1

```

type: numeric (byte)
label: cel6ha_1
range: [1,9]
unique values: 4
unique missing codes: 3
units: 1
missing .: 1,209/1,510
missing *: 8/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              1      1  per day
              4      3  per week
              2      5  per month
             286      9  per academic year
            1,209    .
               7    .c
               1    .d
    
```

cel6ua_1
Academic results (ask from elementary school level onwards and specify only in o

```

type: numeric (double)
    
```

```

        range: [.,.]
unique values: 0
unique missing codes: 3
        units: .
missing .: 141/1,510
missing *: 1,369/1,510

tabulation: Freq. Value
             141 .
             1,367 .b
              2 .c
        mean: .
        std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

cel6ub_1 Academic results (ask from elementary school level onwards and specify only in o

```

        type: numeric (double)
        range: [.,.]
unique values: 0
unique missing codes: 3
        units: .
missing .: 141/1,510
missing *: 1,369/1,510

tabulation: Freq. Value
             141 .
             1,367 .b
              2 .c
        mean: .
        std. dev: .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

cel6l_1 Reason for leave 1 (not display)

```

        type: string (str252), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq. Value
             1,510 ""
    
```

cel6m_2 Since May 2016, which grade level was the child in? 2

```

        type: string (str24), but longest is str1
unique values: 6
missing "": 453/1,510

tabulation: Freq. Value
             453 ""
             335 "A"
             313 "B"
              89 "C"
              72 "D"
             244 "G"
              4  "H"
    
```

tcel6a_2 School/CDC. 2

```

        type: string (str10), but longest is str6
unique values: 3
unique missing codes: 2
        missing "": 452/1,510
        missing *: 3/1,510
    
```

```

tabulation: Freq. Value
             452 ""
             310 "CEC"
              3 "DK"
             745 "School"
    
```

ce16a_2 **School name 2 (unavailable)**

```

type: string (str148), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

ce16n_2 **CDC/School Code 2 (unavailable)**

```

type: string (str11), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

ce16o_2 **The type of school/CDC. 2**

```

type: numeric (byte)
label: ce17ba_1
range: [1,99] units: 1
unique values: 4 missing .: 452/1,510
unique missing codes: 2 missing *: 3/1,510
tabulation: Freq. Numeric Label
             945      1 Study at school: organized by
             3       3 the school
             106      5 Study at school
              1      99 Study at the teacher's home
             452      . Others
              3       .c
    
```

ce16p_2 **Province 2 (unavailable)**

```

type: string (str45), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

ce16q_2 **Amphoe 2 (unavailable)**

```

type: string (str48), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

ce16r_2 **Tambon 2 (unavailable)**

type: string (**str48**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ce16s_2 **How many class teachers are there in the classroom 2**

type: numeric (**byte**)
 range: [1,5] units: 1
 unique values: 5 missing .: 452/1,510
 unique missing codes: 2 missing *: 95/1,510
 tabulation: Freq. Value
 685 1
 227 2
 41 3
 7 4
 3 5
 452 .
 95 .c
 mean: 1.35514
 std. dev: .628947
 percentiles: 10% 25% 50% 75% 90%
 1 1 1 2 2

ce1b1_2 **The 1st teacher's name 2 (unavailable)**

type: string (**str67**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ce1c1_2 **The 1st teacher's code 2 (unavailable)**

type: string (**str12**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ce1b2_2 **The 2nd teacher's name 2 (unavailable)**

type: string (**str67**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

ce1c2_2 **The 2nd teacher's code 2 (unavailable)**

```

type: string (str18), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

celb3_2 **The 3rd teacher's name 2 (unavailable)**

```

type: string (str58), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

celc3_2 **The 3rd teacher's code 2 (unavailable)**

```

type: string (str10), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

cel6t_2 **How many students are there in the classroom? 2**

```

type: numeric (byte)
range: [2,90] units: 1
unique values: 48 missing .: 452/1,510
unique missing codes: 3 missing *: 599/1,510
    
```

```

tabulation: Freq. Value
             1 2
             3 3
             2 4
             2 5
             6 6
             5 7
             5 8
             6 9
            30 10
            10 11
            25 12
            21 13
             9 14
            36 15
            21 16
            14 17
            22 18
            12 19
            50 20
            14 21
            10 22
             9 23
             9 24
            25 25
             8 26
             1 27
            13 28
             4 29
            27 30
             1 31
             7 32
             3 33
    
```

```

      4 34
     10 35
      4 36
      3 37
      5 38
      1 39
      6 40
      1 41
      3 42
      1 44
      1 45
      1 46
      5 50
      1 55
      1 57
      1 90
     452 .
     598 .c
      1 .d
    mean: 20.5795
  std. dev: 9.96652

percentiles:      10%      25%      50%      75%      90%
                  10       13       19       25       34

```

ce16ba_2 **Start month 2 (unavailable)**

```

      type: numeric (byte)
      label: ce16ba

      range: [.,.]          units: .
unique values: 0          missing .: 1,510/1,510

      tabulation: Freq.  Numeric  Label
                  1,510      .

```

ce16bb_2 **Start year 2 (unavailable)**

```

      type: numeric (int)

      range: [.,.]          units: .
unique values: 0          missing .: 1,510/1,510

      tabulation: Freq.  Value
                  1,510  .
      mean:      .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .

```

ce16ca_2 **End month 2 (unavailable)**

```

      type: numeric (byte)
      label: ce16ca

      range: [.,.]          units: .
unique values: 0          missing .: 1,510/1,510

      tabulation: Freq.  Numeric  Label
                  1,510      .

```

ce16cb_2 **End year 2 (unavailable)**

```

type: numeric (int)
range: [.,.]
unique values: 0
units: .
missing .: 1,510/1,510

tabulation: Freq. Value
1,510 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

cel6d_2 **How many hours per day does the child study? 2**

```

type: numeric (byte)
range: [3,10]
unique values: 7
unique missing codes: 2
units: 1
missing .: 452/1,510
missing *: 11/1,510

tabulation: Freq. Value
1 3
23 5
276 6
540 7
192 8
10 9
5 10
452 .
11 .c
mean: 6.90544
std. dev: .789292

percentiles: 10% 25% 50% 75% 90%
6 6 7 7 8
    
```

cel6e_2 **How many days per week does the child study? 2**

```

type: numeric (byte)
range: [2,5]
unique values: 2
unique missing codes: 2
units: 1
missing .: 452/1,510
missing *: 1/1,510

tabulation: Freq. Value
1 2
1,056 5
452 .
1 .c
mean: 4.99716
std. dev: .092275

percentiles: 10% 25% 50% 75% 90%
5 5 5 5 5
    
```

cel6f_2 **Has this child ever borrowed books, story books (not textbooks) from child devel**

```

type: numeric (byte)
label: cel6f
range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing .: 452/1,510
missing *: 6/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              187      1  yes
              865      3  no
              452      .
              6        .c
    
```

cel6g_2 **Borrowed books : Number of times 2**

```

type: numeric (byte)
range: [1,5]
unique values: 5
unique missing codes: 2
units: 1
missing .: 1,317/1,510
missing *: 6/1,510

tabulation:  Freq.  Value
              45  1
              13  2
              14  3
               5  4
              110 5
            1,317 .
               6  .c
mean: 3.65241
std. dev: 1.73268

percentiles:  10%    25%    50%    75%    90%
               1      2      5      5      5
    
```

cel6h_2 **Frequency 2 (not display)**

```

type: string (str45), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation:  Freq.  Value
            1,510  ""
    
```

cel6ha_2 **Borrowed books code : frequency 2**

```

type: numeric (byte)
label: cel6ha_1
range: [1,9]
unique values: 4
unique missing codes: 2
units: 1
missing .: 1,317/1,510
missing *: 6/1,510

tabulation:  Freq.  Numeric  Label
              1      1  per day
              172     3  per week
               11     5  per month
               3      9  per academic year
            1,317      .
               6      .c
    
```

cel6i_2 **Has the school sent you the child's development monitoring record (apart from th**

```

type: numeric (byte)
label: cel6i
range: [1,3]
unique values: 2
unique missing codes: 2
units: 1
missing .: 452/1,510
missing *: 3/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              16      1  yes
             1,039    3  no
              452     .
               3     .c
    
```

cel6j_2
the school sent you the child's development monitoring record : Number of times

```

type: numeric (byte)
range: [1,2]
unique values: 2
unique missing codes: 2
units: 1
missing .: 1,491/1,510
missing *: 3/1,510
    
```

```

tabulation:  Freq.  Value
              14     1
               2     2
            1,491     .
               3     .c
mean:        1.125
std. dev:    .341565
    
```

```

percentiles:  10%    25%    50%    75%    90%
               1      1      1      1      2
    
```

cel6k_2 **Frequency 2 (not display)**

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,510/1,510
tabulation:  Freq.  Value
             1,510  ""
    
```

cel6ka_2
The school sent you the child's development monitoring record code : Frequency 2

```

type: numeric (byte)
label: cel6ha_1
range: [3,9]
unique values: 3
unique missing codes: 2
units: 1
missing .: 1,491/1,510
missing *: 3/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              3      3  per week
               2      5  per month
              11      9  per academic year
            1,491     .
               3     .c
    
```

cel6ua_2
Academic results (ask from elementary school level onwards and specify only in o

```

type: numeric (double)
range: [.,.]
unique values: 0
unique missing codes: 4
units: .
missing .: 453/1,510
missing *: 1,057/1,510
    
```

```

tabulation:  Freq.  Value
              453    .
              993   .b
               4    .c
              60    .d
    mean:      .
    std. dev:  .
percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cel16ub_2 **Academic results (ask from elementary school level onwards and specify only in o**

```

type: numeric (double)
range: [.,.]
unique values: 0
unique missing codes: 4
units: .
missing .: 453/1,510
missing *: 1,057/1,510
tabulation:  Freq.  Value
              453    .
              993   .b
               4    .c
              60    .d
    mean:      .
    std. dev:  .
percentiles:  10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cel16l_2 **Reason for leave 2 (not display)**

```

type: string (str252), but longest is str0
unique values: 0
missing "": 1,510/1,510
tabulation:  Freq.  Value
              1,510 ""
    
```

cel16m_3 **Since May 2016, which grade level was the child in? 3**

```

type: string (str24), but longest is str1
unique values: 1
missing "": 1,508/1,510
tabulation:  Freq.  Value
              1,508 ""
               2    "G"
    
```

tcel16a_3 **School/CDC. 3**

```

type: string (str10), but longest is str3
unique values: 1
missing "": 1,507/1,510
tabulation:  Freq.  Value
              1,507 ""
               3    "CEC"
    
```

cel16a_3 **School name 3 (unavailable)**

```

type: string (str120), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

cel6n_3 **CDC/School Code 3 (unavailable)**

```

type: string (str11), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

cel6o_3 **The type of school/CDC. 3**

```

type: numeric (byte)
label: cel17ba_1
range: [1,1] units: 1
unique values: 1 missing .: 1,507/1,510
tabulation: Freq. Numeric Label
             3          1 Study at school: organized by
             1,507          . the school
    
```

cel6p_3 **Province 3 (unavailable)**

```

type: string (str39), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

cel6q_3 **Amphoe 3 (unavailable)**

```

type: string (str42), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

cel6r_3 **Tambon 3 (unavailable)**

```

type: string (str42), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

cel6s_3 **How many class teachers are there in the classroom 3**

```

type: numeric (byte)
    
```

```

    range: [1,1]                units: 1
unique values: 1                missing .: 1,507/1,510

  tabulation: Freq. Value
                3 1
                1,507 .
    mean:      1
  std. dev:    0

percentiles:    10%    25%    50%    75%    90%
                1      1      1      1      1
    
```

celb1_3 **The 1st teacher's name 3 (unavailable)**

```

    type: string (str64), but longest is str0
unique values: 0                missing "": 1,510/1,510

  tabulation: Freq. Value
                1,510 ""
    
```

celc1_3 **The 1st teacher's code 3 (unavailable)**

```

    type: string (str12), but longest is str0
unique values: 0                missing "": 1,510/1,510

  tabulation: Freq. Value
                1,510 ""
    
```

celb2_3 **The 2nd teacher's name 3 (unavailable)**

```

    type: string (str67), but longest is str0
unique values: 0                missing "": 1,510/1,510

  tabulation: Freq. Value
                1,510 ""
    
```

celc2_3 **The 2nd teacher's code 3 (unavailable)**

```

    type: string (str18), but longest is str0
unique values: 0                missing "": 1,510/1,510

  tabulation: Freq. Value
                1,510 ""
    
```

celb3_3 **The 3rd teacher's name 3 (unavailable)**

```

    type: string (str58), but longest is str0
unique values: 0                missing "": 1,510/1,510

  tabulation: Freq. Value
                1,510 ""
    
```

celc3_3 **The 3rd teacher's code 3 (unavailable)**

```

type: string (str10), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

ce16t_3 **How many students are there in the classroom? 3**

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing ..: 1,507/1,510
unique missing codes: 2 missing *: 3/1,510
tabulation: Freq. Value
             1,507 .
             3 .c
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

ce16ba_3 **Start month 3 (unavailable)**

```

type: numeric (byte)
label: ce16ba
range: [.,.] units: .
unique values: 0 missing ..: 1,510/1,510
tabulation: Freq. Numeric Label
             1,510 .
    
```

ce16bb_3 **Start year 3 (unavailable)**

```

type: numeric (int)
range: [.,.] units: .
unique values: 0 missing ..: 1,510/1,510
tabulation: Freq. Value
             1,510 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

ce16ca_3 **End month 3 (unavailable)**

```

type: numeric (byte)
label: ce16ca
range: [.,.] units: .
unique values: 0 missing ..: 1,510/1,510
tabulation: Freq. Numeric Label
             1,510 .
    
```

cel6cb_3 **End year 3 (unavailable)**

```

type: numeric (int)
range: [.,.]
unique values: 0
units: .
missing ..: 1,510/1,510

tabulation: Freq. Value
             1,510 .
mean:      .
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              .      .      .      .      .
    
```

cel6d_3 **How many hours per day does the child study? 3**

```

type: numeric (byte)
range: [6,6]
unique values: 1
units: 1
missing ..: 1,507/1,510

tabulation: Freq. Value
             3 6
             1,507 .
mean:      6
std. dev:  0

percentiles: 10%    25%    50%    75%    90%
              6      6      6      6      6
    
```

cel6e_3 **How many days per week does the child study? 3**

```

type: numeric (byte)
range: [5,5]
unique values: 1
units: 1
missing ..: 1,507/1,510

tabulation: Freq. Value
             3 5
             1,507 .
mean:      5
std. dev:  0

percentiles: 10%    25%    50%    75%    90%
              5      5      5      5      5
    
```

cel6f_3 **Has this child ever borrowed books, story books (not textbooks) from child devel**

```

type: numeric (byte)
label: cel6f
range: [3,3]
unique values: 1
units: 1
missing ..: 1,507/1,510

tabulation: Freq. Numeric Label
             3      3    no
             1,507 .
    
```

cel6g_3 **Borrowed books : Number of times 3**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 1,510/1,510

tabulation: Freq. Value
1,510 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

cel6h_3 **Frequency 3 (not display)**

```

type: string (str45), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq. Value
1,510 ""

```

cel6ha_3 **Borrowed books code : frequency 3**

```

type: numeric (byte)
label: cel6ha_1
range: [.,.]
unique values: 0
units: .
missing ..: 1,510/1,510

tabulation: Freq. Numeric Label
1,510 .

```

cel6i_3
Has the school sent you the child's development monitoring record (apart from th

```

type: numeric (byte)
label: cel6i
range: [3,3]
unique values: 1
units: 1
missing ..: 1,507/1,510

tabulation: Freq. Numeric Label
3 3 no
1,507 .

```

cel6j_3
the school sent you the child's development monitoring record : Number of times

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 1,510/1,510

tabulation: Freq. Value
1,510 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .

```

cel16k_3 **Frequency 3 (not display)**

```

type: string (str30), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation: Freq. Value
             1,510 ""
    
```

cel16ka_3
The school sent you the child's development monitoring record code : Frequency 3

```

type: numeric (byte)
label: cel16ha_1
range: [..] units: .
unique values: 0 missing ..: 1,510/1,510
tabulation: Freq. Numeric Label
             1,510 .
    
```

cel16ua_3
Academic results (ask from elementary school level onwards and specify only in o

```

type: numeric (double)
range: [..] units: .
unique values: 0 missing ..: 1,507/1,510
unique missing codes: 2 missing *: 3/1,510
tabulation: Freq. Value
             1,507 .
             3 .b
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cel16ub_3
Academic results (ask from elementary school level onwards and specify only in o

```

type: numeric (double)
range: [..] units: .
unique values: 0 missing ..: 1,507/1,510
unique missing codes: 2 missing *: 3/1,510
tabulation: Freq. Value
             1,507 .
             3 .b
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cel16l_3 **Reason for leave 3 (not display)**

```

type: string (str206), but longest is str0
    
```

unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

cel6m_4 **Since May 2016, which grade level was the child in? 4**

type: string (**str14**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

tcel6a_4 **School/CDC. 4**

type: string (**str10**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

cel6a_4 **School name 4 (unavailable)**

type: string (**str118**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

cel6n_4 **CDC/School Code 4 (unavailable)**

type: string (**str9**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

cel6o_4 **The type of school/CDC. 4**

type: numeric (**byte**)
 label: **cel7ba_1**
 range: [.,.] units: .
 unique values: 0 missing .: 1,510/1,510
 tabulation: Freq. Numeric Label
 1,510 .

cel6p_4 **Province 4 (unavailable)**

type: string (**str39**), but longest is str0
 unique values: 0 missing "": 1,510/1,510

tabulation: Freq. Value
 1,510 ""

cel6q_4 **Amphoe 4 (unavailable)**

type: string (**str42**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

cel6r_4 **Tambon 4 (unavailable)**

type: string (**str36**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

cel6s_4 **How many class teachers are there in the classroom 4**

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,510/1,510
 tabulation: Freq. Value
 1,510 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

celb1_4 **The 1st teacher's name 4 (unavailable)**

type: string (**str64**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

celc1_4 **The 1st teacher's code 4 (unavailable)**

type: string (**str11**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

celb2_4 **The 2nd teacher's name 4 (unavailable)**

type: string (**str36**), but longest is str0
 unique values: 0 missing "": 1,510/1,510

tabulation: Freq. Value
 1,510 ""

celc2_4 **The 2nd teacher's code 4 (unavailable)**

type: string (**str18**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

celb3_4 **The 3rd teacher's name 4 (unavailable)**

type: string (**str33**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

celc3_4 **The 3rd teacher's code 4 (unavailable)**

type: string (**str10**), but longest is str0
 unique values: 0 missing "": 1,510/1,510
 tabulation: Freq. Value
 1,510 ""

cel6t_4 **How many students are there in the classroom? 4**

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,510/1,510
 tabulation: Freq. Value
 1,510 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

cel6ba_4 **Start month 4 (unavailable)**

type: numeric (**byte**)
 label: **cel6ba**
 range: [.,.] units: .
 unique values: 0 missing .: 1,510/1,510
 tabulation: Freq. Numeric Label
 1,510 .

cel6bb_4 **Start year 4 (unavailable)**

type: numeric (**int**)

```

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,510/1,510

    tabulation: Freq. Value
                1,510 .
        mean: .
        std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

cel6ca_4 **End month 4 (unavailable)**

```

        type: numeric (byte)
        label: cel6ca

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,510/1,510

    tabulation: Freq. Numeric Label
                1,510 .
    
```

cel6cb_4 **End year 4 (unavailable)**

```

        type: numeric (int)

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,510/1,510

    tabulation: Freq. Value
                1,510 .
        mean: .
        std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

cel6d_4 **How many hours per day does the child study? 4**

```

        type: numeric (byte)

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,510/1,510

    tabulation: Freq. Value
                1,510 .
        mean: .
        std. dev: .

percentiles:    10%    25%    50%    75%    90%
                .      .      .      .      .
    
```

cel6e_4 **How many days per week does the child study? 4**

```

        type: numeric (byte)

        range: [.,.]
unique values: 0
        units: .
        missing .: 1,510/1,510

    tabulation: Freq. Value
                1,510 .
        mean: .
        std. dev: .
    
```

cel6j_4
the school sent you the child's development monitoring record : Number of times

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 1,510/1,510

tabulation: Freq. Value
             1,510 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cel6k_4 **The school sent you the child's development monitoring record : Frequency 4**

```

type: string (str30), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq. Value
             1,510 ""
    
```

cel6ka_4
The school sent you the child's development monitoring record code : Frequency 4

```

type: numeric (byte)
label: cel6ha_1
range: [.,.]
unique values: 0
units: .
missing ..: 1,510/1,510

tabulation: Freq. Numeric Label
             1,510 .
    
```

cel6ua_4
Academic results (ask from elementary school level onwards and specify only in o

```

type: numeric (double)
range: [.,.]
unique values: 0
units: .
missing ..: 1,510/1,510

tabulation: Freq. Value
             1,510 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

cel6ub_4
Academic results (ask from elementary school level onwards and specify only in o

```

type: numeric (double)
range: [.,.]
unique values: 0
units: .
missing ..: 1,510/1,510
    
```

```

tabulation: Freq. Value
             1,510 .
      mean:  .
      std. dev:  .

percentiles:      10%      25%      50%      75%      90%
                  .        .        .        .        .
    
```

ce161_4 Reason for changing school 4

```

type: string (str186), but longest is str0
unique values: 0 missing "": 1,510/1,510

tabulation: Freq. Value
             1,510 ""
    
```

ce12a1a Do you currently have story books for children in your house?

```

type: numeric (byte)
label: ce12a1a

range: [1,3] units: 1
unique values: 2 missing .: 0/1,510

tabulation: Freq. Numeric Label
             553      1 yes
             957      3 no
    
```

ce12a2a Do you currently have picture books or picture cards, such as animal picture car

```

type: numeric (byte)
label: ce12a1a

range: [1,3] units: 1
unique values: 2 missing .: 0/1,510

tabulation: Freq. Numeric Label
             626      1 yes
             884      3 no
    
```

ce12a3a Do you currently have letter/number Poster in your house?

```

type: numeric (byte)
label: ce12a1a

range: [1,3] units: 1
unique values: 2 missing .: 0/1,510

tabulation: Freq. Numeric Label
             535      1 yes
             975      3 no
    
```

ce12a1aa Story books for children : quantity

```

type: numeric (byte)

range: [1,50] units: 1
unique values: 17 missing .: 957/1,510
unique missing codes: 2 missing *: 43/1,510
    
```

```

tabulation:  Freq.  Value
              72    1
             138    2
             103    3
              48    4
              64    5
              20    6
              10    7
               5    8
              33   10
               2   12
               1   13
               1   14
               5   15
               5   20
               1   30
               1   45
               1   50
             957   .
              43   .c
    mean:     4.07843
    std. dev: 4.3131

percentiles:    10%    25%    50%    75%    90%
                1      2      3      5      8
    
```

ce12a2aa

Picture books or picture cards, such as animal picture cards number picture card

```

type: numeric (byte)

range: [1,30]          units: 1
unique values: 13      missing .: 884/1,510
unique missing codes: 2  missing *: 38/1,510
    
```

```

tabulation:  Freq.  Value
              220    1
             180    2
              88    3
              38    4
              36    5
              11    6
               1    7
               1    8
               2    9
               7   10
               1   15
               2   20
               1   30
             884   .
              38   .c
    mean:     2.43197
    std. dev: 2.28255

percentiles:    10%    25%    50%    75%    90%
                1      1      2      3      5
    
```

ce12a3aa

Letter/Number Poster : quantity

```

type: numeric (byte)

range: [1,10]         units: 1
unique values: 8      missing .: 975/1,510
unique missing codes: 2  missing *: 9/1,510
    
```

```

tabulation:  Freq.  Value
              174    1
              190    2
              105    3
               32    4
               17    5
                6    6
                1    8
                1   10
              975    .
                9    .c
    mean:     2.1597
  std. dev:  1.18931

percentiles:      10%      25%      50%      75%      90%
                  1         1         2         3         4
    
```

ce13a1a Does this child currently have preparatory exercises for children?

```

    type: numeric (byte)
    label: ce12a1a

    range: [1,3]
unique values: 2
                units: 1
                missing.: 0/1,510

    tabulation:  Freq.  Numeric  Label
                  862     1    yes
                  648     3    no
    
```

ce13a2a Does this child currently have coloring book?

```

    type: numeric (byte)
    label: ce13a2a

    range: [1,3]
unique values: 2
unique missing codes: 2
                units: 1
                missing.: 0/1,510
                missing*: 2/1,510

    tabulation:  Freq.  Numeric  Label
                  964     1    yes
                  544     3    no
                   1     .c
                   1     .d
    
```

ce13a1aa Preparatory exercises for children : quantity

```

    type: numeric (byte)

    range: [1,40]
unique values: 13
unique missing codes: 3
                units: 1
                missing.: 648/1,510
                missing*: 54/1,510

    tabulation:  Freq.  Value
                  224    1
                  275    2
                  159    3
                   43    4
                   46    5
                   16    6
                    8    7
                    4    8
                    1    9
                   27   10
                    3   15
                    1   20
                    1   40
    
```

```

        648 .
        53 .c
        1 .d
    mean: 2.74876
    std. dev: 2.53061

    percentiles:      10%      25%      50%      75%      90%
                       1         1         2         3         5
    
```

ce13a2aa **Coloring book : quantity**

```

    type: numeric (byte)

    range: [.,.]
    unique values: 0
    unique missing codes: 2

    units: .
    missing .: 4/1,510
    missing *: 1,506/1,510

    tabulation:  Freq.  Value
                  4      .
                1,506 .b
    mean: .
    std. dev: .

    percentiles:      10%      25%      50%      75%      90%
                       .         .         .         .         .
    
```

ce18 **What subjects do this child has aptitude for**

```

    type: string (str169), but longest is str2

    unique values: 1
    unique missing codes: 2

    missing "": 1,506/1,510
    missing *: 4/1,510

    tabulation:  Freq.  Value
                  1,506 ""
                   4  "MI"
    
```

ce17 **Since the last interview, has this child received any special lessons or extra a**

```

    type: numeric (byte)
    label: ce17

    range: [1,3]
    unique values: 2
    unique missing codes: 1

    units: 1
    missing .: 0/1,510
    missing *: 2/1,510

    tabulation:  Freq.  Numeric  Label
                  54      1      yes
                1,454  3      no
                   2      .d
    
```

ce17a **Classified into subjects or not?**

```

    type: numeric (byte)
    label: ce17a

    range: [1,3]
    unique values: 2
    unique missing codes: 2

    units: 1
    missing .: 1,456/1,510
    missing *: 1/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              11      1  yes
              42      3  no
            1,456      .
              1      .c
    
```

note_cleaner **Data cleaner note (not display)**

```

type:  string (str159), but longest is str0
unique values:  0                               missing "":  1,510/1,510
tabulation:  Freq.  Value
            1,510  ""
    
```

ce17b_1 **Where does this child take special education or supplementary 1 (unavailable)**

```

type:  string (str99), but longest is str0
unique values:  0                               missing "":  1,510/1,510
tabulation:  Freq.  Value
            1,510  ""
    
```

ce17ba_1 **Type 1**

```

type:  numeric (byte)
label:  ce17ba_1
range:  [1,99]
unique values:  5                               units:  1
                                                    missing .:  1,456/1,510
tabulation:  Freq.  Numeric  Label
              29      1  Study at school: organized by
                    the school
              11      3  Study at school
              11      5  Study at the teacher's home
               2      9  Study at the institute
               1     99  Others
            1,456      .
    
```

ce17c_1 **What subjects? (Record all answers) 1**

```

type:  string (str33)
unique values:  10                               missing "":  1,456/1,510
unique missing codes:  2                         missing *:  6/1,510
tabulation:  Freq.  Value
            1,456  ""
              32  "Assorted Subjects"
               6  "DK"
               3  "English"
               1  "Mathematics;English"
               1  "Mathematics;Science;Thai Language"
               1  "Mathematics;Thai Language"
               5  "Mathematics;Thai Language;English"
               2  "Music"
               2  "Other subjects"
               1  "Sports"
    
```

warning: variable has embedded blanks


```

                2 .c
    mean:      68.8077
    std. dev:  74.5212

    percentiles:    10%    25%    50%    75%    90%
                   7      21     40     90    165
    
```

cel17e_1 **Expense per year? 1**

```

    type: numeric (int)
    range: [0,27000]
    unique values: 30
    unique missing codes: 2
    units: 1
    missing .: 1,456/1,510
    missing *: 4/1,510
    
```

```

    tabulation: Freq. Value
                5 0
                1 250
                1 300
                1 400
                5 500
                2 600
                2 800
                1 900
                4 1000
                1 1050
                2 1200
                1 1300
                2 1500
                1 1920
                1 2000
                1 2400
                2 2500
                2 3000
                2 3500
                1 3750
                2 4000
                1 4500
                1 5200
                1 5600
                2 6000
                1 6500
                1 10000
                1 12000
                1 21273
                1 27000
    1,456 .
                4 .c
    
```

```

    mean: 3180.86
    std. dev: 5041.87
    
```

```

    percentiles:    10%    25%    50%    75%    90%
                   125    500    1250    3750    6250
    
```

cel17b_2 **Where does this child take special education or supplementary 2 (unavailable)**

```

    type: string (str99), but longest is str0
    unique values: 0
    missing "": 1,510/1,510
    tabulation: Freq. Value
                1,510 ""
    
```

cel17ba_2 **Type 2**

```

type: numeric (byte)
label: ce17ba_1
range: [1,5]
unique values: 2
units: 1
missing .. 1,508/1,510

tabulation: Freq.  Numeric  Label
              1          1  Study at school: organized by
              1          5  the school
              1,508        .  Study at the teacher's home

```

ce17c_2 **What subjects? (Record all answers) 2**

```

type: string (str33), but longest is str17
unique values: 2
missing "": 1,508/1,510

tabulation: Freq.  Value
              1,508  ""
              1     "Assorted Subjects"
              1     "Sports"

warning: variable has embedded blanks

```

ce17ca_2 **Other such as 2**

```

type: string (str58), but longest is str0
unique values: 0
missing "": 1,510/1,510

tabulation: Freq.  Value
              1,510  ""

```

ce17d_2 **Number of days of study per year 2**

```

type: numeric (int)
range: [4,15]
unique values: 2
units: 1
missing .. 1,508/1,510

tabulation: Freq.  Value
              1     4
              1    15
              1,508 .
mean: 9.5
std. dev: 7.77817

percentiles: 10%    25%    50%    75%    90%
              4      4      9.5    15     15

```

ce17e_2 **Expense per year? 2**

```

type: numeric (int)
range: [800,1750]
unique values: 2
units: 10
missing .. 1,508/1,510

```

```

tabulation:  Freq.  Value
              1    800
              1   1750
            1,508  .
    mean:      1275
    std. dev:  671.751

percentiles:      10%      25%      50%      75%      90%
                  800      800      1275      1750      1750
    
```

ce14 **Interviewer note (not display)**

```

    type:  string (str834), but longest is str0
unique values:  0                missing "":  1,510/1,510

    tabulation:  Freq.  Value
                  1,510  ""
    
```

ce4b1_oth **ce4b1_oth**

```

    type:  string (str1), but longest is str0
unique values:  0                missing "":  1,510/1,510

    tabulation:  Freq.  Value
                  1,510  ""
    
```

ce4b2_oth **ce4b2_oth**

```

    type:  string (str1), but longest is str0
unique values:  0                missing "":  1,510/1,510

    tabulation:  Freq.  Value
                  1,510  ""
    
```

ce4b3_oth **ce4b3_oth**

```

    type:  string (str1), but longest is str0
unique values:  0                missing "":  1,510/1,510

    tabulation:  Freq.  Value
                  1,510  ""
    
```

ce2e **Borrowed a story book from the child development center**

```

    type:  numeric (float)
    label: ce2e

    range:  [1,3]                units:  1
unique values:  2                missing .:  141/1,510
unique missing codes:  2        missing *:  7/1,510

    tabulation:  Freq.  Numeric  Label
                  244      1      yes
                  1,118    3      no
                   141      .
                   7       .c
    
```

ce2f **Borrowed a story book : times**

```

type: numeric (float)
range: [1,5]
unique values: 5
unique missing codes: 2
units: 1
missing .: 1,259/1,510
missing *: 7/1,510

tabulation: Freq. Value
             55 1
             19 2
             18 3
              8 4
             144 5
            1,259 .
              7 .c
mean:       3.68443
std. dev:   1.70777

percentiles:    10%    25%    50%    75%    90%
                1      2      5      5      5
    
```

ce2f_yearly **Code of frequency (yearly)**

```

type: numeric (float)
range: [1,200]
unique values: 11
unique missing codes: 2
units: 1
missing .: 1,259/1,510
missing *: 7/1,510

tabulation: Freq. Value
             3 1
             1 3
             1 4
             9 9
             4 18
             1 27
            42 40
            15 80
            16 120
             7 160
            145 200
            1,259 .
              7 .c
mean:       143.893
std. dev:   73.8

percentiles:    10%    25%    50%    75%    90%
                40     60    200    200    200
    
```

ce2g **Borrowed a story book : frequency**

```

type: string (str30), but longest is str21
unique values: 6
unique missing codes: 2
missing "": 1,259/1,510
missing *: 7/1,510

tabulation: Freq. Value
            1,259 ""
              7 "DK"
              1 "daily"
             14 "monthly"
            223 "weekly"
              5 "yearly"
              1 "ประจำปี"
    
```

ce2h **Borrowed a story book code**

```

type: numeric (float)
label: ce2h

range: [1,9]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,259/1,510
missing *: 7/1,510

tabulation: Freq.  Numeric  Label
              1          1  daily
              224        3  weekly
               14         5  monthly
               5          9  yearly
            1,259         .
               7          .c
    
```

ce8 **Sending a child-development record by school**

```

type: numeric (float)
label: ce8

range: [1,3]
unique values: 2
unique missing codes: 2

units: 1
missing .: 141/1,510
missing *: 4/1,510

tabulation: Freq.  Numeric  Label
              22         1  yes
            1,343        3  no
               141         .
               4          .c
    
```

ce8a **Number of times : sending a child-development record by school**

```

type: numeric (float)

range: [1,4]
unique values: 3
unique missing codes: 2

units: 1
missing .: 1,484/1,510
missing *: 4/1,510

tabulation: Freq.  Value
              18     1
               3     2
               1     4
            1,484     .
               4     .c
mean:      1.27273
std. dev:  .7025

percentiles:      10%      25%      50%      75%      90%
                  1         1         1         1         2
    
```

ce8a_yearly **Code of frequency (yearly)**

```

type: numeric (float)

range: [1,40]
unique values: 5
unique missing codes: 2

units: 1
missing .: 1,484/1,510
missing *: 4/1,510
    
```

```

tabulation:  Freq.  Value
              12    1
              3    2
              1    4
              3    9
              3   40
            1,484  .
              4   .c
    mean:    7.68182
    std. dev: 13.4249

percentiles: 10%    25%    50%    75%    90%
              1     1     1     9     40
    
```

ce8b **Frequency of a child-development record has ever sent (not display)**

```

    type:  string (str30), but longest is str0
unique values: 0                missing "": 1,510/1,510

    tabulation:  Freq.  Value
                 1,510  ""
    
```

ce8ba **Code of frequency**

```

    type:  numeric (float)
    label:  ce8ba

    range:  [3,9]                units: 1
unique values: 3                missing .: 1,484/1,510
unique missing codes: 2        missing *: 4/1,510

    tabulation:  Freq.  Numeric  Label
                 3       3    weekly
                 3       5    monthly
                 16      9    yearly
            1,484      .
                 4       .c
    
```

year_survey **year survey**

```

    type:  numeric (float)

    range:  [2017,2017]        units: 1
unique values: 1                missing .: 0/1,510

    tabulation:  Freq.  Value
                 1,510  2017
    mean:    2017
    std. dev: 0

    percentiles: 10%    25%    50%    75%    90%
                  2017  2017  2017  2017  2017
    
```

survey_name **survey round**

```

    type:  string (str12)

unique values: 1                missing "": 0/1,510

    tabulation:  Freq.  Value
                 1,510  "RESURVEY2017"
    
```

```
2 . log close
   name: <unnamed>
   log: R:\RIECE_RELEASE V3-2017-2018/codebook\2017\b5.scml
   log type: smcl
   closed on: 13 Feb 2026, 16:40:17
```
