



```

name: <unnamed>
log: R:\RIECE_RELEASE V3-2017-2018/codebook\2017\b6.scml
log type: smcl
opened on: 13 Feb 2026, 16:41:12

```

1 . codebookr \_all,all

```

Dataset: \RIECE_RELEASE V3-2017-2018/codebook\b6_run.dta
Last saved: 13 Feb 2026 16:41
DATA HAVE CHANGED SINCE LAST SAVED

```

```

Label: [none]
Number of variables: 73
Number of observations: 1,510
Size: 1,374,100 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or -6 or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or -7 or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or -8 or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or -9 or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a or -6	String Missing*:	RF
	.b or -7		NA
	.c or -8		DK
	.d or -9		MI

---

**pid** **personal id**

---

```

type: string (str18)
unique values: 1,510 missing "": 0/1,510
examples: "201591160604209H1"
           "201691131001997H1"
           "201691160105067H1"
           "201691161708058H1"

```

---

**iyear** **year**

---

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/1,510
tabulation: Freq. Value
             553 "2015"
             957 "2016"

```

---

**hhid** **household id**

---

```

type: string (str15)

```

unique values: 1,286                      missing "": 0/1,510  
 examples: "201591160604209"  
           "201691131001097"  
           "201691160105068"  
           "201691161708058"

---

**prov** **province**

---

type: string (**str2**)  
 unique values: 2                              missing "": 0/1,510  
 tabulation: Freq. Value  
               1,365 "91"  
               145 "93"

---

**amp** **amphoe**

---

type: string (**str2**)  
 unique values: 8                              missing "": 0/1,510  
 tabulation: Freq. Value  
               1 "09"  
               145 "12"  
               266 "13"  
               129 "14"  
               148 "15"  
               557 "16"  
               40 "17"  
               224 "18"

---

**tam** **tambon**

---

type: string (**str2**)  
 unique values: 15                              missing "": 0/1,510  
 tabulation: Freq. Value  
               65 "01"  
               229 "02"  
               123 "04"  
               63 "05"  
               57 "06"  
               66 "07"  
               64 "08"  
               97 "09"  
               138 "10"  
               93 "11"  
               154 "13"  
               47 "14"  
               151 "15"  
               106 "17"  
               57 "19"

---

**moo** **moo**

---

type: string (**str2**)  
 unique values: 22                              missing "": 0/1,510

```

tabulation:  Freq.  Value
              158  "01"
              68  "02"
              149  "03"
              160  "04"
              135  "05"
              157  "06"
              78  "07"
              162  "08"
              94  "09"
              75  "10"
              51  "11"
              45  "12"
              40  "13"
              12  "14"
              12  "15"
              39  "16"
              8  "17"
              12  "18"
              26  "19"
              1  "20"
              21  "22"
              7  "24"
    
```

---

**strucid** **structure ID**

---

```

type: string (str3)
unique values: 185           missing "": 0/1,510
examples: "011"
          "035"
          "071"
          "149"
    
```

---

**cid** **children id**

---

```

type: string (str18)
unique values: 1,510       missing "": 0/1,510
examples: "201591160604209H1"
          "201691131001997H1"
          "201691160105067H1"
          "201691161708058H1"
    
```

---

**cd1** **Can walk up stairs alternating feet (child age less than 5 years old)**

---

```

type: numeric (byte)
label: cd1
range: [0,5]           units: 1
unique values: 4       missing .: 499/1,510

tabulation:  Freq.  Numeric  Label
              64     0  not happened
              121     1  never
              227     3  sometimes
              599     5  usually
              499     .
    
```

---

**cd2** **Can hold a pencil or other writing correctly (child age under 5 years old)**

---

```

type: numeric (byte)
label: cd2

range: [0,5]
unique values: 4

units: 1
missing .. 499/1,510

tabulation: Freq.  Numeric  Label
              8          0  not happened
             183         1  never
             195         3  sometimes
             625         5  usually
             499          .
    
```

**cd3 Can pour water into a cup or bowl without spilling it. (child age under 5 years**

```

type: numeric (byte)
label: cd3

range: [0,5]
unique values: 4

units: 1
missing .. 499/1,510

tabulation: Freq.  Numeric  Label
              17          0  not happened
             209         1  never
             465         3  sometimes
             320         5  usually
             499          .
    
```

**cd4 Can use a spoon to eat by themselves without spilling. (child age under 5 years**

```

type: numeric (byte)
label: cd4

range: [0,5]
unique values: 4

units: 1
missing .. 499/1,510

tabulation: Freq.  Numeric  Label
              4          0  not happened
             217         1  never
             535         3  sometimes
             255         5  usually
             499          .
    
```

**cd5 Can tell the way back home from a nearby location. (child age under 5 years old)**

```

type: numeric (byte)
label: cd5

range: [0,5]
unique values: 4

units: 1
missing .. 499/1,510

tabulation: Freq.  Numeric  Label
              42          0  not happened
             158         1  never
             178         3  sometimes
             633         5  usually
             499          .
    
```

**cd6 Can brush teeth by themselves. (child age under 5 years old)**

```

type: numeric (byte)
label: cd6
    
```

range: [0,5] units: 1  
 unique values: 4 missing .: 499/1,510  
 unique missing codes: 2 missing \*: 2/1,510

tabulation:	Freq.	Numeric	Label
	3	0	not happened
	128	1	never
	225	3	sometimes
	653	5	usually
	499	.	
	2	.c	

**cd11 The child can follow simple rules such as queuing to buy things or to use the ba**

type: numeric (byte)  
 label: cd11

range: [0,5] units: 1  
 unique values: 4 missing .: 499/1,510

tabulation:	Freq.	Numeric	Label
	27	0	not happened
	138	1	never
	430	3	sometimes
	416	5	usually
	499	.	

**cd13 The child can tell whether he/she likes or dislikes things or activity.**

type: numeric (byte)  
 label: cd13

range: [0,5] units: 1  
 unique values: 4 missing .: 499/1,510

tabulation:	Freq.	Numeric	Label
	11	0	not happened
	121	1	never
	208	3	sometimes
	671	5	usually
	499	.	

**cd15 Child often show off their work to make others feel that they are talented (chil**

type: numeric (byte)  
 label: cd15

range: [0,5] units: 1  
 unique values: 4 missing .: 499/1,510

tabulation:	Freq.	Numeric	Label
	18	0	not happened
	170	1	never
	309	3	sometimes
	514	5	usually
	499	.	

**cd17 Can tell a story that happened in their daily lives (child age under 5 years old**

type: numeric (byte)  
 label: cd17

range: [0,5] units: 1  
 unique values: 4 missing ..: 499/1,510

tabulation:	Freq.	Numeric	Label
	10	0	not happened
	233	1	never
	326	3	sometimes
	442	5	usually
	499	.	.

**cd18 Child always doubt and question on the things they interests (child age under 5**

type: numeric (byte)  
 label: cd18

range: [0,5] units: 1  
 unique values: 4 missing ..: 499/1,510

tabulation:	Freq.	Numeric	Label
	2	0	not happened
	138	1	never
	218	3	sometimes
	653	5	usually
	499	.	.

**cd19 Can listen to adults reading books (not story books) at least 5 minutes. (child**

type: numeric (byte)  
 label: cd19

range: [0,5] units: 1  
 unique values: 4 missing ..: 499/1,510  
 unique missing codes: 2 missing \*: 1/1,510

tabulation:	Freq.	Numeric	Label
	66	0	not happened
	371	1	never
	384	3	sometimes
	189	5	usually
	499	.	.
	1	.d	.

**cd22 Can arrange a word into a sentence correctly (child age under 5 years old)**

type: numeric (byte)  
 label: cd22

range: [0,5] units: 1  
 unique values: 4 missing ..: 499/1,510

tabulation:	Freq.	Numeric	Label
	4	0	not happened
	84	1	never
	157	3	sometimes
	766	5	usually
	499	.	.

**cd24 The child can tell meaning and what to do when seeing the sign in the daily life**

type: numeric (byte)  
 label: cd24

range: [0,5] units: 1  
 unique values: 4 missing : 499/1,510

tabulation:	Freq.	Numeric	Label
	100	0	not happened
	486	1	never
	156	3	sometimes
	269	5	usually
	499	.	

**cd25 The child can sing the whole song or almost the whole song**

type: numeric (byte)  
 label: cd25

range: [0,5] units: 1  
 unique values: 4 missing : 499/1,510

tabulation:	Freq.	Numeric	Label
	6	0	not happened
	356	1	never
	348	3	sometimes
	301	5	usually
	499	.	

**cd29 The child tidies up stuffs when he/she finished playing with them**

type: numeric (byte)  
 label: cd29

range: [1,5] units: 1  
 unique values: 3 missing : 499/1,510

tabulation:	Freq.	Numeric	Label
	319	1	never
	503	3	sometimes
	189	5	usually
	499	.	

**cd30 Child recognize and accept to apologize. when they do wrong or misbehaves (child**

type: numeric (byte)  
 label: cd30

range: [0,5] units: 1  
 unique values: 4 missing : 499/1,510

tabulation:	Freq.	Numeric	Label
	5	0	not happened
	301	1	never
	426	3	sometimes
	279	5	usually
	499	.	

**cd32 Can tell name and surname (child age under 5 years old)**

type: numeric (byte)  
 label: cd32

range: [0,5] units: 1  
 unique values: 4 missing : 499/1,510

```

tabulation:  Freq.  Numeric  Label
              2       0  not happened
              231      1  never
              165      3  sometimes
              613      5  usually
              499      .
    
```

---

**cd33 Child knows their age (child age under 5 years old)**

---

```

type: numeric (byte)
label: cd33

range: [0,5]          units: 1
unique values: 4      missing .: 499/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              44       0  not happened
              770      1  never
              93       3  sometimes
              104      5  usually
              499      .
    
```

---

**cd34 Child knows their gender (child age under 5 years old)**

---

```

type: numeric (byte)
label: cd34

range: [0,5]          units: 1
unique values: 4      missing .: 499/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              22       0  not happened
              154      1  never
              97       3  sometimes
              738      5  usually
              499      .
    
```

---

**cd35 The child can wash and wipe their hands by themselves, while the adult help turn**

---

```

type: numeric (byte)
label: cd35

range: [0,5]          units: 1
unique values: 4      missing .: 499/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              1       0  not happened
              42      1  never
              148      3  sometimes
              820      5  usually
              499      .
    
```

---

**cd36 Can dress byself exclude tying shoelaces and button up back (child age under 5 y**

---

```

type: numeric (byte)
label: cd36

range: [0,5]          units: 1
unique values: 4      missing .: 499/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              1      0  not happened
              461    1  never
              347    3  sometimes
              202    5  usually
              499    .
    
```

**cd37 The child can count numbers loudly up to 10**

```

type: numeric (byte)
label: cd37

range: [0,5]          units: 1
unique values: 4      missing .: 499/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              2      0  not happened
              175    1  never
              142    3  sometimes
              692    5  usually
              499    .
    
```

**cd38 The child can draw well enough that the elder can recognize it as male or female**

```

type: numeric (byte)
label: cd38

range: [0,5]          units: 1
unique values: 4      missing .: 499/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              59     0  not happened
              818    1  never
              78     3  sometimes
              56     5  usually
              499    .
    
```

**cd39 The child can tell at least 8 colors correctly**

```

type: numeric (byte)
label: cd39

range: [0,5]          units: 1
unique values: 4      missing .: 499/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              44     0  not happened
              517    1  never
              117    3  sometimes
              333    5  usually
              499    .
    
```

**cd40 Can easily calculate by using object or doing mental arithmetic (child age under**

```

type: numeric (byte)
label: cd40

range: [0,5]          units: 1
unique values: 4      missing .: 499/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              44      0  not happened
              830     1  never
              90      3  sometimes
              47      5  usually
              499     .
    
```

**cd41 Can count amount of object more than 10 pieces and tell correctly number (child**

```

type: numeric (byte)
label: cd41

range: [0,5]          units: 1
unique values: 4      missing .: 499/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              47      0  not happened
              696     1  never
              155     3  sometimes
              113     5  usually
              499     .
    
```

**cd42 The child can write at least 5 Thai alphabets**

```

type: numeric (byte)
label: cd42

range: [0,5]          units: 1
unique values: 4      missing .: 499/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              19      0  not happened
              861     1  never
              52      3  sometimes
              79      5  usually
              499     .
    
```

**cd43 Can spell word by letter spelling not memorizing (child age under 5 years old)**

```

type: numeric (byte)
label: cd43

range: [0,5]          units: 1
unique values: 4      missing .: 499/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              21      0  not happened
              941     1  never
              35      3  sometimes
              14      5  usually
              499     .
    
```

**cd44 The child can use fingers to work on things that consist of many steps , e.g. us**

```

type: numeric (byte)
label: cd44

range: [0,5]          units: 1
unique values: 4      missing .: 499/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              104      0  not happened
              775      1  never
              83       3  sometimes
              49       5  usually
              499      .
    
```

**cd31 Interviewer note (unavailable)**

```

type: string (str432), but longest is str0
unique values: 0 missing "": 1,510/1,510
tabulation:  Freq.  Value
              1,510 ""
    
```

**ef4 The child can follow simple rules such as queuing to buy things or to use the ba**

```

type: numeric (byte)
label: ef4
range: [0,5] units: 1
unique values: 4 missing .: 1,011/1,510
unique missing codes: 2 missing *: 1/1,510
tabulation:  Freq.  Numeric  Label
              31      0  not encounter
              8       1  unable
              119     3  sometimes
              340     5  usually
              1,011   .
              1       .a
    
```

**vn5 The child uses violence and aggression to solve problems when something is dissa**

```

type: numeric (byte)
label: ef4
range: [0,5] units: 1
unique values: 4 missing .: 1,011/1,510
unique missing codes: 2 missing *: 1/1,510
tabulation:  Freq.  Numeric  Label
              3       0  not encounter
              166     1  unable
              244     3  sometimes
              85      5  usually
              1,011   .
              1       .a
    
```

**ef5 The child can suppress the desires even if he/she wants that thing**

```

type: numeric (byte)
label: ef4
range: [0,5] units: 1
unique values: 4 missing .: 1,011/1,510
unique missing codes: 2 missing *: 1/1,510
    
```



range: [0,5] units: 1  
 unique values: 4 missing .: 1,011/1,510  
 unique missing codes: 2 missing \*: 1/1,510

tabulation:	Freq.	Numeric	Label
	21	0	not encounter
	112	1	unable
	175	3	sometimes
	190	5	usually
	1,011	.	.
	1	.a	.a

**ef19 The child acts immediately without delay when he/she intends to do something**

type: numeric (byte)  
 label: ef4

range: [0,5] units: 1  
 unique values: 4 missing .: 1,011/1,510  
 unique missing codes: 2 missing \*: 1/1,510

tabulation:	Freq.	Numeric	Label
	4	0	not encounter
	46	1	unable
	183	3	sometimes
	265	5	usually
	1,011	.	.
	1	.a	.a

**vn16 The child is adaptable and not scared when going to a new place or meeting new p**

type: numeric (byte)  
 label: ef4

range: [0,5] units: 1  
 unique values: 4 missing .: 1,011/1,510  
 unique missing codes: 2 missing \*: 1/1,510

tabulation:	Freq.	Numeric	Label
	1	0	not encounter
	61	1	unable
	156	3	sometimes
	280	5	usually
	1,011	.	.
	1	.a	.a

**vn17 The child is kind to younger children (exclude siblings in the household)**

type: numeric (byte)  
 label: ef4

range: [0,5] units: 1  
 unique values: 4 missing .: 1,011/1,510  
 unique missing codes: 2 missing \*: 1/1,510

tabulation:	Freq.	Numeric	Label
	7	0	not encounter
	20	1	unable
	149	3	sometimes
	322	5	usually
	1,011	.	.
	1	.a	.a

vn18

The child tells a lie

```

type: numeric (byte)
label: ef4

range: [0,5]                units: 1
unique values: 4            missing .: 1,011/1,510
unique missing codes: 2    missing *: 1/1,510

tabulation: Freq.  Numeric  Label
             12       0    not encounter
             235      1    unable
             227      3    sometimes
             24       5    usually
            1,011     .
             1        .a

```

ef23

The child tidies up and can look for stuffs later

```

type: numeric (byte)
label: ef4

range: [0,5]                units: 1
unique values: 4            missing .: 1,011/1,510
unique missing codes: 2    missing *: 1/1,510

tabulation: Freq.  Numeric  Label
             2       0    not encounter
            173      1    unable
            203      3    sometimes
            120      5    usually
            1,011     .
             1        .a

```

vn19

The child is bullied by other children (excluding siblings in the household)

```

type: numeric (byte)
label: ef4

range: [0,5]                units: 1
unique values: 4            missing .: 1,011/1,510
unique missing codes: 2    missing *: 1/1,510

tabulation: Freq.  Numeric  Label
             25       0    not encounter
            127      1    unable
            266      3    sometimes
             80       5    usually
            1,011     .
             1        .a

```

vn20

The child often volunteers to help others

```

type: numeric (byte)
label: ef4

range: [0,5]                units: 1
unique values: 4            missing .: 1,011/1,510
unique missing codes: 2    missing *: 1/1,510

```



```

type: numeric (byte)
label: ef4

range: [1,5]
unique values: 3
unique missing codes: 2

units: 1
missing .: 1,011/1,510
missing *: 1/1,510

```

```

tabulation: Freq.  Numeric  Label
             52      1  unable
             192     3  sometimes
             254     5  usually
            1,011    .
             1      .a

```

**vn1** **The child is considerate**

```

type: numeric (byte)
label: ef4

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,011/1,510
missing *: 1/1,510

```

```

tabulation: Freq.  Numeric  Label
             18      0  not encounter
             85      1  unable
            221     3  sometimes
            174     5  usually
            1,011    .
             1      .a

```

**vn6** **The child often plays alone**

```

type: numeric (byte)
label: ef4

range: [1,5]
unique values: 3
unique missing codes: 2

units: 1
missing .: 1,011/1,510
missing *: 1/1,510

```

```

tabulation: Freq.  Numeric  Label
             240     1  unable
             173     3  sometimes
             85      5  usually
            1,011    .
             1      .a

```

**ef11** **The child takes time to deal with disappointment**

```

type: numeric (byte)
label: ef4

range: [0,5]
unique values: 4
unique missing codes: 2

units: 1
missing .: 1,011/1,510
missing *: 1/1,510

```

```

tabulation: Freq.  Numeric  Label
             1      0  not encounter
            345     1  unable
             94      3  sometimes
             58      5  usually
            1,011    .
             1      .a

```

---

**ef12 The child is over excited when doing what he/ she likes**

---

```

type: numeric (byte)
label: ef4

range: [1,5]                units: 1
unique values: 3            missing .: 1,011/1,510
unique missing codes: 2    missing *: 1/1,510

tabulation:  Freq.  Numeric  Label
              179    1       unable
              134    3       sometimes
              185    5       usually
              1,011  .
              1      .a

```

---

**vn12 The child quarrels with or bullies other children (excluding siblings in the hou**

---

```

type: numeric (byte)
label: ef4

range: [0,5]                units: 1
unique values: 4            missing .: 1,011/1,510
unique missing codes: 2    missing *: 1/1,510

tabulation:  Freq.  Numeric  Label
              15    0       not encounter
              320   1       unable
              152   3       sometimes
              11    5       usually
              1,011 .
              1     .a

```

---

**vn13 The child is depressed or cries easily**

---

```

type: numeric (byte)
label: ef4

range: [0,5]                units: 1
unique values: 4            missing .: 1,011/1,510
unique missing codes: 2    missing *: 1/1,510

tabulation:  Freq.  Numeric  Label
              2     0       not encounter
              281   1       unable
              125   3       sometimes
              90    5       usually
              1,011 .
              1     .a

```

---

**vn14 The child is generally liked by other children. (excluding siblings in the house**

---

```

type: numeric (byte)
label: ef4

range: [0,5]                units: 1
unique values: 4            missing .: 1,011/1,510
unique missing codes: 2    missing *: 1/1,510

```

```

tabulation:  Freq.  Numeric  Label
              4       0  not encounter
              36      1  unable
              164     3  sometimes
              294     5  usually
            1,011     .
              1       .a
    
```

**exp\_a10 The child can mediate when other children are arguing**

```

type: numeric (byte)
label: ef4

range: [0,5] units: 1
unique values: 4 missing .: 1,011/1,510
unique missing codes: 2 missing *: 1/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              131     0  not encounter
              161     1  unable
              163     3  sometimes
              43      5  usually
            1,011     .
              1       .a
    
```

**vn23 The child can get along with adults better than with children (excluding sibling**

```

type: numeric (byte)
label: ef4

range: [0,5] units: 1
unique values: 4 missing .: 1,011/1,510
unique missing codes: 2 missing *: 1/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              5       0  not encounter
             134     1  unable
             143     3  sometimes
             216     5  usually
            1,011     .
              1       .a
    
```

**vn24 The child is easily frightened and afraid of various things**

```

type: numeric (byte)
label: ef4

range: [0,5] units: 1
unique values: 4 missing .: 1,011/1,510
unique missing codes: 2 missing *: 1/1,510
    
```

```

tabulation:  Freq.  Numeric  Label
              1       0  not encounter
             254     1  unable
             151     3  sometimes
              92     5  usually
            1,011     .
              1       .a
    
```

**vn29 In general, do you think this child has problems with emotions, concentration, b**

```

type: numeric (byte)
label: vn29
    
```

```

range: [1,3] units: 1
unique values: 2 missing .: 1,011/1,510
unique missing codes: 2 missing *: 1/1,510

tabulation: Freq. Numeric Label
             83         1 yes
             415        3 no
             1,011      .
             1          .a
    
```

**vn29a** **To what extent do you think the child has this problem?**

```

type: numeric (byte)
label: vn29a

range: [1,5] units: 1
unique values: 3 missing .: 1,426/1,510
unique missing codes: 2 missing *: 1/1,510

tabulation: Freq. Numeric Label
             73         1 A little
             9         3 Much
             1         5 Severely
             1,426      .
             1          .a
    
```

**note** **Interviewer note (unavailable)**

```

type: string (str331), but longest is str0
unique values: 0 missing "": 1,510/1,510

tabulation: Freq. Value
             1,510 ""
    
```

**year\_survey** **year survey**

```

type: numeric (float)
range: [2017,2017] units: 1
unique values: 1 missing .: 0/1,510

tabulation: Freq. Value
             1,510 2017
mean: 2017
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
              2017 2017 2017 2017 2017
    
```

**survey\_name** **survey round**

```

type: string (str12)
unique values: 1 missing "": 0/1,510

tabulation: Freq. Value
             1,510 "RESURVEY2017"
    
```

```
2 . log close
   name: <unnamed>
   log: R:\RIECE_RELEASE V3-2017-2018/codebook\2017\b6.scml
   log type: smcl
   closed on: 13 Feb 2026, 16:41:17
```

---