



```

name: <unnamed>
log: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\2018\a8_table3.scml
log type: smcl
opened on: 30 May 2024, 17:20:53

```

1 . codebookr \_all,all

```

> un.dta
Dataset: V:\RIECE DATA\RIECE_RELEASE V3-2017-2018/codebook\a8_table3_r
Last saved: 30 May 2024 17:20
DATA HAVE CHANGED SINCE LAST SAVED

```

```

Label: [none]
Number of variables: 14
Number of observations: 5,614
Size: 533,330 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

```

Numeric Missing*: .a String Missing*: RF
                  .b                      NA
                  .c                      DK
                  .d                      MI

```

---

**hhid** **household id**

---

```

type: string (str15)
unique values: 1,182 missing "": 0/5,614
examples: "201591160609208"
           "201691131006071"
           "201691160106003"
           "201691161708105"

```

---

**iyear** **year**

---

```

type: string (str9), but longest is str4
unique values: 2 missing "": 0/5,614
tabulation: Freq. Value
             2,010 "2015"
             3,604 "2016"

```

---

**prov** **province**

---

```

type: string (str2)

```

unique values: 2 missing "": 0/5,614  
 tabulation: Freq. Value  
                   5,089 "91"  
                   525 "93"

amp

amphoe

type: string (str2)  
 unique values: 7 missing "": 0/5,614  
 tabulation: Freq. Value  
                   525 "12"  
                   961 "13"  
                   447 "14"  
                   570 "15"  
                   2,075 "16"  
                   156 "17"  
                   880 "18"

tam

tambon

type: string (str2)  
 unique values: 15 missing "": 0/5,614  
 tabulation: Freq. Value  
                   271 "01"  
                   854 "02"  
                   511 "04"  
                   201 "05"  
                   224 "06"  
                   246 "07"  
                   224 "08"  
                   387 "09"  
                   483 "10"  
                   364 "11"  
                   569 "13"  
                   181 "14"  
                   537 "15"  
                   352 "17"  
                   210 "19"

moo

moo

type: string (str2)  
 unique values: 21 missing "": 0/5,614  
 tabulation: Freq. Value  
                   595 "01"  
                   262 "02"  
                   538 "03"  
                   613 "04"  
                   445 "05"  
                   615 "06"  
                   290 "07"  
                   581 "08"  
                   361 "09"  
                   272 "10"  
                   219 "11"  
                   145 "12"  
                   157 "13"  
                   28 "14"  
                   37 "15"

149 "16"  
 39 "17"  
 51 "18"  
 118 "19"  
 74 "22"  
 25 "24"

---

**strucid** **structure ID**

---

type: string (**str3**)  
 unique values: **182** missing "": **0/5,614**  
 examples: "011"  
           "034"  
           "068"  
           "137"

---

**no** **no**

---

type: string (**str2**)  
 unique values: **13** missing "": **2/5,614**  
 tabulation: Freq. Value  
               2 ""  
               1,170 "1"  
               22 "10"  
               11 "11"  
               2 "12"  
               1 "13"  
               1,099 "2"  
               1,078 "3"  
               846 "4"  
               609 "5"  
               397 "6"  
               219 "7"  
               110 "8"  
               48 "9"

---

**hc2a** **Member ID**

---

type: string (**str3**)  
 unique values: **13** missing "": **0/5,614**  
 tabulation: Freq. Value  
               1,172 "H1"  
               22 "H10"  
               11 "H11"  
               2 "H12"  
               1 "H13"  
               1,099 "H2"  
               1,077 "H3"  
               844 "H4"  
               605 "H5"  
               399 "H6"  
               221 "H7"  
               113 "H8"  
               48 "H9"

---

**hc2b** **Nickname (unavailable)**

---

```

type: string (str33), but longest is str0
unique values: 0 missing "": 5,614/5,614
tabulation: Freq. Value
             5,614 ""
    
```

**hc2c** **Expenditures on cloths (Baht/year)**

```

type: numeric (long)
range: [0,25000] units: 1
unique values: 101 missing .: 1/5,614
unique missing codes: 4 missing *: 729/5,614

mean: 948.449
std. dev: 1419.53

percentiles:      10%      25%      50%      75%      90%
                  0         0         500      1200     2000
    
```

**hh\_change** **Sample has moved so that its household structure changed**

```

type: numeric (float)
label: hh_change
range: [0,1] units: 1
unique values: 2 missing .: 0/5,614

tabulation: Freq. Numeric Label
             5,536      0 no
              78       1 yes
    
```

**survey\_name** **survey round**

```

type: string (str12)
unique values: 1 missing "": 0/5,614
tabulation: Freq. Value
             5,614 "RESURVEY2018"
    
```

**year\_survey** **year survey**

```

type: numeric (int)
range: [2018,2018] units: 1
unique values: 1 missing .: 0/5,614

tabulation: Freq. Value
             5,614 2018
mean: 2018
std. dev: 0

percentiles:      10%      25%      50%      75%      90%
                  2018     2018     2018     2018     2018
    
```

```

2 . log close
   name: <unnamed>
   log: V:\\RIECE DATA\\RIECE_RELEASE V3-2017-2018/codebook\2018\a8_table3.scml
   log type: smcl
   closed on: 30 May 2024, 17:20:54
    
```