



```

name: <unnamed>
log: Z:\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey2019/codebook\b10.scml
log type: smcl
opened on: 22 Aug 2024, 09:27:17

```

1 . codebookr _all,all

```

> _run.dta
Dataset: Z:\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey2019/codebook\b10
Last saved: 22 Aug 2024 09:27

```

```

Label: [none]
Number of variables: 65
Number of observations: 1,434
Size: 2,976,984 bytes ignoring labels, etc.
Unique Values: A list of all of the possible non-missing values
for the variable and the description of the values.
Unique Missing Values: There are four types of missing values

```

- .a or RF: The subject explicitly refused to answer the question when he or she should have.
- .b or NA: The subject was never asked the question for one reason or another. Usually this results from "skip patterns" that occur.
- .c or DK: The subject was unable to answer the question either because he or she had no opinion or because the required information was not available.
- .d or MI: Items should be filled out but have no data entry found. This is enumerator's own mistake. The circumstances can be interviewers failing to ask a question or forgetting to record a response

Numeric Missing*:	.a	String Missing*:	RF
	.b		NA
	.c		DK
	.d		MI

cid **children id**

```

type: string (str18)
unique values: 1,434 missing "": 0/1,434
examples: "201591160419002H7"
           "201593121510202H4"
           "201691150908055H1"
           "201691161706126H1"

```

iyear **year**

```

type: string (str4)
unique values: 2 missing "": 0/1,434
tabulation: Freq. Value
             573 "2015"
             861 "2016"

```

hhid **household id**

```

type: string (str15)

```

unique values: 1,244 missing "": 0/1,434
 examples: "201591160419002"
 "201593121510202"
 "201691150908055"
 "201691161706126"

prov **province**

type: string (**str2**)
 unique values: 2 missing "": 0/1,434
 tabulation: Freq. Value
 1,300 "91"
 134 "93"

amp **amphoe**

type: string (**str2**)
 unique values: 8 missing "": 0/1,434
 tabulation: Freq. Value
 1 "09"
 133 "12"
 264 "13"
 119 "14"
 144 "15"
 512 "16"
 39 "17"
 222 "18"

tam **tambon**

type: string (**str2**)
 unique values: 15 missing "": 0/1,434
 tabulation: Freq. Value
 62 "01"
 206 "02"
 124 "04"
 54 "05"
 54 "06"
 65 "07"
 61 "08"
 100 "09"
 128 "10"
 93 "11"
 139 "13"
 50 "14"
 141 "15"
 99 "17"
 58 "19"

moo **moo**

type: string (**str2**)
 unique values: 22 missing "": 0/1,434

```

tabulation:  Freq.  Value
              157  "01"
              70   "02"
              138  "03"
              152  "04"
              114  "05"
              152  "06"
              79   "07"
              143  "08"
              82   "09"
              70   "10"
              53   "11"
              40   "12"
              39   "13"
              12   "14"
              11   "15"
              39   "16"
              12   "17"
              12   "18"
              30   "19"
              1    "20"
              21   "22"
              7    "24"
    
```

strucid **structure ID**

```

type: string (str3)
unique values: 185           missing "": 0/1,434
examples: "010"
          "033"
          "071"
          "201"
    
```

ch10 **Chickenpox Vaccine**

```

type: numeric (byte)
label: ch10
range: [3,5]           units: 1
unique values: 2       missing .: 1,421/1,434
unique missing codes: 2 missing *: 10/1,434

tabulation:  Freq.  Numeric  Label
              1      3      no
              2      5      not sure
            1,421    .
              10     .b
    
```

ch11 **Flu Vaccine**

```

type: numeric (byte)
label: ch11
range: [3,5]           units: 1
unique values: 2       missing .: 1,421/1,434
unique missing codes: 2 missing *: 10/1,434

tabulation:  Freq.  Numeric  Label
              1      3      no
              2      5      not sure
            1,421    .
              10     .b
    
```

ch12 **Meningitis Vaccine**

```

type: numeric (byte)
label: ch12

range: [3,5]
unique values: 2
unique missing codes: 2

units: 1
missing ..: 1,421/1,434
missing *: 10/1,434

tabulation: Freq.  Numeric  Label
              1         3      no
              2         5      not sure
            1,421       .
              10        .b
    
```

ch39 **Child get additional vaccines?**

```

type: numeric (byte)
label: ch39

range: [.,.]
unique values: 0

units: .
missing ..: 1,434/1,434

tabulation: Freq.  Numeric  Label
            1,434       .
    
```

ch38 **At the interview date, maternal and child health book (pink book) was recorded?**

```

type: string (str1), but longest is str0

unique values: 0
missing "": 1,434/1,434

tabulation: Freq.  Value
            1,434  ""
    
```

ch13 **Childbirth record : Birth place**

```

type: string (str83), but longest is str0

unique values: 0
missing "": 1,434/1,434

tabulation: Freq.  Value
            1,434  ""
    
```

ch14 **Childbirth record : By whom**

```

type: numeric (byte)
label: ch14

range: [.,.]
unique values: 0

units: .
missing ..: 1,434/1,434

tabulation: Freq.  Numeric  Label
            1,434       .
    
```

ch14_des **Childbirth record : Others**

```

type: string (str21), but longest is str0
    
```

unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

ch15_w Childbirth record : Gestational age (weeks)

type: string (str2), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

ch15_d Childbirth record : Gestational age (days)

type: string (str2), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

ch16 Childbirth record : How did you give birth? (Caesarean section or natural birth)

type: string (str87), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

ch17 Childbirth record : Complications at birth

type: string (str2), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

ch17_des Childbirth record : Identify complications (at birth)

type: string (str78), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

ch18 Childbirth record : Complications after birth

type: string (str2), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

ch18_des **Childbirth record : Identify complications (after birth)**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

ch19 **Postnatal Depression Screening Record : Stressed**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

ch20 **Postnatal Depression Screening Record : Depressed**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

ch21 **Postnatal Depression Screening Record : Drinking alcohol**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

ch22 **Newborn record : Date of birth**

type: string (**str19**), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

ch23 **Newborn record: Gender**

type: string (**str2**), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

ch24 **Newborn record: Weight at Birth (grams)**

type: string (**str4**), but longest is str0

unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

ch25 Newborn record: Length (centimetres)

type: string (str3), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

ch26 Newborn record: Head circumference (centimetres)

type: string (str9), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

ch27 Newborn record: Apgar Score (1 minute)

type: string (str4), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

ch28 Newborn record: Apgar Score (5 minutes)

type: string (str5), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

ch29 Newborn Records: Congenital disorder

type: string (str2), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

ch29_des Newborn Records: Identify congenital disorder

type: string (str95), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

ch30 **Newborn records: Newborn health**

```

type: numeric (byte)
label: ch30

range: [...]
unique values: 0
units: .
missing ..: 1,434/1,434

tabulation: Freq.  Numeric  Label
            1,434      .
    
```

ch30_des **Newborn Records: Identify abnormalities**

```

type: string (str29), but longest is str0
unique values: 0
missing "": 1,434/1,434

tabulation: Freq.  Value
            1,434  ""
    
```

ch31 **Newborn records: Discharge date**

```

type: string (str19), but longest is str0
unique values: 0
missing "": 1,434/1,434

tabulation: Freq.  Value
            1,434  ""
    
```

ch32 **Newborn record: Weight at discharged date (grams)**

```

type: string (str4), but longest is str0
unique values: 0
missing "": 1,434/1,434

tabulation: Freq.  Value
            1,434  ""
    
```

ch33 **Newborn record: Vitmin K**

```

type: numeric (byte)
label: ch33

range: [...]
unique values: 0
units: .
missing ..: 1,434/1,434

tabulation: Freq.  Numeric  Label
            1,434      .
    
```

ch34 **Newborn record: Newborn screening date**

```

type: string (str19), but longest is str0
unique values: 0
missing "": 1,434/1,434

tabulation: Freq.  Value
            1,434  ""
    
```

ch35 **Newborn Record: Congenital Hypothyroidism Screening**

```

type: numeric (byte)
label: ch35

range: [...]          units: .
unique values: 0      missing .. 1,434/1,434

tabulation: Freq.   Numeric  Label
             1,434      .
    
```

ch36 **Newborn Record: PKU Screening**

```

type: numeric (byte)
label: ch35

range: [...]          units: .
unique values: 0      missing .. 1,434/1,434

tabulation: Freq.   Numeric  Label
             1,434      .
    
```

nvac_1 **BCG (Tuberculosis vaccine) (not display)**

```

type: string (str197), but longest is str0
unique values: 0      missing "": 1,434/1,434

tabulation: Freq.  Value
             1,434  ""
    
```

ch3_1 **Number1:Are children receiving vaccine on the following list?**

```

type: numeric (byte)

range: [...]          units: .
unique values: 0      missing .. 1,434/1,434

tabulation: Freq.  Value
             1,434  .
mean:      .
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              .     .     .     .     .
    
```

ch3b_1 **Where does the data come from?**

```

type: numeric (byte)

range: [...]          units: .
unique values: 0      missing .. 1,434/1,434

tabulation: Freq.  Value
             1,434  .
mean:      .
std. dev:  .

percentiles: 10%    25%    50%    75%    90%
              .     .     .     .     .
    
```

nvac_2 **HBV (Hepatitis-B vaccine) (not display)**

```

type: string (str197), but longest is str0
unique values: 0 missing "": 1,434/1,434
tabulation: Freq. Value
             1,434 ""
    
```

ch3_2 **Number2:Are children receiving vaccine on the following list?**

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1,434/1,434
tabulation: Freq. Value
             1,434 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

ch3b_2 **Where does the data come from?**

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1,434/1,434
tabulation: Freq. Value
             1,434 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
              . . . . .
    
```

nvac_3 **OPV (Polio vaccine) (not display)**

```

type: string (str197), but longest is str0
unique values: 0 missing "": 1,434/1,434
tabulation: Freq. Value
             1,434 ""
    
```

ch3_3 **Number3:Are children receiving vaccine on the following list?**

```

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1,434/1,434
tabulation: Freq. Value
             1,434 .
mean: .
std. dev: .
    
```

percentiles: 10% 25% 50% 75% 90%
.

ch3b_3 **Where does the data come from?**

type: numeric (**byte**)
range: [.,.] units: .
unique values: 0 missing .: 1,434/1,434
tabulation: Freq. Value
1,434 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
.

nvac_4 **DTP,DPT (Diphtheria vaccine) (not display)**

type: string (**str197**), but longest is str0
unique values: 0 missing "": 1,434/1,434
tabulation: Freq. Value
1,434 ""

ch3_4 **Number4:Are children receiving vaccine on the following list?**

type: numeric (**byte**)
range: [.,.] units: .
unique values: 0 missing .: 1,434/1,434
tabulation: Freq. Value
1,434 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
.

ch3b_4 **Where does the data come from?**

type: numeric (**byte**)
range: [.,.] units: .
unique values: 0 missing .: 1,434/1,434
tabulation: Freq. Value
1,434 .
mean: .
std. dev: .
percentiles: 10% 25% 50% 75% 90%
.

nvac_5 **M or MR or MMR (vaccine against measles-mumps-rubella) (not display)**

type: string (**str197**), but longest is str0

unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

ch3_5 **Number5:Are children receiving vaccine on the following list?**

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,434/1,434
 tabulation: Freq. Value
 1,434 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

ch3b_5 **Where does the data come from?**

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,434/1,434
 tabulation: Freq. Value
 1,434 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

nvac_6 **JE (Encephalitis vaccine) (not display)**

type: string (**str197**), but longest is str0
 unique values: 0 missing "": 1,434/1,434
 tabulation: Freq. Value
 1,434 ""

ch3_6 **Number6:Are children receiving vaccine on the following list?**

type: numeric (**byte**)
 range: [.,.] units: .
 unique values: 0 missing .: 1,434/1,434
 tabulation: Freq. Value
 1,434 .
 mean: .
 std. dev: .
 percentiles: 10% 25% 50% 75% 90%

ch3b_6 **Where does the data come from?**

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing.: 1,434/1,434

tabulation: Freq. Value
1,434 .
mean: .
std. dev: .

percentiles: 10% 25% 50% 75% 90%
. . . . .
    
```

ch37 **Interviewer's note (not display)**

```

type: string (str120), but longest is str0
unique values: 0
missing "": 1,434/1,434

tabulation: Freq. Value
1,434 ""
    
```

note_cleaner **Data note cleaner**

```

type: string (str189)
unique values: 2
missing "": 0/1,434

tabulation: Freq. Value
13 "ตามเฉพาะครัวเรือนที่มีการเปลี่ยนแปลงโครงสร้าง
ของสมาชิกในครอบครัว"
1, 4 2 1 "ไม่ติดคำถามข้อนี้"
    
```

year_survey **year survey**

```

type: numeric (float)
range: [2019,2019]
unique values: 1
units: 1
missing.: 0/1,434

tabulation: Freq. Value
1,434 2019
mean: 2019
std. dev: 0

percentiles: 10% 25% 50% 75% 90%
2019 2019 2019 2019 2019
    
```

survey_name **survey round**

```

type: string (str12)
unique values: 1
missing "": 0/1,434

tabulation: Freq. Value
1,434 "RESURVEY2019"
    
```

```

2 . log close
name: <unnamed>
log: Z:\RIECE DATA\RIECE_RELEASE V5-2019\Resurvey2019/codebook\b10.scml
log type: smcl
closed on: 22 Aug 2024, 09:27:19
    
```
